PB84-152388

# Industrial Waste Heat Recovery and the Potential for Emissions Reduction Volume 5. Standard Classification Codes 3-01-025-10 to 3-02-013-01

Energy and Environmental Analysis, Inc.
Arlington, VA

Prepared for

Industrial Environmental Research Lab.-Cincinnati, OH

Feb 84

U.S. Department of Commerce
National Technical Information Service
NTIS

PB84-152388

EPA-600/7-84-020e
February 1984

# INDUSTRIAL WASTE HEAT RECOVERY AND THE POTENTIAL FOR EMISSIONS REDUCTION, VOLUME 5: STANDARD CLASSIFICATION CODES 3-01-025-10 TO 3-02-013-01

by

Energy and Environmental Analysis, Inc.
1111 North 19th Street
Arlington, Virginia 22209

Contract Number 68-03-2622

Project Officer

Benjamin L. Blaney
Power Technology and Conservation Branch
Industrial Environmental Research Laboratory
Cincinnati, Ohio 45268

INDUSTRIAL ENVIRONMENTAL RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
CINCINNATI, OHIO 45268

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

## TECHNICAL REPORT DATA

*(Please read Instructions on the reverse before completing)*

| | | |
|---|---|---|
| 1. REPORT NO. EPA-600/7-84-020e | 2. | 3. RECIPIENT'S ACCESSION NO. PB8 4 152388 |
| 4. TITLE AND SUBTITLE Industrial Waste Heat Recovery and the Potential for Emissions Reduction, Volume 5: Standard Classification Codes 3-01-025-10 to 3-02-013-01 | | 5. REPORT DATE February 1984 |
| | | 6. PERFORMING ORGANIZATION CODE |
| 7. AUTHOR(S) | | 8. PERFORMING ORGANIZATION REPORT NO. |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS Energy and Environmental Analysis, Inc. 1111 North 19th Street Arlington, VA 22209 | | 10. PROGRAM ELEMENT NO. C2JN1E |
| | | 11. CONTRACT/GRANT NO. 68-03-2622 |
| 12. SPONSORING AGENCY NAME AND ADDRESS Industrial Environmental Research Laboratory U.S. Environmental Protection Agency Cincinnati, Ohio 45268 | | 13. TYPE OF REPORT AND PERIOD COVERED Final: 10/25/77 - 3/28/79 |
| | | 14. SPONSORING AGENCY CODE EPA-ORD/16 |
| 15. SUPPLEMENTARY NOTES | | |

16. ABSTRACT

This report examines the applicability of conservation equipment to various industrial sectors, determines the net costs involved, and assesses the potential for conservation as a means of air pollution control. Predictions of the amount of waste heat available from U.S. industrial sources were made and a waste heat inventory was established. The inventory is segmented by industrial group, industry, process, and flue gas temperature. The waste heat recovery equipment analysis determined the costs and applications of a variety of waste heat recovery equipment. The analysis examined five major equipment types and their limitations. Cost functions were developed which used furnace flue gas flow rate and temperature, and air preheat temperature as inputs. A discussion of the major factors to be considered for the development of heat recovery equipment also is included. A discussion on the availability and development of high temperature burners and the effects of high preheat temperature on ancillary equipment is included. High preheat temperatures result in higher flame temperatures and correspondingly higher $NO_x$ emissions. This issue also has been addressed in this report. Volume 1 describes study methodology and findings. Volumes 2 through 10 tabulate stack gas waste heat inventories for all the industrial processes studied.

17. KEY WORDS AND DOCUMENT ANALYSIS

| a. DESCRIPTORS | b. IDENTIFIERS/OPEN ENDED TERMS | c. COSATI Field/Group |
|---|---|---|
| | | |

| | | |
|---|---|---|
| 18. DISTRIBUTION STATEMENT Release to Public | 19. SECURITY CLASS *(This Report)* Unclassified | 21. NO. OF PAGES 528 |
| | 20. SECURITY CLASS *(This page)* Unclassified | 22. PRICE |

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

## NOTICE

This document has been reviewed in accordance with U.S. Environmental Protection Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

ABSTRACT

This analysis estimates the environmental consequences of industrial energy conservation. The benefits and problems of using energy conservation equipment depend upon the net costs of using industrial energy conservation technologies and traditional air pollution control techniques. This report examines the applicability of conservation equipment to various industrial sectors, determines the net costs involved, and assesses the potential for conservation as a means of air pollution control.

Predictions of the amount of waste heat available from U.S. industrial sources were made and a waste heat inventory was established. The inventory is segmented by industrial group, industry, process, and flue gas temperature. A description of the theoretical basis for the inventory, the method of execution, the limitations of the analysis, and the results are included.

The waste heat recovery equipment analysis determined the costs and applications of a variety of waste heat recovery equipment. The analysis examined five major equipment types and their limitations. Cost functions were developed which used furnace flue gas flow rate and temperature, and air preheat temperature as inputs.

A discussion of the major factors to be considered for the development of heat recovery equipment also is included. Since a major waste heat recovery technology involves preheating combustion air, a discussion on the availability and development of high temperature burners and the effects of high preheat temperature on ancillary equipment is included. High preheat temperatures result in higher flame temperatures and higher $NO_x$ emissions. This issue also has been addressed in this report.

The above information is presented in Volume 1 of the report, with the exception of the stack gas waste heat inventories for each industrial process. These are tabulated in Volumes 2 through 10 of the report.

This report was submitted in fulfillment of Contract No. 68-03-2622 by Energy and Environmental Analysis, Inc. under sponsorship of the U.S. Environmental Protection Agency. This report covers the period October 25, 1977 to March 28, 1979 and work on this project was completed in October 1981.

## FOREWORD

When energy and material resources are extracted, processed, converted, and used, the related pollutional impacts of our environment and even on our health often require that new and increasingly more efficient pollution control methods be used. The Industrial Environmental Research Laboratory - Cincinnati (IERL-Ci) assists in developing and demonstrating new and improved methodologies that will meet these needs both efficiently and economically.

This report describes the flue gas waste heat recovery potential for various industrial processes and the techniques available for recovering that thermal energy. The potential for emission reduction through waste heat utilization is discussed. This report should be useful to businesses and government agencies concerned with both energy conservation and pollution reduction. Further information on this subject may be obtained from the Energy Pollution Control Division of IERL-Ci.

David G. Stephan
Director
Industrial Environmental Research Laboratory
Cincinnati

## CONTENTS

Disclaimer .......................................................... ii
Abstract .......................................................... iii
Foreword .......................................................... iv
Contents .......................................................... v
Table .......................................................... vi
1. Introduction .......................................................... 1
2. Waste Heat Inventory .......................................................... 3

TABLE

1. Division of Stack Gas Waste Heat Inventory into Volumes 2 to 10 of Report ....................................................2

# SECTION 1

# INTRODUCTION

## STUDY OBJECTIVES

This study investigated the various applications of energy conservation technologies which recover waste heat from furnaces, boilers, and tubestill heaters. The three main objectives are: (1) to characterize feasible conservation equipment, (2) to determine possible market penetration, and (3) to study pollution formation from waste heat recovery equipment.

The five major components of the study were:

(1) Establishment of a waste heat inventory.

(2) Determination of feasible waste heat recovery technologies.

(3) Determination of factors affecting waste heat recovery and equipment limitations, specifically in furnaces, ovens, and kilns.

(4) Determination of compatibility between conservation equipment and available burner design.

(5) Determination of the effect of waste heat recovery devices on criteria pollutants with an emphasis on $NO_x$ emissions.

The approach to each of these components and the principal results are presented in Volume 1 of the final report. The detailed waste heat inventory which was established as the first task of the study is presented in Volumes 2 to 10.

## STACK GAS WASTE HEAT INVENTORY

One result of establishing a waste heat inventory was the development of computer tables and histograms showing the waste heat contents of stack gasses for different industrial processes. This information is contained in a lengthy set of computer printouts which were bound and published as Volumes 2 to 10 of the project report.

The information is presented by Source Classification Code (SCC), as used in EPA's National Emissions Data System (NEDS). Table 1 shows the industrial process SCC's which are covered in each of the nine volumes.

The material presented in this volume has an asterisk next to it. The title of each SCC is given in Appendix H of Volume 1 of the final report.

TABLE 1. Division of Stack Gas Waste Heat Inventory into Volumes 2 to 10 of Report

| Volume Number | SCC's Covered |
|---|---|
| 2 | 1-01-001-01 to 1-02-007-03 |
| 3 | 1-02-007-04 to 2-03-999-98 |
| 4 | 2-04-001-01 to 3-01-025-05 |
| * 5 | 3-01-025-10 to 3-02-013-01 |
| 6 | 3-02-014-01 to 3-04-002-03 |
| 7 | 3-04-002-04 to 3-05-010-03 |
| 8 | 3-05-010-99 to 3-06-010-01 |
| 9 | 3-06-011-01 to 3-90-005-33 |
| 10 | 3-90-005-99 to 3-90-008-99 |

*Material covered in this volume.

# SECTION 2

# WASTE HEAT INVENTORY

## INTRODUCTION

The waste heat inventory was established to determine the amount of waste heat available from all non-evaporative sources. The flue gas heat loss from these sources was tabulated and then disaggregated by flue gas temperature so that higher temperature sources, which offer the largest savings, could be identified readily.

The waste heat inventory is based on the Environmental Protection Agency's (EPA) National Emission Data System (NEDS) which examines both large and small sources. The NEDS data base provides the best available information on industrial sources in the U.S. and reports stack temperatures and flue gas flow rates. To develop the waste heat inventory, flue gas composition was estimated for flue gases from several fossil fuels at various fuel/air ratios. Using these results and and the NEDS data, functions for Btu's per actual cubic foot of flue gas were developed. From this information, a second set of functions was developed for the maximum, minimum, and expected flue gas waste heat content for each industrial facility. Details on this analysis is presented in Volume 1 of the final report.

In this volume of the report the waste heat inventory of those SCC industrial processes which are indicated by an asterisk in Table 1 are provided.

## INVENTORY DESCRIPTION

The Source Code Classification (SCC) results are ordered numerically. Each SCC is divided into two groups: sources with and without pollution control equipment. If an SCC has entries in only one of the groups, i.e. with or without control equipment, then only that group is shown. The total SCC is presented in the same format.

The top left hand corner of each page of inventory output gives the SCC number and is followed immediately by a brief description of the SCC. The top line indicates whether the information concerns entries with pollution control equipment, without equipment, or the total SCC.

The entry SIC = 0 indicates that the SCC has not been further subdivided by Standard Industrial Classification (SIC). However, if a four-digit

number is given, the output includes the SCC entries also in the four-digit SIC. TOT RECS indicates the total number of records that were processed for the waste heat calculation for that section of the SCC. If SIC does not equal zero, TOT RECS will refer to the number of records in the total SCC, rather than the SIC subdivision of the SCC.

The first calculation results are given by temperature range. The flue gas heat content, given in Btu's, is entered in the appropriate one hundred degree range according to the flue gas exit temperature.* The totals for the six different waste heat levels are given at the bottom of each column. The second page of the printout shows results tabulated by two-digit SIC's. The totals again appear at the bottom of each column. Finally, a histogram of the expected 60°F waste heat calculation is shown. This histogram allows a more comprehensive analysis of the relative significance of the waste heat content of the various flue gases. Each "H" on the histograms represents $1 \times 10^{11}$ Btu's and the exact heat value is given in the column directly to the left of the histograms. Any range with a heat value over ten trillion Btu's will extend off the histogram scale and will not be reflected accurately.

---

*Note: 1 Btu = 1055J and T(°F) = 1.8T(°C) + 32.

SCC= 30102510--SEMISYNTH FI VISCOSE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .198E 12 | .166E 12 | .549E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .198E 12 | .166E 12 | .549E 11 | .0 | .0 | .0 |

SCC = 30102510--SEMISYNTH FIVISCOSE -WITH CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .198E 12 | .166E 12 | .549E 11 | .0 | .0 | .0 |
| | .198E 12 | .166E 12 | .549E 11 | .0 | .0 | .0 |

CC =30102510--SEMISYNTH FI VISCOSE ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .166E 12    !H
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102510--SEMISYNTH FI VISCOSE -TOTAL SCC -SIC = 0 -TOT RECS = 6

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .256E 12 | .240E 12 | .518E 09 | .0 | .0 | .0 |
| 101.- 200. | .848E 12 | .775E 12 | .449E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .110E 13 | .102E 13 | .449E 12 | .0 | .0 | .0 |

SCC = 30102510--SEMISYNTH FIVISCOSE -TOTAL SCC -TOT RECS = 6

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .110E 13 | .102E 13 | .449E 12 | .0 | .0 | .0 |
| | .110E 13 | .102E 13 | .449E 12 | .0 | .0 | .0 |

CC 30102510--SEMISYNTH FI VISCOSE --TOTAL SCC -SIC = 0 -TOT RECS = 6

| EMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .240E 12 | !HH |
| 101.- 200. | .775E 12 | !HHHHHHH |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30102599--SEMISYNTH FI OTHERS/NOT CLASSIFIE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM<br>60 DEG | EXPECTED<br>60 DEG | MINIMUM<br>60 DEG | MAXIMUM<br>300 DEG | EXPECTED<br>300 DEG | MINIMUM<br>300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30102599--SEMISYNTH FIOTHERS/NOT CLASSIFIE -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30102599--SEMISYNTH FI OTHERS/NOT CLASSIFIE -WITH CONTROL EQUIPMENT -SIC = ) -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .509E 09 | .477E 09 | .389E 09 | .0 | .0 | .0 |
| 101.- 200. | .497E 12 | .370E 12 | .182E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .498E 12 | .371E 12 | .182E 12 | .0 | .0 | .0 |

SCC = 30102599--SEMISYNTH FIOTHERS/NOT CLASSIFIE -WITH CONTROL EQUIPMENT -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .498E 12 | .371E 12 | .182E 12 | .0 | .0 | .0 |
| | .498E 12 | .371E 12 | .182E 12 | .0 | .0 | .0 |

CC =30102599--SEMISYNTH FI OTHERS/NOT CLASSIFIE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT
                      -------------------------------------------------------------------------------------------------
   0.- 100.  .477E 09 !
 101.- 200.  .370E 12 !HHH
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102601--SYNTHE RUBBE BUTADIENE GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 45

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .154E 12 | .144E 12 | .786E 11 | .0 | .0 | .0 |
| 101.- 200. | .124E 13 | .950E 12 | .412E 12 | .0 | .0 | .0 |
| 201.- 300. | .138E 12 | .106E 12 | .580E 11 | .0 | .0 | .0 |
| 301.- 400. | .279E 10 | .216E 10 | .122E 10 | .102E 09 | .972E 08 | .890E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .154E 13 | .120E 13 | .549E 12 | .102E 09 | .972E 08 | .890E 08 |

SCC = 30102601--SYNTHE RUBBEBUTADIENE GENERAL -NO CONTROL EQUIPMENT -TOT RECS = 45

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 26 | .603E 09 | .450E 09 | .223E 09 | .0 | .0 | .0 |
| 28 | .139E 13 | .107E 13 | .471E 12 | .102E 09 | .972E 08 | .890E 08 |
| 99 | .142E 12 | .133E 12 | .786E 11 | .0 | .0 | .0 |
| | .154E 13 | .120E 13 | .549E 12 | .102E 09 | .972E 08 | .890E 08 |

CC = 30102601--SYNTHE RUBBE BUTADIENE GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 45

```
TEMP RANGE   COUNT
             ---------------------------------------------------------------------------------------------------
   0.- 100.  .144E 12  !H
 101.- 200.  .950E 12  !HHHHHHHHH
 201.- 300.  .106E 12  !H
 301.- 400.  .216E 10  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102601--SYNTHE RUBBE BUTADIENE GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 25

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .108E 12 | .102E 12 | .593E 11 | .0 | .0 | .0 |
| 101.- 200. | .963E 11 | .781E 11 | .331E 11 | .0 | .0 | .0 |
| 201.- 300. | .512E 10 | .384E 10 | .193E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .210E 12 | .184E 12 | .943E 11 | .0 | .0 | .0 |

SCC = 30102601--SYNTHE RUBBEBUTADIENE GENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 25

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .100E 12 | .807E 11 | .138E 11 | .0 | .0 | .0 |
| 30 | .602E 11 | .565E 11 | .427E 11 | .0 | .0 | .0 |
| 99 | .495E 11 | .465E 11 | .379E 11 | .0 | .0 | .0 |
| | .210E 12 | .184E 12 | .943E 11 | .0 | .0 | .0 |

CC =30102601--SYNTHF RUBBE BUTADIENE GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 25

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .102E 12  !H
 101.- 200.  .781E 11  !H
 201.- 300.  .384E 10  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102601--SYNTHE RUBBE BUTADIENE GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 70

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .262E 12 | .246E 12 | .138E 12 | .0 | .0 | .0 |
| 101.- 200. | .134E 13 | .103E 13 | .445E 12 | .0 | .0 | .0 |
| 201.- 300. | .143E 12 | .109E 12 | .599E 11 | .0 | .0 | .0 |
| 301.- 400. | .279E 10 | .216E 10 | .122E 10 | .102E 09 | .972E 08 | .890E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .175E 13 | .139E 13 | .644E 12 | .102E 09 | .972E 08 | .890E 08 |

SCC = 30102601--SYNTHE RUBBEBUTADIENE GENERAL -TOTAL SCC -TOT RECS = 70

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 26 | .603E 09 | .450E 09 | .223E 09 | .0 | .0 | .0 |
| 28 | .150E 13 | .115E 13 | .484E 12 | .102E 09 | .972E 08 | .890E 08 |
| 30 | .602E 11 | .565E 11 | .427E 11 | .0 | .0 | .0 |
| 99 | .191E 12 | .179E 12 | .116E 12 | .0 | .0 | .0 |
| | .175E 13 | .139E 13 | .644E 12 | .102E 09 | .972E 08 | .890E 08 |

CC 30102601--SYNTHE RUBBE BUTADIENE GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 70

```
EMP RANGE     COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .246E 12    !HH
 101.- 200.  .103E 13    !HHHHHHHHHHH
 201.- 300.  .109E 12    !H
 301.- 400.  .216E 10    !H
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102602--SYNTHE RUBBE METHYLPROPENE GENERA -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30102602--SYNTHE RUBBEMETHYLPROPENE GENERA -NO CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30102602--SYNTHE RUBBE METHYLPROPENE GENERA -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30102602--SYNTHE RUBBEMETHYLPROPENE GENERA -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |

SCC= 30102608--SYNTHE RUBBE ACRYLONITRILE GENERA -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 40

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .236E 11 | .221E 11 | .111E 11 | .0 | .0 | .0 |
| 101.- 200. | .895E 12 | .801E 12 | .361E 12 | .0 | .0 | .0 |
| 201.- 300. | .491E 11 | .374E 11 | .760E 09 | .0 | .0 | .0 |
| 301.- 400. | .616E 10 | .474E 10 | .264E 10 | .103E 09 | .982E 08 | .899E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .248E 10 | .214E 10 | .163E 10 | .132E 10 | .125E 10 | .114E 10 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .976E 12 | .867E 12 | .377E 12 | .142E 10 | .135E 10 | .123E 10 |

SCC = 30102608--SYNTHE RUBBEACRYLONITRILE GENERA -NO CONTROL EQUIPMENT -TOT RECS = 40

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 26 | .677E 09 | .514E 09 | .268E 09 | .0 | .0 | .0 |
| 28 | .437E 12 | .361E 12 | .106E 12 | .142E 10 | .135E 10 | .123E 10 |
| 32 | .539E 12 | .506E 12 | .270E 12 | .0 | .0 | .0 |
| | .976E 12 | .867E 12 | .377E 12 | .142E 10 | .135E 10 | .123E 10 |

CC = 30102608--SYNTHE RUBBE ACRYLONITRILE GENERA-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 40

```
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .221E 11   !H
 101.- 200.  .801E 12   !HHHHHHHH
 201.- 300.  .374E 11   !H
 301.- 400.  .474E 10   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .214E 10   !H
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102608--SYNTHE RUBBE ACRYLONITRILE GENERA -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .106E 12 | .991E 11 | .807E 11 | .0 | .0 | .0 |
| 101.- 200. | .860E 12 | .646E 12 | .317E 12 | .0 | .0 | .0 |
| 201.- 300. | .480E 09 | .360E 09 | .182E 09 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .966E 12 | .745E 12 | .398E 12 | .0 | .0 | .0 |

SCC = 30102608--SYNTHE RUBBEACRYLONITRILE GENERA -WITH CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .966E 12 | .745E 12 | .398E 12 | .0 | .0 | .0 |
| | .966E 12 | .745E 12 | .398E 12 | .0 | .0 | .0 |

CC =30102608--SYNTHE RUBBE ACRYLONITRILE GENERA---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

```
TEMP RANGE     COUNT
                          ----------------------------------------------------------------------------------------------------
    0.- 100.   .991E 11  !H
  101.- 200.   .646E 12  !HHHHHH
  201.- 300.   .360E 09  !
  301.- 400.   .0        !
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102608--SYNTHE RUBBE ACRYLONITRILE GENERA -TOTAL SCC -SIC = 0 -TOT RECS = 57

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .129E 12 | .121E 12 | .919E 11 | .0 | .0 | .0 |
| 101.- 200. | .176E 13 | .145E 13 | .678E 12 | .0 | .0 | .0 |
| 201.- 300. | .496E 11 | .378E 11 | .941E 09 | .0 | .0 | .0 |
| 301.- 400. | .616E 10 | .474E 10 | .264E 10 | .103E 09 | .982E 08 | .899E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .248E 10 | .214E 10 | .163E 10 | .132E 10 | .125E 10 | .114E 10 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .194E 13 | .161E 13 | .775E 12 | .142E 10 | .135E 10 | .123E 10 |

SCC = 30102608--SYNTHE RUBBEACRYLONITRILE GENERA -TOTAL SCC -TOT RECS = 57

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 26 | .677E 09 | .514E 09 | .268E 09 | .0 | .0 | .0 |
| 28 | .140E 13 | .111E 13 | .504E 12 | .142E 10 | .135E 10 | .123E 10 |
| 32 | .539E 12 | .506E 12 | .270E 12 | .0 | .0 | .0 |
| | .194E 13 | .161E 13 | .775E 12 | .142E 10 | .135E 10 | .123E 10 |

CC 30102608--SYNTHE RUBBE ACRYLONITRILE GENERA--TOTAL SCC -SIC = 0 -TOT RECS = 57

```
EMP RANGE     COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .121E 12  !H
 101.- 200.   .145E 13  !HHHHHHHHHHHHHHH
 201.- 300.   .378E 11  !H
 301.- 400.   .474E 10  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .214E 10  !H
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102620--SYNTHE RUBBE AUTO TIRES GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 96

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .137E 13 | .129E 13 | .537E 12 | .0 | .0 | .0 |
| 101.- 200. | .152E 12 | .128E 12 | .636E 11 | .0 | .0 | .0 |
| 201.- 300. | .534E 11 | .404E 11 | .211E 11 | .0 | .0 | .0 |
| 301.- 400. | .153E 12 | .119E 12 | .0 | .620E 10 | .589E 10 | .0 |
| 401.- 500. | .460E 11 | .363E 11 | .220E 11 | .590E 10 | .560E 10 | .512E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .497E 11 | .437E 11 | .344E 11 | .306E 11 | .290E 11 | .247E 11 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .183E 13 | .165E 13 | .678E 12 | .427E 11 | .405E 11 | .298E 11 |

SCC = 30102620--SYNTHE RUBBEAUTO TIRES GENERAL -NO CONTROL EQUIPMENT -TOT RECS = 96

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 30 | .162E 13 | .148E 13 | .678E 12 | .365E 11 | .346E 11 | .298E 11 |
| 75 | .208E 12 | .170E 12 | .0 | .620E 10 | .589E 10 | .0 |
| | .183E 13 | .165E 13 | .678E 12 | .427E 11 | .405E 11 | .298E 11 |

CC = 30102620--SYNTHE RUBBE AUTO TIRES GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 96

```
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .129E 13  !HHHHHHHHHHHH
 101.- 200.  .128E 12  !H
 201.- 300.  .404E 11  !H
 301.- 400.  .119E 12  !H
 401.- 500.  .363E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .437E 11  !H
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102620--SYNTHE RUBBE AUTO TIRES GENERAL -WITH CONTROL EQUIPMENT -SIC = ) -TOT RECS = 145

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .819E 12 | .768E 12 | .439E 12 | .0 | .0 | .0 |
| 101.- 200. | .315E 12 | .254E 12 | .128E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .113E 13 | .102E 13 | .567E 12 | .0 | .0 | .0 |

SCC = 30102620--SYNTHE RUBBEAUTO TIRES GENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 145

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .851E 10 | .798E 10 | .252E 09 | .0 | .0 | .0 |
| 30 | .106E 13 | .956E 12 | .561E 12 | .0 | .0 | .0 |
| 75 | .529E 11 | .496E 11 | .630E 10 | .0 | .0 | .0 |
| 99 | .818E 10 | .767E 10 | .0 | .0 | .0 | .0 |
| | .113E 13 | .102E 13 | .567E 12 | .0 | .0 | .0 |

CC =30102620--SYNTHE RUBBE AUTO TIRES GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 145

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .768E 12  !HHHHHHH
 101.- 200.  .254E 12  !HH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

SCC= 30102620--SYNTHE RUBBE AUTO TIRES GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 241

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .219E 13 | .205E 13 | .976E 12 | .0 | .0 | .0 |
| 101.- 200. | .467E 12 | .382E 12 | .192E 12 | .0 | .0 | .0 |
| 201.- 300. | .534E 11 | .404E 11 | .211E 11 | .0 | .0 | .0 |
| 301.- 400. | .153E 12 | .119E 12 | .0 | .620E 10 | .589E 10 | .0 |
| 401.- 500. | .460E 11 | .363E 11 | .220E 11 | .590E 10 | .560E 10 | .512E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .497E 11 | .437E 11 | .344E 11 | .306E 11 | .290E 11 | .247E 11 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .296E 13 | .268E 13 | .125E 13 | .427E 11 | .405E 11 | .298E 11 |

SCC = 30102620--SYNTHE RUBBEAUTO TIRES GENERAL -TOTAL SCC -TOT RECS = 241

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .851E 10 | .798E 10 | .252E 09 | .0 | .0 | .0 |
| 30 | .268E 13 | .244E 13 | .124E 13 | .365E 11 | .346E 11 | .298E 11 |
| 75 | .261E 12 | .220E 12 | .630E 10 | .620E 10 | .589E 10 | .0 |
| 99 | .818E 10 | .767E 10 | .0 | .0 | .0 | .0 |
| | .296E 13 | .268E 13 | .125E 13 | .427E 11 | .405E 11 | .298E 11 |

CC 30102620--SYNTHE RUBBE AUTO TIRES GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 241

```
EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .205E 13   !HHHHHHHHHHHHHHHHHHHH
 101.- 200.  .382E 12   !HHH
 201.- 300.  .404E 11   !H
 301.- 400.  .119E 12   !H
 401.- 500.  .363E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .437E 11   !H
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102699--SYNTHE RUBBE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 154

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .698E 12 | .655E 12 | .281E 12 | .0 | .0 | .0 |
| 101.- 200. | .898E 12 | .728E 12 | .207E 12 | .0 | .0 | .0 |
| 201.- 300. | .315E 12 | .239E 12 | .113E 12 | .0 | .0 | .0 |
| 301.- 400. | .297E 11 | .229E 11 | .127E 11 | .448E 09 | .426E 09 | .389E 09 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .111E 12 | .893E 11 | .564E 11 | .214E 11 | .203E 11 | .186E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .205E 13 | .173E 13 | .671E 12 | .218E 11 | .207E 11 | .190E 11 |

SCC = 30102699--SYNTHE RUBBEOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 154

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .999E 12 | .819E 12 | .152E 12 | .0 | .0 | .0 |
| 30 | .591E 12 | .502E 12 | .246E 12 | .285E 08 | .271E 08 | .248E 08 |
| 34 | .108E 11 | .102E 11 | .0 | .0 | .0 | .0 |
| 37 | .459E 10 | .352E 10 | .193E 10 | .0 | .0 | .0 |
| 99 | .447E 12 | .400E 12 | .271E 12 | .218E 11 | .207E 11 | .189E 11 |
| | .205E 13 | .173E 13 | .671E 12 | .218E 11 | .207E 11 | .190E 11 |

CC = 30102699--SYNTHE RUBBE OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 154

```
TEMP RANGE   COUNT
               -----------------------------------------------------------------------------------------------------
   0.- 100.  .655E 12  !HHHHHH
 101.- 200.  .728E 12  !HHHHHHH
 201.- 300.  .239E 12  !HH
 301.- 400.  .229E 11  !H
 401.- 500.  .0        !
 501.- 600.  .893E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102699--SYNTHE RUBBE OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 141

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .801E 12 | .751E 12 | .404E 12 | .0 | .0 | .0 |
| 101.- 200. | .707E 12 | .561E 12 | .237E 12 | .0 | .0 | .0 |
| 201.- 300. | .254E 12 | .193E 12 | .683E 10 | .0 | .0 | .0 |
| 301.- 400. | .704E 11 | .549E 11 | .136E 10 | .512E 10 | .486E 10 | .991E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .183E 13 | .156E 13 | .649E 12 | .512E 10 | .486E 10 | .991E 08 |

SCC = 30102699--SYNTHE RUBBEOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 141

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 22 | .177E 11 | .166E 11 | .0 | .0 | .0 | .0 |
| 27 | .697E 10 | .654E 10 | .356E 10 | .0 | .0 | .0 |
| 28 | .678E 12 | .538E 12 | .165E 12 | .512E 10 | .486E 10 | .991E 08 |
| 30 | .834E 12 | .731E 12 | .336E 12 | .0 | .0 | .0 |
| 32 | .519E 11 | .390E 11 | .0 | .0 | .0 | .0 |
| 33 | .977E 10 | .916E 10 | .0 | .0 | .0 | .0 |
| 99 | .234E 12 | .220E 12 | .145E 12 | .0 | .0 | .0 |
| | .183E 13 | .156E 13 | .649E 12 | .512E 10 | .486E 10 | .991E 08 |

CC =30102699--SYNTHE RUBBE OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 141

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .751E 12   !HHHHHHH
 101.- 200.  .561E 12   !HHHHH
 201.- 300.  .193E 12   !H
 301.- 400.  .549E 11   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102699--SYNTHE RUBBE OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 295

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .150E 13 | .141E 13 | .685E 12 | .0 | .0 | .0 |
| 101.- 200. | .161E 13 | .129E 13 | .444E 12 | .0 | .0 | .0 |
| 201.- 300. | .569E 12 | .432E 12 | .120E 12 | .0 | .0 | .0 |
| 301.- 400. | .100E 12 | .778E 11 | .141E 11 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .556E 10 | .528E 10 | .488E 09 |
| 501.- 600. | .111E 12 | .893E 11 | .564E 11 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .214E 11 | .203E 11 | .186E 11 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .388E 13 | .329E 13 | .132E 13 | .269E 11 | .256E 11 | .191E 11 |

SCC = 30102699--SYNTHE RUBBEOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 295

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 22 | .177E 11 | .166E 11 | .0 | .0 | .0 | .0 |
| 27 | .697E 10 | .654E 10 | .356E 10 | .0 | .0 | .0 |
| 28 | .168E 13 | .136E 13 | .317E 12 | .512E 10 | .486E 10 | .991E 08 |
| 30 | .142E 13 | .123E 13 | .581E 12 | .285E 08 | .271E 08 | .248E 08 |
| 32 | .519E 11 | .390E 11 | .0 | .0 | .0 | .0 |
| 33 | .977E 10 | .916E 10 | .0 | .0 | .0 | .0 |
| 34 | .108E 11 | .102E 11 | .0 | .0 | .0 | .0 |
| 37 | .459E 10 | .352E 10 | .193E 10 | .0 | .0 | .0 |
| 99 | .682E 12 | .619E 12 | .415E 12 | .218E 11 | .207E 11 | .189E 11 |
| | .388E 13 | .329E 13 | .132E 13 | .269E 11 | .256E 11 | .191E 11 |

CC 30102699--SYNTHE RUBBE OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 295

```
EMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .141E 13  !HHHHHHHHHHHHHH
  101.- 200.  .129E 13  !HHHHHHHHHHHHH
  201.- 300.  .432E 12  !HHHH
  301.- 400.  .778E 11  !H
  401.- 500.  .0        !
  501.- 600.  .893E 11  !H
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102701--FERTIL AMMON PRILLING WATER-NEUTR -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .143E 12 | .134E 12 | .749E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .526E 12 | .397E 12 | .122E 12 | .0 | .0 | .0 |
| 301.- 400. | .470E 11 | .364E 11 | .207E 11 | .208E 10 | .197E 10 | .180E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .716E 12 | .568E 12 | .218E 12 | .208E 10 | .197E 10 | .180E 10 |

SCC = 30102701--FERTIL AMMONPRILLING WATER-NEUTR -NO CONTROL EQUIPMENT -TOT RECS = 10

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .705E 12 | .559E 12 | .214E 12 | .208E 10 | .197E 10 | .180E 10 |
| 99 | .108E 11 | .820E 10 | .442E 10 | .0 | .0 | .0 |
| | .716E 12 | .568E 12 | .218E 12 | .208E 10 | .197E 10 | .180E 10 |

CC = 30102701--FERTIL AMMON PRILLING WATER-NEUTR-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE    COUNT

   0.- 100.  .134E 12  ----------------------------------------------------------------------------------------------------
                       !H
 101.- 200.  .0        !
 201.- 300.  .397E 12  !HHH
 301.- 400.  .364E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102701--FERTIL AMMON PRILLING WATER-NEUTR -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 9

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .306E 10 | .287E 10 | .234E 10 | .0 | .0 | .0 |
| 101.- 200. | .180E 11 | .169E 11 | .832E 10 | .0 | .0 | .0 |
| 201.- 300. | .455E 12 | .345E 12 | .863E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .476E 12 | .364E 12 | .969E 11 | .0 | .0 | .0 |

SCC = 30102701--FERTIL AMMONPRILLING WATER-NEUTR -WITH CONTROL EQUIPMENT -TOT RECS = 9

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .476E 12 | .364E 12 | .969E 11 | .0 | .0 | .0 |
| | .476E 12 | .364E 12 | .969E 11 | .0 | .0 | .0 |

CC =30102701--FERTIL AMMON PRILLING WATER-NEUTR---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 9

```
TEMP RANGE     COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .287E 10   !H
 101.- 200.   .169E 11   !H
 201.- 300.   .345E 12   !HHH
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102701--FERTIL AMMON PRILLING WATER-NEUTR -TOTAL SCC -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .146E 12 | .137E 12 | .772E 11 | .0 | .0 | .0 |
| 101.- 200. | .180E 11 | .169E 11 | .832E 10 | .0 | .0 | .0 |
| 201.- 300. | .981E 12 | .742E 12 | .209E 12 | .0 | .0 | .0 |
| 301.- 400. | .470E 11 | .364E 11 | .207E 11 | .208E 10 | .197E 10 | .180E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .119E 13 | .932E 12 | .315E 12 | .208E 10 | .197E 10 | .180E 10 |

SCC = 30102701--FERTIL AMMONPRILLING WATER-NEUTR -TOTAL SCC -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .118E 13 | .924E 12 | .310E 12 | .208E 10 | .197E 10 | .180E 10 |
| 99 | .108E 11 | .820E 10 | .442E 10 | .0 | .0 | .0 |
| | .119E 13 | .932E 12 | .315E 12 | .208E 10 | .197E 10 | .180E 10 |

CC 30102701--FERTIL AMMON PRILLING WATER-NEUTR--TOTAL SCC -SIC = 0 -TOT RECS = 19

```
EMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .137E 12  !H
 101.- 200.  .169E 11  !H
 201.- 300.  .742E 12  !HHHHHHH
 301.- 400.  .364E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102702--FERTIL AMMON PRILLING TOWER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 13

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .482E 13 | .382E 13 | .150E 13 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .741E 12 | .574E 12 | .710E 11 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .331E 11 | .314E 11 | .101E 11 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .556E 13 | .439E 13 | .157E 13 | .331E 11 | .314E 11 | .101E 11 |

SCC = 30102702--FERTIL AMMONPRILLING TOWER -NO CONTROL EQUIPMENT -TOT RECS = 13

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .556E 13 | .439E 13 | .157E 13 | .331E 11 | .314E 11 | .101E 11 |
| | .556E 13 | .439E 13 | .157E 13 | .331E 11 | .314E 11 | .101E 11 |

CC = 30102702--FERTIL AMMON PRILLING TOWER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 13

```
TEMP RANGE   COUNT

   0.- 100.  .0       ----------------------------------------------------------------------------------------------------
 101.- 200.  .382E 13 !
 201.- 300.  .0       !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .574E 12 !
 401.- 500.  .0       !HHHHH
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

SCC= 30102702--FERTIL AMMON PRILLING TOWER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .202E 14 | .163E 14 | .396E 13 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .202E 14 | .163E 14 | .396E 13 | .0 | .0 | .0 |

SCC = 30102702--FERTIL AMMONPRILLING TOWER -WITH CONTROL EQUIPMENT -TOT RECS = 6

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .202E 14 | .163E 14 | .396E 13 | .0 | .0 | .0 |
| | .202E 14 | .163E 14 | .396E 13 | .0 | .0 | .0 |

CC =30102702--FERTIL AMMON PRILLING TOWER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .0 |
| 101.- 200. | .163E 14 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30102702--FERTIL AMMON PRILLING TOWER -TOTAL SCC -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .250E 14 | .201E 14 | .546E 13 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .741E 12 | .574E 12 | .710E 11 | .331E 11 | .314E 11 | .101E 11 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .258E 14 | .207E 14 | .553E 13 | .331E 11 | .314E 11 | .101E 11 |

SCC = 30102702--FERTIL AMMONPRILLING TOWER -TOTAL SCC -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .258E 14 | .207E 14 | .553E 13 | .331E 11 | .314E 11 | .101E 11 |
| | .258E 14 | .207E 14 | .553E 13 | .331E 11 | .314E 11 | .101E 11 |

CC 30102702--FERTIL AMMON PRILLING TOWER --TOTAL SCC -SIC = 0 -TOT RECS = 19

```
EMP RANGE   COUNT

                           ------------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .201E 14     !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .0           !
 301.- 400.  .574E 12     !HHHHH
 401.- 500.  .0           !
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102703--FERTIL AMMON PRILLING WATER-DRY C -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .127E 13 | .119E 13 | .969E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .752E 11 | .594E 11 | .357E 11 | .906E 10 | .860E 10 | .787E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .134E 13 | .125E 13 | .100E 13 | .906E 10 | .860E 10 | .787E 10 |

SCC = 30102703--FERTIL AMMONPRILLING WATER-DRY C -NO CONTROL EQUIPMENT -TOT RECS = 4

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .134E 13 | .125E 13 | .100E 13 | .906E 10 | .860E 10 | .787E 10 |
| | .134E 13 | .125E 13 | .100E 13 | .906E 10 | .860E 10 | .787E 10 |

CC = 30102703--FERTIL AMMON PRILLING WATER-DRY C-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE     COUNT
                         --------------------------------------------------------------------------------------------------
    0.- 100.  .119E 13  !HHHHHHHHHHH
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .594E 11  !H
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102703--FERTIL AMMON PRILLING WATER-DRY C -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 21

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .124E 12 | .116E 12 | .945E 11 | .0 | .0 | .0 |
| 101.- 200. | .147E 13 | .114E 13 | .541E 12 | .0 | .0 | .0 |
| 201.- 300. | .111E 12 | .838E 11 | .432E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 50C. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .171E 13 | .134E 13 | .678E 12 | .0 | .0 | .0 |

SCC = 30102703--FERTIL AMMONPRILLING WATER-DRY C -WITH CONTROL EQUIPMENT -TOT RECS = 21

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .171E 13 | .134E 13 | .678E 12 | .0 | .0 | .0 |
| | .171E 13 | .134E 13 | .678E 12 | .0 | .0 | .0 |

CC =30102703--FERTIL AMMON PRILLING WATER-DRY C---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 21

```
TEMP RANGE    COUNT
                        ---------------------------------------------------------------------------------------------------
    0.- 100.  .116E 12  !H
  101.- 200.  .114E 13  !HHHHHHHHHHH
  201.- 300.  .838E 11  !H
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102703--FERTIL AMMON PRILLING WATER-DRY C -TOTAL SCC -SIC = 0 -TOT RECS = 25

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .139E 13 | .131E 13 | .106E 13 | .0 | .0 | .0 |
| 101.- 200. | .147E 13 | .114E 13 | .541E 12 | .0 | .0 | .0 |
| 201.- 300. | .111E 12 | .838E 11 | .432E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .752E 11 | .594E 11 | .357E 11 | .906E 10 | .860E 10 | .787E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- /00. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .C | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .305E 13 | .259E 13 | .168E 13 | .906E 10 | .860E 10 | .787E 10 |

SCC = 30102703--FERTIL AMMONPRILLING WATER-DRY C -TOTAL SCC -TOT RECS = 25

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .305E 13 | .259E 13 | .168E 13 | .906E 10 | .860E 10 | .787E 10 |
| | .305E 13 | .259E 13 | .168E 13 | .906E 10 | .860E 10 | .787E 10 |

CC 30102703--FERTIL AMMON PRILLING WATER-DRY C--TOTAL SCC -SIC = 0 -TOT RECS = 25

```
EMP RANGE     COUNT

    0.- 100.  .131E 13  !HHHHHHHHHHHHHH
  101.- 200.  .114E 13  !HHHHHHHHHHHH
  201.- 300.  .838E 11  !H
  301.- 400.  .0        !
  401.- 500.  .594E 11  !H
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102704--FERTIL AMMON GRANULATOR-NEUTRALIZ -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .212E 11 | .161E 11 | .442E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .212E 11 | .161E 11 | .442E 10 | .0 | .0 | .0 |

SCC = 30102704--FERTIL AMMONGRANULATOR-NEUTRALIZ -NO CONTROL EQUIPMENT -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .104E 11 | .789E 10 | .0 | .0 | .0 | .0 |
| 99 | .108E 11 | .820E 10 | .442E 10 | .0 | .0 | .0 |
| | .212E 11 | .161E 11 | .442E 10 | .0 | .0 | .0 |

CC = 30102704--FERTIL AMMON GRANULATOR-NEUTRALIZ-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT
                       -------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .161E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102704--FERTIL AMMON GRANULATOR-NEUTRALIZ -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30102704--FERTIL AMMONGRANULATOR-NEUTRALIZ -WITH CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |

SCC= 30102705--FERTIL AMMON GRANULATOR -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 11

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .221E 11 | .208E 11 | .833E 10 | .0 | .0 | .0 |
| 101.- 200. | .634E 10 | .538E 10 | .110E 10 | .0 | .0 | .0 |
| 201.- 300. | .263E 10 | .201E 10 | .108E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .311E 11 | .281E 11 | .105E 11 | .0 | .0 | .0 |

SCC = 30102705--FERTIL AMMONGRANULATOR -NO CONTROL EQUIPMENT -TOT RECS = 11

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .627E 09 | .588E 09 | .0 | .0 | .0 | .0 |
| 28 | .269E 11 | .242E 11 | .983E 10 | .0 | .0 | .0 |
| 33 | .894E 09 | .838E 09 | .683E 09 | .0 | .0 | .0 |
| 99 | .265E 10 | .249E 10 | .0 | .0 | .0 | .0 |
| | .311E 11 | .281E 11 | .105E 11 | .0 | .0 | .0 |

CC = 30102705--FERTIL AMMON GRANULATOR -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 11

```
TEMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------
   0.- 100.  .208E 11  !H
 101.- 200.  .538E 10  !H
 201.- 300.  .201E 10  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102705--FERTIL AMMON GRANULATOR -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 9

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .498E 10 | .467E 10 | .0 | .0 | .0 | .0 |
| 101.- 200. | .136E 12 | .106E 12 | .525E 11 | .0 | .0 | .0 |
| 201.- 300. | .427E 11 | .323E 11 | .167E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .184E 12 | .143E 12 | .693E 11 | .0 | .0 | .0 |

SCC = 30102705--FERTIL AMMONGRANULATOR -WITH CONTROL EQUIPMENT -TOT RECS = 9

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .178E 12 | .138E 12 | .670E 11 | .0 | .0 | .0 |
| 32 | .604E 10 | .455E 10 | .224E 10 | .0 | .0 | .0 |
| | .184E 12 | .143E 12 | .693E 11 | .0 | .0 | .0 |

CC =30102705--FERTIL AMMON GRANULATOR ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 9

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .467E 10 | !H |
| 101.- 200. | .106E 12 | !H |
| 201.- 300. | .323E 11 | !H |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30102705--FERTIL AMMON GRANULATOR -TOTAL SCC -SIC = 0 -TOT RECS = 20

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .271E 11 | .254E 11 | .833E 10 | .0 | .0 | .0 |
| 101.- 200. | .142E 12 | .111E 12 | .536E 11 | .0 | .0 | .0 |
| 201.- 300. | .453E 11 | .343E 11 | .178E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .215E 12 | .171E 12 | .798E 11 | .0 | .0 | .0 |

SCC = 30102705--FERTIL AMMONGRANULATOR -TOTAL SCC -TOT RECS = 20

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .627E 09 | .588E 09 | .0 | .0 | .0 | .0 |
| 28 | .205E 12 | .162E 12 | .769E 11 | .0 | .0 | .0 |
| 32 | .604E 10 | .455E 10 | .224E 10 | .0 | .0 | .0 |
| 33 | .894E 09 | .838E 09 | .683E 09 | .0 | .0 | .0 |
| 99 | .265E 10 | .249E 10 | .0 | .0 | .0 | .0 |
| | .215E 12 | .171E 12 | .798E 11 | .0 | .0 | .0 |

CC 30102705--FERTIL AMMON GRANULATOR --TOTAL SCC -SIC = 0 -TOT RECS = 20

```
EMP RANGE     COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .254E 11 !H
 101.- 200.  .111E 12 !H
 201.- 300.  .343E 11 !H
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102706--FERTIL AMMON GRANULATOR-DRY COOLE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .489E 12 | .410E 12 | .188E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .489E 12 | .410E 12 | .188E 12 | .0 | .0 | .0 |

```
SCC = 30102706--FERTIL AMMONGRANULATOR-DRY COOLE -NO CONTROL EQUIPMENT -TOT RECS =      6

SIC         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   28      .489E 12   .410E 12   .188E 12   .0          .0          .0


           .489E 12   .410E 12   .188E 12   .0          .0          .0


CC = 30102706--FERTIL AMMON GRANULATOR-DRY COOLE--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      6

TEMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .410E 12 !HHHH
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1790.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102706--FERTIL AMMON GRANULATOR-DRY COOLE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 40

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .505E 11 | .474E 11 | .386E 11 | .0 | .0 | .0 |
| 101.- 200. | .239E 13 | .192E 13 | .871E 12 | .0 | .0 | .0 |
| 201.- 300. | .112E 12 | .847E 11 | .444E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .255E 13 | .205E 13 | .954E 12 | .0 | .0 | .0 |

SCC = 30102706--FERTIL AMMONGRANULATOR-DRY COOLE -WITH CONTROL EQUIPMENT -TOT RECS = 40

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .240E 13 | .191E 13 | .880E 12 | .0 | .0 | .0 |
| 51 | .148E 12 | .138E 12 | .740E 11 | .0 | .0 | .0 |
| | .255E 13 | .205E 13 | .954E 12 | .0 | .0 | .0 |

CC =30102706--FERTIL AMMON GRANULATOR-DRY COOLE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 40

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .474E 11  !H
 101.- 200.  .192E 13  !HHHHHHHHHHHHHHHHHHHH
 201.- 300.  .847E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102706--FERTIL AMMON GRANULATOR-DRY COOLE -TOTAL SCC -SIC = 0 -TOT RECS = 46

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .505E 11 | .474E 11 | .386E 11 | .0 | .0 | .0 |
| 101.- 200. | .288E 13 | .233E 13 | .106E 13 | .0 | .0 | .0 |
| 201.- 300. | .112E 12 | .847E 11 | .444E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .304E 13 | .246E 13 | .114E 13 | .0 | .0 | .0 |

SCC = 30102706--FERTIL AMMONGRANULATOR-DRY COOLE -TOTAL SCC -TOT RECS = 46

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .289E 13 | .232E 13 | .107E 13 | .0 | .0 | .0 |
| 51 | .148E 12 | .138E 12 | .740E 11 | .0 | .0 | .0 |
| | .304E 13 | .246E 13 | .114E 13 | .0 | .0 | .0 |

CC 30102706--FERTIL AMMON GRANULATOR-DRY COOLE--TOTAL SCC -SIC = 0 -TOT RECS = 46

```
EMP RANGE    COUNT
                      ---------------------------------------------------------------------
   0.- 100.  .474E 11  !H
 101.- 200.  .233E 13  !HHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .847E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102801--FERT NORM SU GRINDER DRYER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .817E 10 | .766E 10 | .835E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .400E 11 | .315E 11 | .188E 11 | .450E 10 | .428E 10 | .391E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .481E 11 | .391E 11 | .197E 11 | .450E 10 | .428E 10 | .391E 10 |

SCC = 30102801--FERT NORM SUGRINDER DRYER -NO CONTROL EQUIPMENT -TOT RECS = 4

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .481E 11 | .391E 11 | .197E 11 | .450E 10 | .428E 10 | .391E 10 |
| | .481E 11 | .391E 11 | .197E 11 | .450E 10 | .428E 10 | .391E 10 |

CC = 30102801--FERT NORM SU GRINDER DRYER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .766E 10 | !H |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .315E 11 | !H |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30102801--FERT NORM SU GRINDER DRYER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 32

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .497E 11 | .466E 11 | .118E 11 | .0 | .0 | .0 |
| 101.- 200. | .357E 12 | .303E 12 | .121E 12 | .0 | .0 | .0 |
| 201.- 300. | .185E 12 | .140E 12 | .431E 11 | .0 | .0 | .0 |
| 301.- 400. | .431E 11 | .336E 11 | .0 | .320E 10 | .304E 10 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .635E 12 | .523E 12 | .176E 12 | .320E 10 | .304E 10 | .0 |

SCC = 30102801--FERT NORM SUGRINDER DRYER -WITH CONTROL EQUIPMENT -TOT RECS = 32

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 23 | .978E 09 | .789E 09 | .388E 09 | .0 | .0 | .0 |
| 28 | .634E 12 | .522E 12 | .176E 12 | .320E 10 | .304E 10 | .0 |
| | .635E 12 | .523E 12 | .176E 12 | .320E 10 | .304E 10 | .0 |

CC =30102801--FERT NORM SU GRINDER DRYER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 32

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .466E 11  !H
 101.- 200.  .303E 12  !HHH
 201.- 300.  .140E 12  !H
 301.- 400.  .336E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102801--FERT NORM SU GRINDER DRYER -TOTAL SCC -SIC = 0 -TOT RECS = 36

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .579E 11 | .543E 11 | .126E 11 | .0 | .0 | .0 |
| 101.- 200. | .357E 12 | .303E 12 | .121E 12 | .0 | .0 | .0 |
| 201.- 300. | .185E 12 | .140E 12 | .431E 11 | .0 | .0 | .0 |
| 301.- 400. | .431E 11 | .336E 11 | .0 | .320E 10 | .304E 10 | .0 |
| 401.- 500. | .400E 11 | .315E 11 | .188E 11 | .450E 10 | .428E 10 | .391E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .683E 12 | .562E 12 | .196E 12 | .770E 10 | .731E 10 | .391E 10 |

SCC = 30102801--FERT NORM SUGRINDER DRYER -TOTAL SCC -TOT RECS = 36

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 23 | .978E 09 | .789E 09 | .388E 09 | .0 | .0 | .0 |
| 28 | .682E 12 | .561E 12 | .195E 12 | .770E 10 | .731E 10 | .391E 10 |
| | .683E 12 | .562E 12 | .196E 12 | .770E 10 | .731E 10 | .391E 10 |

CC 30102801--FERT NORM SU GRINDER DRYER --TOTAL SCC -SIC = 0 -TOT RECS = 36

```
EMP RANGE      COUNT
                          ------------------------------------------------------------------------------------------------------
    0.- 100.  .543E 11   !H
  101.- 200.  .303E 12   !HHH
  201.- 300.  .140E 12   !H
  301.- 400.  .336E 11   !H
  401.- 500.  .315E 11   !H
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102802--FERT NORM SU MAIN STACK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .949E 10 | .890E 10 | .224E 10 | .0 | .0 | .0 |
| 101.- 200. | .699E 10 | .656E 10 | .508E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .165E 11 | .155E 11 | .732E 10 | .0 | .0 | .0 |

SCC = 30102802--FERT NORM SUMAIN STACK -NO CONTROL EQUIPMENT -TOT RECS = 5

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .165E 11 | .155E 11 | .732E 10 | .0 | .0 | .0 |
| | .165E 11 | .155E 11 | .732E 10 | .0 | .0 | .0 |

CC = 30102802--FERT NORM SU MAIN STACK -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .890E 10  !H
 101.- 200.  .656E 10  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102802--FERT NORM SU MAIN STACK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .866E 11 | .812E 11 | .662E 11 | .0 | .0 | .0 |
| 101.- 200. | .220E 12 | .202E 12 | .112E 12 | .0 | .0 | .0 |
| 201.- 300. | .120E 11 | .905E 10 | .465E 10 | .0 | .0 | .0 |
| 301.- 400. | .558E 11 | .432E 11 | .0 | .205E 10 | .195E 10 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .374E 12 | .335E 12 | .183E 12 | .205E 10 | .195E 10 | .0 |

SCC = 30102802--FERT NORM SUMAIN STACK -WITH CONTROL EQUIPMENT -TOT RECS = 22

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .336E 12 | .299E 12 | .154E 12 | .205E 10 | .195E 10 | .0 |
| 99 | .384E 11 | .360E 11 | .294E 11 | .0 | .0 | .0 |
| | .374E 12 | .335E 12 | .183E 12 | .205E 10 | .195E 10 | .0 |

CC =30102802--FERT NORM SU MAIN STACK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 22

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .812E 11 !H
 101.- 200.  .202E 12 !HH
 201.- 300.  .905E 10 !H
 301.- 400.  .432E 11 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102802--FERT NORM SU MAIN STACK -TOTAL SCC -SIC = 0 -TOT RECS = 27

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .961E 11 | .901E 11 | .684E 11 | .0 | .0 | .0 |
| 101.- 200. | .227E 12 | .208E 12 | .117E 12 | .0 | .0 | .0 |
| 201.- 300. | .120E 11 | .905E 10 | .465E 10 | .0 | .0 | .0 |
| 301.- 400. | .558E 11 | .432E 11 | .0 | .205E 10 | .195E 10 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .391E 12 | .350E 12 | .190E 12 | .205E 10 | .195E 10 | .0 |

SCC = 30102802--FERT NORM SUMAIN STACK -TOTAL SCC -TOT RECS = 27

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .352E 12 | .314E 12 | .161E 12 | .205E 10 | .195E 10 | .0 |
| 99 | .384E 11 | .360E 11 | .294E 11 | .0 | .0 | .0 |
| | .391E 12 | .350E 12 | .190E 12 | .205E 10 | .195E 10 | .0 |

CC 30102802--FERT NORM SU MAIN STACK --TOTAL SCC -SIC = 0 -TOT RECS = 27

```
EMP RANGE     COUNT
                       ----------------------------------------------------------------------------------------------------
    0.- 100.  .901E 11  !H
  101.- 200.  .208E 12  !HH
  201.- 300.  .905E 10  !H
  301.- 400.  .432E 11  !H
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102901--FERT TRI SUP RUN-OF-PILE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30102901--FERT TRI SUPRUN-OF-PILE -NO CONTROL EQUIPMENT -TOT RECS = 4

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30102901--FERT TRI SUP RUN-OF-PILE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .229E 12 | .215E 12 | .144E 12 | .0 | .0 | .0 |
| 101.- 200. | .208E 12 | .164E 12 | .840E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .437E 12 | .379E 12 | .228E 12 | .0 | .0 | .0 |

SCC = 30102901--FERT TRI SUPRUN-OF-PILE -WITH CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .417E 12 | .360E 12 | .228E 12 | .0 | .0 | .0 |
| 99 | .202E 11 | .189E 11 | .0 | .0 | .0 | .0 |
| | .437E 12 | .379E 12 | .228E 12 | .0 | .0 | .0 |

CC =30102901--FERT TRI SUP RUN-OF-PILE ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .215E 12  !HH
 101.- 200.  .164E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102902--FERT TRI SUP GRANULAR -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 9

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .521E 11 | .489E 11 | .203E 11 | .0 | .0 | .0 |
| 101.- 200. | .122E 13 | .112E 13 | .565E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .127E 13 | .117E 13 | .585E 12 | .0 | .0 | .0 |

SCC = 30102902--FERT TRI SUPGRANULAR -NO CONTROL EQUIPMENT -TOT RECS = 9

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .127E 13 | .117E 13 | .585E 12 | .0 | .0 | .0 |
| | .127E 13 | .117E 13 | .585E 12 | .0 | .0 | .0 |

CC = 30102902--FERT TRI SUP GRANULAR -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 9

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .489E 11 | !H |
| 101.- 200. | .112E 13 | !HHHHHHHHHHH |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |
| | | 0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100 |

SCC= 30102902--FERT TRI SUP GRANULAR -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 21

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .728E 12 | .683E 12 | .536E 12 | .0 | .0 | .0 |
| 101.- 200. | .254E 13 | .226E 13 | .663E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .327E 13 | .294E 13 | .120E 13 | .0 | .0 | .0 |

SCC = 30102902--FERT TRI SUPGRANULAR -WITH CONTROL EQUIPMENT -TOT RECS = 21

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .327E 13 | .294E 13 | .120E 13 | .0 | .0 | .0 |
| | .327E 13 | .294E 13 | .120E 13 | .0 | .0 | .0 |

CC =30102902--FERT TRI SUP GRANULAR ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 21

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .683E 12 !HHHHHH
 101.- 200.  .226E 13 !HHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600   .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30102902--FERT TRI SUP GRANULAR -TOTAL SCC -SIC = 0 -TOT RECS = 30

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .781E 12 | .732E 12 | .556E 12 | .0 | .0 | .0 |
| 101.- 200. | .376E 13 | .338E 13 | .123E 13 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .454E 13 | .411E 13 | .178E 13 | .0 | .0 | .0 |

SCC = 30102902--FERT TRI SUPGRANULAR -TOTAL SCC -TOT RECS = 30

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .454E 13 | .411E 13 | .178E 13 | .0 | .0 | .0 |
| | .454E 13 | .411E 13 | .178E 13 | .0 | .0 | .0 |

CC 30102902--FERT TRI SUP GRANULAR --TOTAL SCC -SIC = 0 -TOT RECS = 30

```
EMP RANGE     COUNT

                        -----------------------------------------------------------------------------------------------------
    0.- 100.   .732E 12  !HHHHHHH
  101.- 200.   .338E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.   .0        !
  301.- 400.   .0        !
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .0        !
 1001.-1100.   .0        !
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103001--FERT DIAM PH DRYER-COOLERS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .538E 11 | .505E 11 | .0 | .0 | .0 | .0 |
| 101.- 200. | .200E 13 | .160E 13 | .586E 12 | .0 | .0 | .0 |
| 201.- 300. | .318E 12 | .241E 12 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .158E 12 | .127E 12 | .803E 11 | .310E 11 | .294E 11 | .269E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .253E 13 | .202E 13 | .666E 12 | .310E 11 | .294E 11 | .269E 11 |

SCC = 30103001--FERT DIAM PHDRYER-COOLERS -NO CONTROL EQUIPMENT -TOT RECS = 10

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .230E 13 | .181E 13 | .553E 12 | .310E 11 | .294E 11 | .269E 11 |
| 99 | .226E 12 | .212E 12 | .113E 12 | .0 | .0 | .0 |
| | .253E 13 | .202E 13 | .666E 12 | .310E 11 | .294E 11 | .269E 11 |

CC = 30103001--FERT DIAM PH DRYER-COOLERS -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE    COUNT
                        -----------------------------------------------------------------------------
    0.- 100.  .505E 11  !H
  101.- 200.  .160E 13  !HHHHHHHHHHHHHHHHH
  201.- 300.  .241E 12  !HH
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .127E 12  !H
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103001--FERT DIAM PH DRYER-COOLERS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 53

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .384E 12 | .360E 12 | .254E 12 | .0 | .0 | .0 |
| 101.- 200. | .282E 13 | .238E 13 | .115E 13 | .0 | .0 | .0 |
| 201.- 300. | .469E 12 | .351E 12 | .176E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .368E 13 | .310E 13 | .158E 13 | .0 | .0 | .0 |

SCC = 30103001--FERT DIAM PHDRYER-COOLERS -WITH CONTROL EQUIPMENT -TOT RECS = 53

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .344E 13 | .291E 13 | .153E 13 | .0 | .0 | .0 |
| 33 | .113E 12 | .850E 11 | .0 | .0 | .0 | .0 |
| 51 | .664E 10 | .622E 10 | .507E 10 | .0 | .0 | .0 |
| 99 | .120E 12 | .902E 11 | .443E 11 | .0 | .0 | .0 |
| | .368E 13 | .310E 13 | .158E 13 | .0 | .0 | .0 |

CC =30103001--FERT DIAM PH DRYER-COOLERS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 53

```
TEMP RANGE   COUNT

                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .360E 12  !HHH
 101.- 200.  .238E 13  !HHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .351E 12  !HHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103001--FERT DIAM PH DRYER-COOLERS -TOTAL SCC -SIC = 0 -TOT RECS = 63

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .438E 12 | .411E 12 | .254E 12 | .0 | .0 | .0 |
| 101.- 200. | .482E 13 | .399E 13 | .174E 13 | .0 | .0 | .0 |
| 201.- 300. | .787E 12 | .592E 12 | .176E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .158E 12 | .127E 12 | .803E 11 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .310E 11 | .294E 11 | .269E 11 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .620E 13 | .512E 13 | .225E 13 | .310E 11 | .294E 11 | .269E 11 |

SCC = 30103001--FERT DIAM PHDRYER-COOLERS -TOTAL SCC -TOT RECS = 63

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .574E 13 | .472E 13 | .208E 13 | .310E 11 | .294E 11 | .269E 11 |
| 33 | .113E 12 | .850E 11 | .0 | .0 | .0 | .0 |
| 51 | .664E 10 | .622E 10 | .507E 10 | .0 | .0 | .0 |
| 99 | .346E 12 | .302E 12 | .158E 12 | .0 | .0 | .0 |
| | .620E 13 | .512E 13 | .225E 13 | .310E 11 | .294E 11 | .269E 11 |

CC 30103001--FERT DIAM PH DRYER-COOLERS --TOTAL SCC -SIC = 0 -TOT RECS = 63

```
EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .411E 12  !HHHH
  101.- 200.  .399E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.  .592E 12  !HHHHH
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .127E 12  !H
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103002--FERT DIAM PH AMMONIATOR-GRANULATO -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 18

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .796E 10 | .747E 10 | .0 | .0 | .0 | .0 |
| 101.- 200. | .613E 12 | .482E 12 | .183E 12 | .0 | .0 | .0 |
| 201.- 300. | .957E 10 | .725E 10 | .380E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .631E 12 | .497E 12 | .187E 12 | .0 | .0 | .0 |

SCC = 30103002--FERT DIAM PHAMMONIATOR-GRANULATO -NO CONTROL EQUIPMENT -TOT RECS = 18

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .559E 12 | .444E 12 | .160E 12 | .0 | .0 | .0 |
| 99 | .715E 11 | .534E 11 | .262E 11 | .0 | .0 | .0 |
| | .631E 12 | .497E 12 | .187E 12 | .0 | .0 | .0 |

CC = 30103002--FERT DIAM PH AMMONIATOR-GRANULATO-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 18

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .747E 10  !H
 101.- 200.  .482E 12  !HHHH
 201.- 300.  .725E 10  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103002--FERT DIAM PH AMMONIATOR-GRANULATO -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 47

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .176E 12 | .165E 12 | .135E 12 | .0 | .0 | .0 |
| 101.- 200. | .241E 13 | .195E 13 | .867E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .259E 13 | .211E 13 | .100E 13 | .0 | .0 | .0 |

SCC = 30103002--FERT DIAM PHAMMONIATOR-GRANULATO -WITH CONTROL EQUIPMENT -TOT RECS = 47

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .246E 13 | .201E 13 | .950E 12 | .0 | .0 | .0 |
| 51 | .374E 10 | .350E 10 | .286E 10 | .0 | .0 | .0 |
| 99 | .132E 12 | .992E 11 | .487E 11 | .0 | .0 | .0 |
| | .259E 13 | .211E 13 | .100E 13 | .0 | .0 | .0 |

CC =30103002--FERT DIAM PH AMMONIATOR-GRANULATO---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 47

```
TEMP RANGE     COUNT
   0.- 100.   .165E 12  ------------------------------------------------------------------------------------------------
 101.- 200.   .195E 13  !H
 201.- 300.   .0        !HHHHHHHHHHHHHHHHHHH
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103002--FERT DIAM PH AMMONIATOR-GRANULATO -TOTAL SCC -SIC = 0 -TOT RECS = 65

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .184E 12 | .173E 12 | .135E 12 | .0 | .0 | .0 |
| 101.- 200. | .303E 13 | .243E 13 | .105E 13 | .0 | .0 | .0 |
| 201.- 300. | .957E 10 | .725E 10 | .380E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .322E 13 | .261E 13 | .119E 13 | .0 | .0 | .0 |

SCC = 30103002--FERT DIAM PHAMMONIATOR-GRANULATO -TOTAL SCC -TOT RECS = 65

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .301E 13 | .246E 13 | .111E 13 | .0 | .0 | .0 |
| 51 | .374E 10 | .350E 10 | .286E 10 | .0 | .0 | .0 |
| 99 | .203E 12 | .153E 12 | .749E 11 | .0 | .0 | .0 |
| | .322E 13 | .261E 13 | .119E 13 | .0 | .0 | .0 |

CC 30103002--FERT DIAM PH AMMONIATOR-GRANULATO--TOTAL SCC -SIC = 0 -TOT RECS = 65

```
EMP RANGE      COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .173E 12  !H
 101.- 200.   .243E 13  !HHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .725E 10  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103099--FERT DIAM PH OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 198

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .971E 13 | .911E 13 | .103E 12 | .0 | .0 | .0 |
| 101.- 200. | .196E 13 | .165E 13 | .889E 12 | .0 | .0 | .0 |
| 201.- 300. | .331E 12 | .251E 12 | .297E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .168E 13 | .147E 13 | .0 | .988E 12 | .938E 12 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .137E 14 | .125E 14 | .995E 12 | .988E 12 | .938E 12 | .0 |

SCC = 30103099--FERT DIAM PHOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 198

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .549E 13 | .479E 13 | .642E 12 | .988E 12 | .938E 12 | .0 |
| 32 | .481E 11 | .451E 11 | .367E 11 | .0 | .0 | .0 |
| 50 | .259E 12 | .243E 12 | .0 | .0 | .0 | .0 |
| 51 | .717E 13 | .673E 13 | .0 | .0 | .0 | .0 |
| 99 | .718E 12 | .672E 12 | .316E 12 | .0 | .0 | .0 |
| | .137E 14 | .125E 14 | .995E 12 | .988E 12 | .938E 12 | .0 |

CC = 30103099--FERT DIAM PH OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 198

```
TEMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .911E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .165E 13 !HHHHHHHHHHHHHHHH
 201.- 300.  .251E 12 !HH
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .147E 13 !HHHHHHHHHHHHHH
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103099--FERT DIAM PH OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 76

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .516E 12 | .484E 12 | .137E 12 | .0 | .0 | .0 |
| 101.- 200. | .154E 13 | .123E 13 | .629E 12 | .0 | .0 | .0 |
| 201.- 300. | .362E 12 | .275E 12 | .146E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .241E 13 | .199E 13 | .912E 12 | .0 | .0 | .0 |

SCC = 30103099--FERT DIAM PHOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 76

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .123E 11 | .116E 11 | .0 | .0 | .0 | .0 |
| 28 | .174E 13 | .146E 13 | .644E 12 | .0 | .0 | .0 |
| 32 | .723E 10 | .678E 10 | .552E 10 | .0 | .0 | .0 |
| 51 | .322E 10 | .302E 10 | .245E 10 | .0 | .0 | .0 |
| 99 | .653E 12 | .506E 12 | .260E 12 | .0 | .0 | .0 |
| | .241E 13 | .199E 13 | .912E 12 | .0 | .0 | .0 |

CC =30103099 -FERT DIAM PH OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 76

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .484E 12 !HHHH
 101.- 200.  .123E 13 !HHHHHHHHHHHH
 201.- 300.  .275E 12 !HH
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103099--FERT DIAM PH OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 274

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .102E 14 | .959E 13 | .240E 12 | .0 | .0 | .0 |
| 101.- 200. | .350E 13 | .289E 13 | .152E 13 | .0 | .0 | .0 |
| 201.- 300. | .693E 12 | .526E 12 | .149E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .168E 13 | .147E 13 | .0 | .988E 12 | .938E 12 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .161E 14 | .145E 14 | .191E 13 | .988E 12 | .938E 12 | .0 |

SCC = 30103099--FERT DIAM PHOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 274

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .123E 11 | .116E 11 | .0 | .0 | .0 | .0 |
| 28 | .723E 13 | .626E 13 | .129E 13 | .988E 12 | .938E 12 | .0 |
| 32 | .553E 11 | .519E 11 | .423E 11 | .0 | .0 | .0 |
| 50 | .259E 12 | .243E 12 | .0 | .0 | .0 | .0 |
| 51 | .718E 13 | .673E 13 | .245E 10 | .0 | .0 | .0 |
| 99 | .137E 13 | .118E 13 | .576E 12 | .0 | .0 | .0 |
| | .161E 14 | .145E 14 | .191E 13 | .988E 12 | .938E 12 | .0 |

CC 30103099--FERT DIAM PH OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 274

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .959E 13 |
| 101.- 200. | .289E 13 |
| 201.- 300. | .526E 12 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .147E 13 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30103101--TEREPTH ACID HN03 PARAXYLENE GENE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .500E 10 | .374E 10 | .188E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .500E 10 | .374E 10 | .188E 10 | .0 | .0 | .0 |

SCC = 30103101--TEREPTH ACIDHNO3 PARAXYLENE GENE -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .500E 10 | .374E 10 | .188E 10 | .0 | .0 | .0 |
| | .500E 10 | .374E 10 | .188E 10 | .0 | .0 | .0 |

CC = 30103101--TEREPTH ACID HNO3 PARAXYLENE GENE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .0 |
| 101.- 200. | .0 |
| 201.- 300. | .374E 10 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30103101--TEREPTH ACID HN03 PARAXYLENE GENE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .306E 11 | .287E 11 | .927E 10 | .0 | .0 | .0 |
| 101.- 200. | .158E 12 | .139E 12 | .769E 11 | .0 | .0 | .0 |
| 201.- 300. | .351E 11 | .264E 11 | .136E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .223E 12 | .195E 12 | .998E 11 | .0 | .0 | .0 |

SCC = 30103101--TEREPTH ACIDHN03 PARAXYLENE GENE -WITH CONTROL EQUIPMENT -TOT RECS = 8

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .223E 12 | .195E 12 | .998E 11 | .0 | .0 | .0 |
| | .223E 12 | .195E 12 | .998E 11 | .0 | .0 | .0 |

CC =30103101--TEREPTH ACID HN03 PARAXYLENE GENE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .287E 11  !H
 101.- 200.  .139E 12  !H
 201.- 300.  .264E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103101--TEREPTH ACID HN03 PARAXYLENE GENE -TOTAL SCC -SIC = 0 -TOT RECS = 9

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .306E 11 | .287E 11 | .927E 10 | .0 | .0 | .0 |
| 101.- 200. | .158E 12 | .139E 12 | .769E 11 | .0 | .0 | .0 |
| 201.- 300. | .400E 11 | .302E 11 | .155E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .228E 12 | .198E 12 | .102E 12 | .0 | .0 | .0 |

SCC = 30103101--TEREPTH ACIDHN03 PARAXYLENE GENE -TOTAL SCC -TOT RECS = 9

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .228E 12 | .198E 12 | .102E 12 | .0 | .0 | .0 |
| | .228E 12 | .198E 12 | .102E 12 | .0 | .0 | .0 |

CC 30103101--TEREPTH ACID HN03 PARAXYLENE GENE--TOTAL SCC -SIC = 0 -TOT RECS = 9

```
EMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .287E 11 !H
 101.- 200.  .139E 12 !H
 201.- 300.  .302E 11 !H
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103199--TEREPTH ACID OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .221E 10 | .207E 10 | .175E 08 | .0 | .0 | .0 |
| 101.- 200. | .436E 10 | .395E 10 | .209E 10 | .0 | .0 | .0 |
| 201.- 300. | .624E 11 | .470E 11 | .241E 11 | .0 | .0 | .0 |
| 301.- 400. | .141E 11 | .108E 11 | .0 | .309E 09 | .293E 09 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .332E 11 | .269E 11 | .174E 11 | .775E 10 | .736E 10 | .673E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .116E 12 | .908E 11 | .436E 11 | .806E 10 | .765E 10 | .673E 10 |

SCC = 30103199--TEREPTH ACIDOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .116E 12 | .908E 11 | .436E 11 | .806E 10 | .765E 10 | .673E 10 |
| | .116E 12 | .908E 11 | .436E 11 | .806E 10 | .765E 10 | .673E 10 |

CC = 30103199--TEREPTH ACID OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------
   0.- 100.  .207E 10  !H
 101.- 200.  .395E 10  !H
 201.- 300.  .470E 11  !H
 301.- 400.  .108E 11  !H
 401.- 500.  .0        !
 501.- 600.  .269E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103199--TEREPTH ACID OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 23

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .211E 11 | .198E 11 | .335E 10 | .0 | .0 | .0 |
| 101.- 200. | .228E 12 | .170E 12 | .705E 11 | .0 | .0 | .0 |
| 201.- 300. | .360E 11 | .271E 11 | .140E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .285E 12 | .217E 12 | .879E 11 | .0 | .0 | .0 |

SCC = 30103199--TEREPTH ACIDOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 23

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .285E 12 | .217E 12 | .879E 11 | .0 | .0 | .0 |
| | .285E 12 | .217E 12 | .879E 11 | .0 | .0 | .0 |

CC =30103199--TEREPTH ACID OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 23

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .198E 11 | !H |
| 101.- 200. | .170E 12 | !H |
| 201.- 300. | .271E 11 | !H |
| 301.- 400. | .0 | |
| 401.- 500. | .0 | |
| 501.- 600. | .0 | |
| 601.- 700. | .0 | |
| 701.- 800. | .0 | |
| 801.- 900. | .0 | |
| 901.-1000. | .0 | |
| 1001.-1100. | .0 | |
| 1101.-1200. | .0 | |
| 1201.-1300. | .0 | |
| 1301.-1400. | .0 | |
| 1401.-1500. | .0 | |
| 1501.-1600. | .0 | |
| 1601.-1700. | .0 | |
| 1701.-1800. | .0 | |
| 1801.-1900. | .0 | |
| 1901.-2000. | .0 | |
| 2001.-2100. | .0 | |
| 2101.-2200. | .0 | |
| 2201.-2300. | .0 | |
| 2301.-2400. | .0 | |
| 2401.-2500. | .0 | |
| 2501.-2600. | .0 | |
| 2601.-2700. | .0 | |
| 2701.-2800. | .0 | |
| 2801.-2900. | .0 | |
| 2901.-3000. | .0 | |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30103199--TEREPTH ACID OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 42

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .233E 11 | .218E 11 | .337E 10 | .0 | .0 | .0 |
| 101.- 200. | .232E 12 | .174E 12 | .726E 11 | .0 | .0 | .0 |
| 201.- 300. | .984E 11 | .741E 11 | .381E 11 | .0 | .0 | .0 |
| 301.- 400. | .141E 11 | .108E 11 | .0 | .309E 09 | .293E 09 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .332E 11 | .269E 11 | .174E 11 | .775E 10 | .736E 10 | .673E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .401E 12 | .308E 12 | .131E 12 | .806E 10 | .765E 10 | .673E 10 |

SCC = 30103199--TEREPTH ACIDOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 42

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .401E 12 | .308E 12 | .131E 12 | .806E 10 | .765E 10 | .673E 10 |
| | .401E 12 | .308E 12 | .131E 12 | .806E 10 | .765E 10 | .673E 10 |

CC 30103199--TEREPTH ACID OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 42

```
EMP RANGE    COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .218E 11  !H
 101.- 200.  .174E 12  !H
 201.- 300.  .741E 11  !H
 301.- 400.  .108E 11  !H
 401.- 500.  .0        !
 501.- 600.  .269E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103201--SULFUR (ELEM MODIFIED-CLAUS PROCE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 23

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .194E 12 | .148E 12 | .351E 11 | .0 | .0 | .0 |
| 301.- 400. | .348E 11 | .272E 11 | .158E 11 | .251E 10 | .238E 10 | .218E 10 |
| 401.- 500. | .662E 11 | .526E 11 | .0 | .101E 11 | .954E 10 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .111E 12 | .914E 11 | .624E 11 | .354E 11 | .336E 11 | .307E 11 |
| 801.- 900. | .911E 12 | .762E 12 | .387E 12 | .342E 12 | .325E 12 | .217E 12 |
| 901.-1000. | .542E 12 | .457E 12 | .328E 12 | .223E 12 | .213E 12 | .194E 12 |
| 1001.-1100. | .198E 10 | .168E 10 | .122E 10 | .874E 09 | .831E 09 | .757E 09 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .472E 11 | .406E 11 | .305E 11 | .240E 11 | .228E 11 | .208E 11 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .191E 13 | .158E 13 | .860E 12 | .638E 12 | .607E 12 | .465E 12 |

SCC = 30103201--SULFUR (ELEMMODIFIED-CLAUS PROCE -NO CONTROL EQUIPMENT -TOT RECS = 23

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .273E 12 | .224E 12 | .151E 12 | .798E 11 | .760E 11 | .694E 11 |
| 28 | .109E 13 | .908E 12 | .521E 12 | .371E 12 | .353E 12 | .287E 12 |
| 29 | .541E 12 | .449E 12 | .188E 12 | .187E 12 | .178E 12 | .109E 12 |
| | .191E 13 | .158E 13 | .860E 12 | .638E 12 | .607E 12 | .465E 12 |

CC = 30103201--SULFUR (ELEM MODIFIED-CLAUS PROCE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 23

```
TEMP RANGE   COUNT

                        ------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .148E 12  !H
 301.- 400.  .272E 11  !H
 401.- 500.  .526E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .914E 11  !H
 801.- 900.  .762E 12  !HHHHHHH
 901.-1000.  .457E 12  !HHHH
1001.-1100.  .168E 10  !H
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .406E 11  !H
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103201--SULFUR (ELEM MODIFIED-CLAUS PROCE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 37

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .961E 07 | .902E 07 | .735E 07 | .0 | .0 | .0 |
| 101.- 200. | .486E 12 | .376E 12 | .184E 12 | .0 | .0 | .0 |
| 201.- 300. | .138E 13 | .104E 13 | .506E 12 | .0 | .0 | .0 |
| 301.- 400. | .329E 10 | .257E 10 | .149E 10 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .244E 09 | .232E 09 | .212E 09 |
| 501.- 600. | .689E 09 | .553E 09 | .349E 09 | .0 | .0 | .0 |
| 601.- 700. | .222E 11 | .181E 11 | .119E 11 | .132E 09 | .126E 09 | .115E 09 |
| 701.- 800. | .0 | .0 | .0 | .572E 10 | .543E 10 | .497E 10 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .520E 12 | .438E 12 | .715E 11 | .0 | .0 | .0 |
| 1001.-1100. | .475E 12 | .403E 12 | .207E 12 | .212E 12 | .201E 12 | .419E 11 |
| 1101.-1200. | .238E 11 | .203E 11 | .150E 11 | .208E 12 | .198E 12 | .128E 12 |
| 1201.-1300. | .323E 12 | .277E 12 | .0 | .112E 11 | .107E 11 | .969E 10 |
| 1301.-1400. | .0 | .0 | .0 | .162E 12 | .154E 12 | .0 |
| 1401.-1500. | .176E 12 | .153E 12 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .977E 11 | .929E 11 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .341E 13 | .273E 13 | .998E 12 | .696E 12 | .662E 12 | .185E 12 |

SCC = 30103201--SULFUR (ELEMMODIFIED-CLAUS PROCE -WITH CONTROL EQUIPMENT -TOT RECS = 37

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .170E 13 | .141E 13 | .279E 12 | .581E 12 | .552E 12 | .855E 11 |
| 29 | .171E 13 | .131E 13 | .717E 12 | .115E 12 | .109E 12 | .996E 11 |
| 30 | .329E 10 | .257E 10 | .149E 10 | .244E 09 | .232E 09 | .212E 09 |
| 32 | .961E 07 | .902E 07 | .735E 07 | .0 | .0 | .0 |
| | .341E 13 | .273E 13 | .998E 12 | .696E 12 | .662E 12 | .185E 12 |

CC =30103201--SULFUR (ELEM MODIFIED-CLAUS PROCE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 37

```
TEMP RANGE   COUNT

                       ------------------------------------------------------------------------------------------------------
   0.- 100.   .902E 07  !
 101.- 200.   .376E 12  !HHH
 201.- 300.   .104E 13  !HHHHHHHHHH
 301.- 400.   .257E 10  !H
 401.- 500.   .0        !
 501.- 600.   .553E 09  !
 601.- 700.   .181E 11  !H
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .438E 12  !HHHH
1001.-1100.   .403E 12  !HHHH
1101.-1200.   .203E 11  !H
1201.-1300.   .277E 12  !HH
1301.-1400.   .0        !
1401.-1500.   .153E 12  !H
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103201--SULFUR (ELEM MODIFIED-CLAUS PROCE -TOTAL SCC -SIC = 0 -TOT RECS = 60

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .961E 07 | .902E 07 | .735E 07 | .0 | .0 | .0 |
| 101.- 200. | .486E 12 | .376E 12 | .184E 12 | .0 | .0 | .0 |
| 201.- 300. | .157E 13 | .119E 13 | .541E 12 | .0 | .0 | .0 |
| 301.- 400. | .381E 11 | .297E 11 | .173E 11 | .275E 10 | .261E 10 | .239E 10 |
| 401.- 500. | .662E 11 | .526E 11 | .0 | .101E 11 | .954E 10 | .0 |
| 501.- 600. | .689E 09 | .553E 09 | .349E 09 | .132E 09 | .126E 09 | .115E 09 |
| 601.- 700. | .222E 11 | .181E 11 | .119E 11 | .572E 10 | .543E 10 | .497E 10 |
| 701.- 800. | .111E 12 | .914E 11 | .624E 11 | .354E 11 | .336E 11 | .307E 11 |
| 801.- 900. | .911E 12 | .762E 12 | .387E 12 | .342E 12 | .325E 12 | .217E 12 |
| 901.-1000. | .106E 13 | .895E 12 | .400E 12 | .435E 12 | .414E 12 | .236E 12 |
| 1001.-1100. | .477E 12 | .405E 12 | .209E 12 | .209E 12 | .198E 12 | .129E 12 |
| 1101.-1200. | .238E 11 | .203E 11 | .150E 11 | .112E 11 | .107E 11 | .969E 10 |
| 1201.-1300. | .323E 12 | .277E 12 | .0 | .162E 12 | .154E 12 | .0 |
| 1301.-1400. | .472E 11 | .406E 11 | .305E 11 | .240E 11 | .228E 11 | .208E 11 |
| 1401.-1500. | .176E 12 | .153E 12 | .0 | .977E 11 | .929E 11 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .531E 13 | .431E 13 | .186E 13 | .133E 13 | .127E 13 | .651E 12 |

SCC = 30103201--SULFUR (ELEMMODIFIED-CLAUS PROCE -TOTAL SCC -TOT RECS = 60

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .273E 12 | .224E 12 | .151E 12 | .798E 11 | .760E 11 | .694E 11 |
| 28 | .279E 13 | .232E 13 | .800E 12 | .952E 12 | .906E 12 | .372E 12 |
| 29 | .225E 13 | .176E 13 | .906E 12 | .302E 12 | .287E 12 | .209E 12 |
| 30 | .329E 10 | .257E 10 | .149E 10 | .244E 09 | .232E 09 | .212E 09 |
| 32 | .961E 07 | .902E 07 | .735E 07 | .0 | .0 | .0 |
| | .531E 13 | .431E 13 | .186E 13 | .133E 13 | .127E 13 | .651E 12 |

CC 30103201--SULFUR (ELEM MODIFIED-CLAUS PROCE--TOTAL SCC -SIC = 0 -TOT RECS = 60

```
EMP RANGE      COUNT

   0.- 100.  .902E 07  ---------------------------------------------------------------------------------------------------
 101.- 200.  .376E 12  !
 201.- 300.  .119E 13  !HHH
 301.- 400.  .297E 11  !HHHHHHHHHHH
 401.- 500.  .526E 11  !H
 501.- 600.  .553E 09  !H
 601.- 700.  .181E 11  !
 701.- 800.  .914E 11  !H
 801.- 900.  .762E 12  !H
 901.-1000.  .895E 12  !HHHHHHHH
1001.-1100.  .405E 12  !HHHHHHHHH
1101.-1200.  .203E 11  !HHHH
1201.-1300.  .277E 12  !H
1301.-1400.  .406E 11  !HH
1401.-1500.  .153E 12  !H
1501.-1600.  .0        !H
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103202--SULFUR (ELEM MODIFIED-CLAUS PROCE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .121E 12 | .906E 11 | .444E 11 | .0 | .0 | .0 |
| 201.- 300. | .879E 10 | .668E 10 | .356E 10 | .0 | .0 | .0 |
| 301.- 400. | .237E 11 | .182E 11 | .102E 11 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .432E 09 | .411E 09 | .376E 09 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .415E 11 | .338E 11 | .223E 11 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .107E 11 | .102E 11 | .928E 10 |
| 801.- 900. | .564E 12 | .472E 12 | .132E 12 | .0 | .0 | .0 |
| 901.-1000. | .213E 12 | .180E 12 | .129E 12 | .215E 12 | .205E 12 | .742E 11 |
| 1001.-1100. | .408E 11 | .346E 11 | .252E 11 | .874E 11 | .832E 11 | .758E 11 |
| 1101.-1200. | .0 | .0 | .0 | .180E 11 | .171E 11 | .156E 11 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .439E 11 | .378E 11 | .285E 11 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .227E 11 | .216E 11 | .196E 11 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .106E 13 | .874E 12 | .395E 12 | .355E 12 | .338E 12 | .195E 12 |

SCC = 30103202--SULFUR (ELEMMODIFIED-CLAUS PROCE -NO CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .835E 10 | .635E 10 | .339E 10 | .0 | .0 | .0 |
| 28 | .330E 12 | .264E 12 | .164E 12 | .714E 11 | .679E 11 | .620E 11 |
| 29 | .718E 12 | .604E 12 | .228E 12 | .283E 12 | .270E 12 | .133E 12 |
| | .106E 13 | .874E 12 | .395E 12 | .355E 12 | .338E 12 | .195E 12 |

CC = 30103202--SULFUR (ELEM MODIFIED-CLAUS PROCE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

```
TEMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .906E 11  !H
 201.- 300.   .668E 10  !H
 301.- 400.   .182E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .338E 11  !H
 701.- 800.   .0        !
 801.- 900.   .472E 12  !HHHH
 901.-1000.   .180E 12  !H
1001.-1100.   .346E 11  !H
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .378E 11  !H
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103202--SULFUR (ELEM MODIFIED-CLAUS PROCE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 14

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .181E 11 | .170E 11 | .208E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .773E 11 | .615E 11 | .380E 11 | .122E 11 | .116E 11 | .106E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .348E 11 | .289E 11 | .198E 11 | .115E 11 | .110E 11 | .100E 11 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .179E 12 | .151E 12 | .575E 11 | .726E 11 | .691E 11 | .334E 11 |
| 1001.-1100. | .201E 12 | .170E 12 | .122E 12 | .848E 11 | .807E 11 | .735E 11 |
| 1101.-1200. | .245E 12 | .209E 12 | .153E 12 | .111E 12 | .106E 12 | .963E 11 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .146E 12 | .127E 12 | .976E 11 | .820E 11 | .779E 11 | .707E 11 |
| 1501.-1600. | .115E 12 | .100E 12 | .0 | .667E 11 | .634E 11 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .102E 13 | .863E 12 | .490E 12 | .441E 12 | .419E 12 | .295E 12 |

SCC = 30103202--SULFUR (ELEMMODIFIED-CLAUS PROCE -WITH CONTROL EQUIPMENT -TOT RECS = 14

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .293E 12 | .253E 12 | .498E 11 | .136E 12 | .129E 12 | .301E 11 |
| 29 | .723E 12 | .611E 12 | .440E 12 | .305E 12 | .290E 12 | .264E 12 |
| | .102E 13 | .863E 12 | .490E 12 | .441E 12 | .419E 12 | .295E 12 |

CC =30103202--SULFUR (ELEM MODIFIED-CLAUS PROCE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 14

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.   .170E 11  !H
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .615E 11  !H
 601.- 700.   .0        !
 701.- 800.   .289E 11  !H
 801.- 900.   .0        !
 901.-1000.   .151E 12  !H
1001.-1100.   .170E 12  !H
1101.-1200.   .209E 12  !HH
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .127E 12  !H
1501.-1600.   .100E 12  !H
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103202--SULFUR (ELEM MODIFIED-CLAUS PROCE -TOTAL SCC -SIC = 0 -TOT RECS = 31

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .181E 11 | .170E 11 | .208E 10 | .0 | .0 | .0 |
| 101.- 200. | .121E 12 | .906E 11 | .444E 11 | .0 | .0 | .0 |
| 201.- 300. | .879E 10 | .668E 10 | .356E 10 | .0 | .0 | .0 |
| 301.- 400. | .237E 11 | .182E 11 | .102E 11 | .432E 09 | .411E 09 | .376E 09 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .773E 11 | .615E 11 | .380E 11 | .122E 11 | .116E 11 | .106E 11 |
| 601.- 700. | .415E 11 | .338E 11 | .223E 11 | .107E 11 | .102E 11 | .928E 10 |
| 701.- 800. | .348E 11 | .289E 11 | .198E 11 | .115E 11 | .110E 11 | .100E 11 |
| 801.- 900. | .564E 12 | .472E 12 | .132E 12 | .215E 12 | .205E 12 | .742E 11 |
| 901.-1000. | .392E 12 | .330E 12 | .186E 12 | .160E 12 | .152E 12 | .109E 12 |
| 1001.-1100. | .241E 12 | .204E 12 | .147E 12 | .103E 12 | .978E 11 | .891E 11 |
| 1101.-1200. | .245E 12 | .209E 12 | .153E 12 | .111E 12 | .106E 12 | .963E 11 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .439E 11 | .378E 11 | .285E 11 | .227E 11 | .216E 11 | .196E 11 |
| 1401.-1500. | .146E 12 | .127E 12 | .976E 11 | .820E 11 | .779E 11 | .707E 11 |
| 1501.-1600. | .115E 12 | .100E 12 | .0 | .667E 11 | .634E 11 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .207E 13 | .174E 13 | .885E 12 | .796E 12 | .757E 12 | .489E 12 |

SCC = 30103202--SULFUR (ELEMMODIFIED-CLAUS PROCE -TOTAL SCC -TOT RECS = 31

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .835E 10 | .635E 10 | .339E 10 | .0 | .0 | .0 |
| 28 | .623E 12 | .516E 12 | .214E 12 | .207E 12 | .197E 12 | .920E 11 |
| 29 | .144E 13 | .121E 13 | .668E 12 | .589E 12 | .560E 12 | .397E 12 |
| | .207E 13 | .174E 13 | .885E 12 | .796E 12 | .757E 12 | .489E 12 |

CC 30103202--SULFUR (ELEM MODIFIED-CLAUS PROCE--TOTAL SCC -SIC = 0 -TOT RECS = 31

```
EMP RANGE    COUNT
                   ------------------------------------------------------------------------------------------------------
   0.- 100.  .170E 11  !H
 101.- 200.  .906E 11  !H
 201.- 300.  .668E 10  !H
 301.- 400.  .182E 11  !H
 401.- 500.  .0        !
 501.- 600.  .615E 11  !H
 601.- 700.  .338E 11  !H
 701.- 800.  .289E 11  !H
 801.- 900.  .472E 12  !HHHH
 901.-1000.  .330E 12  !HHH
1001.-1100.  .204E 12  !HH
1101.-1200.  .209E 12  !HH
1201.-1300.  .0        !
1301.-1400.  .378E 11  !H
1401.-1500.  .127E 12  !H
1501.-1600.  .100E 12  !H
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                   0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103203--SULFUR (ELEM MODIFIED-CLAUS PROCE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .415E 11 | .338E 11 | .223E 11 | .107E 11 | .102E 11 | .928E 10 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .760E 11 | .636E 11 | .447E 11 | .283E 11 | .269E 11 | .246E 11 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .118E 12 | .974E 11 | .669E 11 | .390E 11 | .371E 11 | .339E 11 |

SCC = 30103203--SULFUR (ELEMMODIFIED-CLAUS PROCE -NO CONTROL EQUIPMENT -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .118E 12 | .974E 11 | .669E 11 | .390E 11 | .371E 11 | .339E 11 |
| | .118E 12 | .974E 11 | .669E 11 | .390E 11 | .371E 11 | .339E 11 |

CC = 30103203--SULFUR (ELEM MODIFIED-CLAUS PROCE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT
                        -------------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .0         !
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .338E 11   !H
 701.- 800.  .0         !
 801.- 900.  .636E 11   !H
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103203--SULFUR (ELEM MODIFIED-CLAUS PROCE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 9

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .262E 09 | .198E 09 | .103E 09 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .103E 12 | .869E 11 | .620E 11 | .415E 11 | .395E 11 | .360E 11 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .209E 12 | .178E 12 | .131E 12 | .958E 11 | .911E 11 | .829E 11 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .962E 09 | .852E 09 | .680E 09 | .626E 09 | .594E 09 | .485E 09 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .314E 12 | .266E 12 | .194E 12 | .138E 12 | .131E 12 | .119E 12 |

SCC = 30103203--SULFUR (ELEMMODIFIED-CLAUS PROCE -WITH CONTROL EQUIPMENT -TOT RECS = 9

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .168E 12 | .143E 12 | .105E 12 | .765E 11 | .728E 11 | .663E 11 |
| 29 | .146E 12 | .123E 12 | .889E 11 | .614E 11 | .584E 11 | .532E 11 |
| | .314E 12 | .266E 12 | .194E 12 | .138E 12 | .131E 12 | .119E 12 |

CC =30103203--SULFUR (ELEM MODIFIED-CLAUS PROCE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 9

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .0 |
| 101.- 200. | .0 |
| 201.- 300. | .198E 09 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .869E 11 |
| 1001.-1100. | .0 |
| 1101.-1200. | .178E 12 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .852E 09 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |



SCC= 30103203--SULFUR (ELEM MODIFIED-CLAUS PROCE -TOTAL SCC -SIC = 0 -TOT RECS = 11

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .262E 09 | .198E 09 | .103E 09 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .415E 11 | .338E 11 | .223E 11 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .107E 11 | .102E 11 | .928E 10 |
| 801.- 900. | .760E 11 | .636E 11 | .447E 11 | .0 | .0 | .0 |
| 901.-1000. | .103E 12 | .869E 11 | .620E 11 | .283E 11 | .269E 11 | .246E 11 |
| 1001.-1100. | .0 | .0 | .0 | .415E 11 | .395E 11 | .360E 11 |
| 1101.-1200. | .209E 12 | .178E 12 | .131E 12 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .958E 11 | .911E 11 | .829E 11 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .962E 09 | .852E 09 | .680E 09 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .626E 09 | .594E 09 | .485E 09 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .431E 12 | .364E 12 | .260E 12 | .177E 12 | .168E 12 | .153E 12 |

SCC = 30103203--SULFUR (ELEMMODIFIED-CLAUS PROCE -TOTAL SCC -TOT RECS = 11

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .285E 12 | .240E 12 | .172E 12 | .115E 12 | .110E 12 | .100E 12 |
| 29 | .146E 12 | .123E 12 | .889E 11 | .614E 11 | .584E 11 | .532E 11 |
| | .431E 12 | .364E 12 | .260E 12 | .177E 12 | .168E 12 | .153E 12 |

CC 30103203--SULFUR (ELEM MODIFIED-CLAUS PROCE--TOTAL SCC -SIC = 0 -TOT RECS = 11

```
EMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .198E 09  !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .338E 11  !H
 701.- 800.   .0        !
 801.- 900.   .636E 11  !H
 901.-1000.   .869E 11  !H
1001.-1100.   .0        !
1101.-1200.   .178E 12  !H
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .852E 09  !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103299--SULFUR (ELEM OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .273E 10 | .256E 10 | .137E 10 | .0 | .0 | .0 |
| 201.- 300. | .122E 11 | .932E 10 | .512E 10 | .0 | .0 | .0 |
| 301.- 400. | .134E 10 | .103E 10 | .584E 09 | .491E 08 | .466E 08 | .427E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .415E 11 | .338E 11 | .223E 11 | .107E 11 | .102E 11 | .928E 10 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .400E 11 | .335E 11 | .0 | .153E 11 | .146E 11 | .0 |
| 901.-1000. | .308E 11 | .260E 11 | .186E 11 | .127E 11 | .121E 11 | .110E 11 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .334E 11 | .284E 11 | .209E 11 | .153E 11 | .145E 11 | .132E 11 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .162E 12 | .135E 12 | .688E 11 | .539E 11 | .513E 11 | .335E 11 |

SCC = 30103299--SULFUR (ELEMOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 7

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .456E 11 | .374E 11 | .242E 11 | .107E 11 | .102E 11 | .933E 10 |
| 29 | .116E 12 | .973E 11 | .446E 11 | .432E 11 | .411E 11 | .242E 11 |
| | .162E 12 | .135E 12 | .688E 11 | .539E 11 | .513E 11 | .335E 11 |

CC = 30103299--SULFUR (ELEM OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 7

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .0 | ! |
| 101.- 200. | .256E 10 | !H |
| 201.- 300. | .932E 10 | !H |
| 301.- 400. | .103E 10 | !H |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .338E 11 | !H |
| 701.- 800. | .0 | ! |
| 801.- 900. | .335E 11 | !H |
| 901.-1000. | .260E 11 | !H |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .284E 11 | !H |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30103299--SULFUR (ELEM OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .124E 11 | .117E 11 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .306E 12 | .251E 12 | .167E 12 | .862E 11 | .820E 11 | .749E 11 |
| 701.- 800. | .470E 12 | .389E 12 | .0 | .156E 12 | .148E 12 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .202E 11 | .170E 11 | .122E 11 | .832E 10 | .792E 10 | .722E 10 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .782E 10 | .672E 10 | .503E 10 | .392E 10 | .373E 10 | .339E 10 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
|  | .816E 12 | .675E 12 | .185E 12 | .254E 12 | .242E 12 | .855E 11 |

SCC = 30103299--SULFUR (ELEMOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 8

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .699E 12 | .578E 12 | .185E 12 | .215E 12 | .205E 12 | .855E 11 |
| 29 | .117E 12 | .973E 11 | .0 | .389E 11 | .370E 11 | .0 |
| | .816E 12 | .675E 12 | .185E 12 | .254E 12 | .242E 12 | .855E 11 |

CC =30103299--SULFUR (ELEM OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

```
TEMP RANGE    COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.   .117E 11  !H
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .251E 12  !HH
 701.- 800.   .389E 12  !HHH
 801.- 900.   .0        !
 901.-1000.   .170E 11  !H
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .672E 10  !H
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103299--SULFUR (ELEM OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 15

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .124E 11 | .117E 11 | .0 | .0 | .0 | .0 |
| 101.- 200. | .273E 10 | .256E 10 | .137E 10 | .0 | .0 | .0 |
| 201.- 300. | .122E 11 | .932E 10 | .512E 10 | .0 | .0 | .0 |
| 301.- 400. | .134E 10 | .103E 10 | .584E 09 | .491E 08 | .466E 08 | .427E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .348E 12 | .285E 12 | .190E 12 | .969E 11 | .921E 11 | .842E 11 |
| 701.- 800. | .470E 12 | .389E 12 | .0 | .156E 12 | .148E 12 | .0 |
| 801.- 900. | .400E 11 | .335E 11 | .0 | .153E 11 | .146E 11 | .0 |
| 901.-1000. | .510E 11 | .430E 11 | .309E 11 | .210E 11 | .200E 11 | .182E 11 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .334E 11 | .284E 11 | .209E 11 | .153E 11 | .145E 11 | .132E 11 |
| 1201.-1300. | .782E 10 | .672E 10 | .503E 10 | .392E 10 | .373E 10 | .339E 10 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .978E 12 | .810E 12 | .253E 12 | .308E 12 | .293E 12 | .119E 12 |

SCC = 30103299--SULFUR (ELEMOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 15

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .744E 12 | .615E 12 | .209E 12 | .226E 12 | .215E 12 | .949E 11 |
| 29 | .234E 12 | .195E 12 | .446E 11 | .821E 11 | .781E 11 | .242E 11 |
| | .978E 12 | .810E 12 | .253E 12 | .308E 12 | .293E 12 | .119E 12 |

CC 30103299--SULFUR (ELEM OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 15

```
EMP RANGE   COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .117E 11  !H
 101.- 200.  .256E 10  !H
 201.- 300.  .932E 10  !H
 301.- 400.  .103E 10  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .285E 12  !HH
 701.- 800.  .389E 12  !HHH
 801.- 900.  .335E 11  !H
 901.-1000.  .430E 11  !H
1001.-1100.  .0        !
1101.-1200.  .284E 11  !H
1201.-1300.  .672E 10  !H
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103301--PESTICIDES MALATHION -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30103301--PESTICIDES MALATHION -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30103301--PESTICIDES MALATHION -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| TEMP | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30103301--PESTICIDES MALATHION -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |

SCC= 30103399--PESTICIDES OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .946E 10 | .888E 10 | .104E 10 | .0 | .0 | .0 |
| 101.- 200. | .456E 11 | .340E 11 | .129E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .174E 12 | .152E 12 | .118E 12 | .101E 12 | .957E 11 | .849E 11 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .229E 12 | .195E 12 | .120E 12 | .101E 12 | .957E 11 | .849E 11 |

SCC = 30103399--PESTICIDES OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .227E 12 | .193E 12 | .119E 12 | .101E 12 | .957E 11 | .849E 11 |
| 99 | .128E 10 | .120E 10 | .980E 09 | .0 | .0 | .0 |
| | .229E 12 | .195E 12 | .120E 12 | .101E 12 | .957E 11 | .849E 11 |

CC = 30103399--PESTICIDES OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

```
TEMP RANGE   COUNT
                         ------------------------------------------------------------------------------------------------------
   0.- 100.  .888E 10  !H
 101.- 200.  .340E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .152E 12  !H
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.   0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103399--PESTICIDES OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 23

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .782E 11 | .734E 11 | .128E 11 | .0 | .0 | .0 |
| 101.- 200. | .776E 11 | .583E 11 | .187E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .156E 12 | .132E 12 | .315E 11 | .0 | .0 | .0 |

SCC = 30103399--PESTICIDES OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 23

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .744E 11 | .648E 11 | .301E 10 | .0 | .0 | .0 |
| 99 | .814E 11 | .669E 11 | .285E 11 | .0 | .0 | .0 |
| | .156E 12 | .132E 12 | .315E 11 | .0 | .0 | .0 |

CC =30103399--PESTICIDES OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 23

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .734E 11 | !H |
| 101.- 200. | .583E 11 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30103399--PESTICIDES OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 40

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .877E 11 | .822E 11 | .138E 11 | .0 | .0 | .0 |
| 101.- 200. | .123E 12 | .924E 11 | .200E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .174E 12 | .152E 12 | .118E 12 | .101E 12 | .957E 11 | .849E 11 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .385E 12 | .326E 12 | .151E 12 | .101E 12 | .957E 11 | .849E 11 |

SCC = 30103399--PESTICIDES OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 40

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .302E 12 | .258E 12 | .122E 12 | .101E 12 | .957E 11 | .849E 11 |
| 99 | .827E 11 | .681E 11 | .295E 11 | .0 | .0 | .0 |
| | .385E 12 | .326E 12 | .151E 12 | .101E 12 | .957E 11 | .849E 11 |

CC 30103399--PESTICIDES OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 40

```
EMP RANGE    COUNT
                      ---------------------------------------------------------------------------
   0.- 100.  .822E 11 !H
 101.- 200.  .924E 11 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .152E 12 !H
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

SCC= 30103401--AMINES/AMIDE GENERAL/OTHER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 21

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .270E 11 | .254E 11 | .449E 10 | .0 | .0 | .0 |
| 101.- 200. | .440E 11 | .331E 11 | .116E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .710E 11 | .584E 11 | .160E 11 | .0 | .0 | .0 |

SCC = 30103401--AMINES/AMIDEGENERAL/OTHER -NO CONTROL EQUIPMENT -TOT RECS = 21

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .710E 11 | .584E 11 | .160E 11 | .0 | .0 | .0 |
| | .710E 11 | .584E 11 | .160E 11 | .0 | .0 | .0 |

CC = 30103401--AMINES/AMIDE GENERAL/OTHER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 21

```
TEMP RANGE    COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .254E 11  !H
 101.- 200.   .331E 11  !H
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103401--AMINES/AMIDE GENERAL/OTHER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .886E 09 | .831E 09 | .259E 09 | .0 | .0 | .0 |
| 101.- 200. | .115E 10 | .104E 10 | .237E 09 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .203E 10 | .188E 10 | .497E 09 | .0 | .0 | .0 |

SCC = 30103401--AMINES/AMIDEGENERAL/OTHER -WITH CONTROL EQUIPMENT -TOT RECS = 12

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .203E 10 | .188E 10 | .497E 09 | .0 | .0 | .0 |
| | .203E 10 | .188E 10 | .497E 09 | .0 | .0 | .0 |

CC =30103401--AMINES/AMIDE GENERAL/OTHER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 12

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .831E 09 !
 101.- 200.  .104E 10 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103401--AMINES/AMIDE GENERAL/OTHER -TOTAL SCC -SIC = 0 -TOT RECS = 33

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .279E 11 | .262E 11 | .474E 10 | .0 | .0 | .0 |
| 101.- 200. | .452E 11 | .341E 11 | .118E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .731E 11 | .603E 11 | .165E 11 | .0 | .0 | .0 |

SCC = 30103401--AMINES/AMIDEGENERAL/OTHER -TOTAL SCC -TOT RECS = 33

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .731E 11 | .603E 11 | .165E 11 | .0 | .0 | .0 |
| | .731E 11 | .603E 11 | .165E 11 | .0 | .0 | .0 |

CC 30103401--AMINES/AMIDE GENERAL/OTHER --TOTAL SCC -SIC = 0 -TOT RECS = 33

```
EMP RANGE     COUNT
                         --------------------------------------------------------------------------------------------
   0.- 100.  .262E 11   !H
 101.- 200.  .341E 11   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103501--PIGMENT-INOR CALCINATION -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30103501--PIGMENT-INORCALCINATION -NO CONTROL EQUIPMENT -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30103501--PIGMENT-INOR CALCINATION -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 25

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .171E 12 | .161E 12 | .131E 12 | .0 | .0 | .0 |
| 101.- 200. | .882E 12 | .663E 12 | .299E 12 | .0 | .0 | .0 |
| 201.- 300. | .159E 11 | .121E 11 | .639E 10 | .0 | .0 | .0 |
| 301.- 400. | .700E 11 | .545E 11 | .316E 11 | .491E 10 | .466E 10 | .426E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .699E 11 | .565E 11 | .364E 11 | .156E 11 | .148E 11 | .136E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .121E 13 | .947E 12 | .504E 12 | .205E 11 | .195E 11 | .178E 11 |

SCC = 30103501--PIGMENT-INORCALCINATION -WITH CONTROL EQUIPMENT -TOT RECS = 25

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .121E 13 | .947E 12 | .504E 12 | .205E 11 | 195E 11 | .178E 11 |
| | .121E 13 | .947E 12 | .504E 12 | .205E 11 | .195E 11 | .178E 11 |

CC =30103501--PIGMENT-INOR CALCINATION ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 25

```
TEMP RANGE   COUNT
                     ------------------------------------------------------------------------------------------
   0.- 100.  .161E 12  !H
 101.- 200.  .663E 12  !HHHHHH
 201.- 300.  .121E 11  !H
 301.- 400.  .545E 11  !H
 401.- 500.  .0        !
 501.- 600.  .565E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                     0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103599--PIGMENT-INOR OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .372E 11 | .280E 11 | .138E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .762E 12 | .631E 12 | .313E 12 | .247E 12 | .235E 12 | .158E 12 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .800E 12 | .659E 12 | .327E 12 | .247E 12 | .235E 12 | .158E 12 |

```
SCC = 30103599--PIGMENT-INOROTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =      19
SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM     EXPECTED     MINIMUM
              60 DEG      60 DEG       60 DEG      300 DEG     300 DEG      300 DEG
   28       .800E 12    .659E 12    .327E 12    .247E 12    .235E 12    .158E 12

            .800E 12    .659E 12    .327E 12    .247E 12    .235E 12    .158E 12

CC = 30103599--PIGMENT-INOR OTHER/NOT CLASSIFIED--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     19
TEMP RANGE    COUNT
                          ------------------------------------------------------------------------------------------------------
    0.- 100.   .0         !
  101.- 200.   .280E 11   !H
  201.- 300.   .0         !
  301.- 400.   .0         !
  401.- 500.   .0         !
  501.- 600.   .0         !
  601.- 700.   .0         !
  701.- 800.   .631E 12   !HHHHHH
  801.- 900.   .0         !
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103599--PIGMENT-INOR OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 49

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .789E 11 | .740E 11 | .379E 11 | .0 | .0 | .0 |
| 101.- 200. | .123E 13 | .101E 13 | .515E 12 | .0 | .0 | .0 |
| 201.- 300. | .155E 11 | .119E 11 | .645E 10 | .0 | .0 | .0 |
| 301.- 400. | .177E 12 | .138E 12 | .438E 11 | .109E 11 | .103E 11 | .575E 10 |
| 401.- 500. | .286E 12 | .226E 12 | .934E 11 | .382E 11 | .363E 11 | .213E 11 |
| 501.- 600. | .635E 11 | .510E 11 | .325E 11 | .129E 11 | .122E 11 | .112E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .185E 13 | .151E 13 | .728E 12 | .619E 11 | .588E 11 | .382E 11 |

SCC = 30103599--PIGMENT-INOROTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 49

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .185E 13 | .151E 13 | .728E 12 | .619E 11 | .588E 11 | .382E 11 |
| | .185E 13 | .151E 13 | .728E 12 | .619E 11 | .588E 11 | .382E 11 |

CC =30103599--PIGMENT-INOR OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 49

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .740E 11  !H
 101.- 200.  .101E 13  !HHHHHHHHHH
 201.- 300.  .119E 11  !H
 301.- 400.  .138E 12  !H
 401.- 500.  .226E 12  !HH
 501.- 600.  .510E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103599--PIGMENT-INOR OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 68

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .789E 11 | .740E 11 | .379E 11 | .0 | .0 | .0 |
| 101.- 200. | .127E 13 | .104E 13 | .528E 12 | .0 | .0 | .0 |
| 201.- 300. | .155E 11 | .119E 11 | .645E 10 | .0 | .0 | .0 |
| 301.- 400. | .177E 12 | .138E 12 | .438E 11 | .109E 11 | .103E 11 | .575E 10 |
| 401.- 500. | .286E 12 | .226E 12 | .934E 11 | .382E 11 | .363E 11 | .213E 11 |
| 501.- 600. | .635E 11 | .510E 11 | .325E 11 | .129E 11 | .122E 11 | .112E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .762E 12 | .631E 12 | .313E 12 | .247E 12 | .235E 12 | .158E 12 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .265E 13 | .217E 13 | .106E 13 | .309E 12 | .294E 12 | .197E 12 |

SCC = 30103599--PIGMENT-INOROTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 68

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .265E 13 | .217E 13 | .106E 13 | .309E 12 | .294E 12 | .197E 12 |
| | .265E 13 | .217E 13 | .106E 13 | .309E 12 | .294E 12 | .197E 12 |

CC 30103599--PIGMENT-INOR OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 68

```
EMP RANGE    COUNT

   0.- 100.  .740E 11  -----------------------------------------------------------------------------------------------
 101.- 200.  .104E 13  !H
 201.- 300.  .119E 11  !HHHHHHHHHH
 301.- 400.  .138E 12  !H
 401.- 500.  .226E 12  !H
 501.- 600.  .510E 11  !HH
 601.- 700.  .0        !H
 701.- 800.  .631E 12  !
 801.- 900.  .0        !HHHHHH
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103601--SODIUM SULFA GENERAL/OTHER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .301E 12 | .224E 12 | .110E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .301E 12 | .224E 12 | .110E 12 | .0 | .0 | .0 |

SCC = 30103601--SODIUM SULFAGENERAL/OTHER -NO CONTROL EQUIPMENT -TOT RECS = 10

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .301E 12 | .224E 12 | .110E 12 | .0 | .0 | .0 |
| | .301E 12 | .224E 12 | .110E 12 | .0 | .0 | .0 |

CC = 30103601--SODIUM SULFA GENERAL/OTHER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .224E 12 !HH
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103601--SODIUM SULFA GENERAL/OTHER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .229E 10 | .215E 10 | .175E 10 | .0 | .0 | .0 |
| 101.- 200. | .460E 11 | .346E 11 | .170E 11 | .0 | .0 | .0 |
| 201.- 300. | .335E 12 | .252E 12 | .129E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .383E 12 | .289E 12 | .148E 12 | .0 | .0 | .0 |

SCC = 30103601--SODIUM SULFAGENERAL/OTHER -WITH CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .383E 12 | .289E 12 | .148E 12 | .0 | .0 | .0 |
| | .383E 12 | .289E 12 | .148E 12 | .0 | .0 | .0 |

CC =30103601--SODIUM SULFA GENERAL/OTHER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE    COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .215E 10  !H
 101.- 200.   .346E 11  !H
 201.- 300.   .252E 12  !HH
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103601--SODIUM SULFA GENERAL/OTHER -TOTAL SCC -SIC = 0 -TOT RECS = 13

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .229E 10 | .215E 10 | .175E 10 | .0 | .0 | .0 |
| 101.- 200. | .347E 12 | .259E 12 | .127E 12 | .0 | .0 | .0 |
| 201.- 300. | .335E 12 | .252E 12 | .129E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .684E 12 | .513E 12 | .258E 12 | .0 | .0 | .0 |

SCC = 30103601--SODIUM SULFAGENERAL/OTHER -TOTAL SCC -TOT RECS = 13

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .684E 12 | .513E 12 | .258E 12 | .0 | .0 | .0 |
| | .684E 12 | .513E 12 | .258E 12 | .0 | .0 | .0 |

CC 30103601--SODIUM SULFA GENERAL/OTHER --TOTAL SCC -SIC = 0 -TOT RECS = 13

```
EMP RANGE     COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.   .215E 10  !H
 101.- 200.   .259E 12  !HH
 201.- 300.   .252E 12  !HH
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103602--SODIUM SULFA KILNS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30103602--SODIUM SULFAKILNS -NO CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30103602--SODIUM SULFA KILNS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .762E 10 | .606E 10 | .298E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .762E 10 | .606E 10 | .298E 10 | .0 | .0 | .0 |

SCC = 30103602--SODIUM SULFAKILNS -WITH CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .762E 10 | .606E 10 | .298E 10 | .0 | .0 | .0 |
| | .762E 10 | .606E 10 | .298E 10 | .0 | .0 | .0 |

CC =30103602--SODIUM SULFA KILNS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

```
TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .606E 10  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103701--SODIUM SULFI GENERAL/OTHER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .962E 10 | .723E 10 | .355E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .962E 10 | .723E 10 | .355E 10 | .0 | .0 | .0 |

SCC = 30103701--SODIUM SULFIGENERAL/OTHER -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .962E 10 | .723E 10 | .355E 10 | .0 | .0 | .0 |
| | .962E 10 | .723E 10 | .355E 10 | .0 | .0 | .0 |

CC = 30103701--SODIUM SULFI GENERAL/OTHER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .0 |
| 101.- 200. | .723E 10 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30103701--SODIUM SULFI GENERAL/OTHER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .231E 11 | .174E 11 | .854E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .231E 11 | .174E 11 | .854E 10 | .0 | .0 | .0 |

SCC = 30103701--SODIUM SULFIGENERAL/OTHER -WITH CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .231E 11 | .174E 11 | .854E 10 | .0 | .0 | .0 |
| | .231E 11 | .174E 11 | .854E 10 | .0 | .0 | .0 |

CC =30103701--SODIUM SULFI GENERAL/OTHER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .0 | ! |
| 101.- 200. | .174E 11 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |
| | | 0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100 |

SCC= 30103701--SODIUM SULFI GENERAL/OTHER -TOTAL SCC -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .327E 11 | .246E 11 | .121E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .327E 11 | .246E 11 | .121E 11 | .0 | .0 | .0 |

```
SCC = 30103701--SODIUM SULFIGENERAL/OTHER        -TOTAL SCC -TOT RECS =      2

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG   300 DEG     300 DEG
   28       .327E 11   .246E 11    .121E 11   .0         .0          .0


            .327E 11   .246E 11    .121E 11   .0         .0          .0


CC 30103701--SODIUM SULFI GENERAL/OTHER       --TOTAL SCC  -SIC =    0 -TOT RECS =      2

EMP RANGE    COUNT
                       --------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .246E 11 !H
 201.- 300.   .0       !
 301.- 400.   .0       !
 401.- 500.   .0       !
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30103702--SODIUM SULFI KILNS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30103702--SODIUM SULFIKILNS -NO CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30103702--SODIUM SULFI KILNS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .633E 11 | .474E 11 | .233E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .633E 11 | .474E 11 | .233E 11 | .0 | .0 | .0 |

SCC = 30103702--SODIUM SULFIKILNS -WITH CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .411E 11 | .308E 11 | .151E 11 | .0 | .0 | .0 |
| 38 | .222E 11 | .166E 11 | .815E 10 | .0 | .0 | .0 |
| | .633E 11 | .474E 11 | .233E 11 | .0 | .0 | .0 |

CC =30103702--SODIUM SULFI KILNS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .474E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30104001--FERTILIZER U GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 18

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .107E 12 | .100E 12 | .112E 10 | .0 | .0 | .0 |
| 101.- 200. | .327E 13 | .270E 13 | .854E 12 | .0 | .0 | .0 |
| 201.- 300. | .360E 11 | .275E 11 | .150E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .341E 13 | .283E 13 | .870E 12 | .0 | .0 | .0 |

```
SCC = 30104001--FERTILIZER UGENERAL             -NO CONTROL EQUIPMENT -TOT RECS =     18

SIC         MAXIMUM    EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG      300 DEG     300 DEG    300 DEG
   28      .341E 13   .283E 13    .870E 12    .0          .0          .0


           .341E 13   .283E 13    .870E 12    .0          .0          .0


CC = 30104001--FERTILIZER U GENERAL            --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     18

TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .100E 12    !H
 101.- 200.  .270E 13    !HHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .275E 11    !H
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30104001--FERTILIZER U GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 25

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .348E 12 | .326E 12 | .266E 12 | .0 | .0 | .0 |
| 101.- 200. | .395E 13 | .329E 13 | .131E 13 | .0 | .0 | .0 |
| 201.- 300. | .491E 11 | .373E 11 | .197E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .434E 13 | .365E 13 | .159E 13 | .0 | .0 | .0 |

SCC = 30104001--FERTILIZER UGENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 25

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 27 | .213E 10 | .200E 10 | .163E 10 | .0 | .0 | .0 |
| 28 | .429E 13 | .360E 13 | .156E 13 | .0 | .0 | .0 |
| 32 | .566E 11 | .531E 11 | .261E 11 | .0 | .0 | .0 |
| | .434E 13 | .365E 13 | .159E 13 | .0 | .0 | .0 |

CC =30104001--FERTILIZER U GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 25

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .326E 12   !HHH
 101.- 200.  .329E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .373E 11   !H
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0---------10---------20---------30---------40---------50---------60---------70---------80---------90--------100
```

SCC= 30104001--FERTILIZER U GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 43

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .455E 12 | .427E 12 | .267E 12 | .0 | .0 | .0 |
| 101.- 200. | .722E 13 | .599E 13 | .216E 13 | .0 | .0 | .0 |
| 201.- 300. | .851E 11 | .648E 11 | .347E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .776E 13 | .648E 13 | .246E 13 | .0 | .0 | .0 |

SCC = 30104001--FERTILIZER UGENERAL -TOTAL SCC -TOT RECS = 43

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 27 | .213E 10 | .200E 10 | .163E 10 | .0 | .0 | .0 |
| 28 | .770E 13 | .643E 13 | .243E 13 | .0 | .0 | .0 |
| 32 | .566E 11 | .531E 11 | .261E 11 | .0 | .0 | .0 |
| | .776E 13 | .648E 13 | .246E 13 | .0 | .0 | .0 |

CC 30104001--FERTILIZER U GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 43

```
EMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .427E 12  !HHHH
 101.- 200.  .599E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .648E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30104101--NITROCELL REACTOR POTS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .224E 09 | .167E 09 | .817E 08 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .224E 09 | .167E 09 | .817E 08 | .0 | .0 | .0 |

SCC = 30104101--NITROCELL REACTOR POTS -NO CONTROL EQUIPMENT -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .224E 09 | .167E 09 | .817E 08 | .0 | .0 | .0 |
| | .224E 09 | .167E 09 | .817E 08 | .0 | .0 | .0 |

CC = 30104101--NITROCELL REACTOR POTS -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT
                        -------------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .167E 09  !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30104101--NITROCELL REACTOR POTS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30104101--NITROCELL REACTOR POTS -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300DEG | 300 DEG | 300 DEG |

SCC= 30104102--NITROCELL H2SO4 CONCENTRATORS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30104102--NITROCELL H2S04 CONCENTRATORS -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30104102--NITROCELL H2S04 CONCENTRATORS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30104102--NITROCELL H2SO4 CONCENTRATORS -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30104199--NITROCELL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .172E 11 | .161E 11 | .436E 10 | .0 | .0 | .0 |
| 101.- 200. | .197E 12 | .153E 12 | .612E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .846E 10 | .660E 10 | .384E 10 | .629E 09 | .597E 09 | .546E 09 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .222E 12 | .176E 12 | .694E 11 | .629E 09 | .597E 09 | .546E 09 |

SCC = 30104199--NITROCELL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 5

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .192E 12 | .147E 12 | .694E 11 | .629E 09 | .597E 09 | .546E 09 |
| 99 | .305E 11 | .286E 11 | .0 | .0 | .0 | .0 |
| | .222E 12 | .176E 12 | .694E 11 | .629E 09 | .597E 09 | .546E 09 |

CC = 30104199--NITROCELL OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE    COUNT
                       -------------------------------------------------------------------------------------------------
   0.- 100.   .161E 11  !H
 101.- 200.   .153E 12  !H
 201.- 300.   .0        !
 301.- 400.   .660E 10  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30104199--NITROCELL OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .970E 11 | .910E 11 | .213E 11 | .0 | .0 | .0 |
| 101.- 200. | .183E 13 | .149E 13 | .672E 12 | .0 | .0 | .0 |
| 201.- 300. | .160E 12 | .119E 12 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .420E 11 | .354E 11 | .254E 11 | .173E 11 | .164E 11 | .150E 11 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .213E 13 | .174E 13 | .718E 12 | .173E 11 | .164E 11 | .150E 11 |

SCC = 30104199--NITROCELL   OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =   17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .213E 13 | .174E 13 | .718E 12 | .173E 11 | .164E 11 | .150E 11 |
| | .213E 13 | .174E 13 | .718E 12 | .173E 11 | .164E 11 | .150E 11 |

CC =30104199--NITROCELL   OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=   0 -TOTAL RECS =   17

```
TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .910E 11  !H
 101.- 200.  .149E 13  !HHHHHHHHHHHHHHH
 201.- 300.  .119E 12  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .354E 11  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30104199--NITROCELL     OTHER/NOT CLASSIFIED -TOTAL SCC -SIC =     0 -TOT RECS =     22

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .114E 12 | .107E 12 | .257E 11 | .0 | .0 | .0 |
| 101.- 200. | .202E 13 | .165E 13 | .733E 12 | .0 | .0 | .0 |
| 201.- 300. | .160E 12 | .119E 12 | .0 | .0 | .0 | .0 |
| 301.- 400. | .846E 10 | .660E 10 | .384E 10 | .629E 09 | .597E 09 | .546E 09 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .420E 11 | .354E 11 | .254E 11 | .173E 11 | .164E 11 | .150E 11 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .235E 13 | .191E 13 | .788E 12 | .179E 11 | .170E 11 | .155E 11 |

SCC = 30104199--NITROCELL OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 22

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .232E 13 | .189E 13 | .788E 12 | .179E 11 | .170E 11 | .155E 11 |
| 99 | .305E 11 | .286E 11 | .0 | .0 | .0 | .0 |
| | .235E 13 | .191E 13 | .788E 12 | .179E 11 | .170E 11 | .155E 11 |

CC 30104199--NITROCELL OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 22

```
EMP RANGE    COUNT
                     --------------------------------------------------------------------------------------------------
    0.- 100.  .107E 12  !H
  101.- 200.  .165E 13  !HHHHHHHHHHHHHHHHH
  201.- 300.  .119E 12  !H
  301.- 400.  .660E 10  !H
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .354E 11  !H
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30105001--ADHESIVES GENERAL/COMPOUND UNK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 34

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .122E 12 | .114E 12 | .452E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .268E 11 | .209E 11 | .0 | .199E 10 | .189E 10 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .148E 12 | .135E 12 | .452E 11 | .199E 10 | .189E 10 | .0 |

SCC = 30105001--ADHESIVES GENERAL/COMPOUND UNK -NO CONTROL EQUIPMENT -TOT RECS = 34

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 26 | .778E 10 | .729E 10 | .0 | .0 | .0 | .0 |
| 28 | .895E 11 | .797E 11 | .155E 11 | .199E 10 | .189E 10 | .0 |
| 30 | .427E 11 | .400E 11 | .267E 11 | .0 | .0 | .0 |
| 33 | .867E 09 | .814E 09 | .663E 09 | .0 | .0 | .0 |
| 34 | .460E 10 | .431E 10 | .0 | .0 | .0 | .0 |
| 99 | .301E 10 | .283E 10 | .230E 10 | .0 | .0 | .0 |
| | .148E 12 | .135E 12 | .452E 11 | .199E 10 | .189E 10 | .0 |

CC = 30105001--ADHESIVES GENERAL/COMPOUND UNK-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 34

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .114E 12 | !H |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .209E 11 | !H |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30105001--ADHESIVES GENERAL/COMPOUND UNK -WITH CONTROL EQUIPMENT -SIC = ) -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .138E 11 | .129E 11 | .682E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .138E 11 | .129E 11 | .682E 10 | .0 | .0 | .0 |

SCC = 30105001--ADHESIVES GENERAL/COMPOUND UNK -WITH CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .399E 10 | .374E 10 | .293E 09 | .0 | .0 | .0 |
| 30 | .164E 10 | .154E 10 | .126E 10 | .0 | .0 | .0 |
| 33 | .432E 10 | .405E 10 | .330E 10 | .0 | .0 | .0 |
| 36 | .357E 08 | .335E 08 | .273E 08 | .0 | .0 | .0 |
| 37 | .127E 10 | .119E 10 | .0 | .0 | .0 | .0 |
| 38 | .255E 10 | .239E 10 | .195E 10 | .0 | .0 | .0 |
| | .138E 11 | .129E 11 | .682E 10 | .0 | .0 | .0 |

CC =30105001--ADHESIVES GENERAL/COMPOUND UNK---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

```
TEMP RANGE    COUNT
              ----------------------------------------------------------------------------------------------------
   0.- 100.  .129E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30105001--ADHESIVES GENERAL/COMPOUND UNK -TOTAL SCC -SIC = 0 -TOT RECS = 51

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .135E 12 | .127E 12 | .520E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .268E 11 | .209E 11 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .199E 10 | .189E 10 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .162E 12 | .148E 12 | .520E 11 | .199E 10 | .189E 10 | .0 |

SCC = 30105001--ADHESIVES   GENERAL/COMPOUND UNK -TOTAL SCC -TOT RECS =     51

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 26 | .778E 10 | .729E 10 | .0 | .0 | .0 | .0 |
| 28 | .934E 11 | .834E 11 | .158E 11 | .199E 10 | .189E 10 | .0 |
| 30 | .443E 11 | .416E 11 | .279E 11 | .0 | .0 | .0 |
| 33 | .519E 10 | .486E 10 | .396E 10 | .0 | .0 | .0 |
| 34 | .460E 10 | .431E 10 | .0 | .0 | .0 | .0 |
| 36 | .357E 08 | .335E 08 | .273E 08 | .0 | .0 | .0 |
| 37 | .127E 10 | .119E 10 | .0 | .0 | .0 | .0 |
| 38 | .255E 10 | .239E 10 | .195E 10 | .0 | .0 | .0 |
| 99 | .301E 10 | .283E 10 | .230E 10 | .0 | .0 | .0 |
| | .162E 12 | .148E 12 | .520E 11 | .199E 10 | .189E 10 | .0 |

CC 30105001--ADHESIVES    GENERAL/COMPOUND UNK--TOTAL SCC  -SIC =    0 -TOT RECS =     51

```
EMP RANGE   COUNT

                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .127E 12 !H
 101.- 200.  .0       !
 201.- 300.  .0       !
 301.- 400.  .209E 11 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30109099--ACETATE FLAK OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .609E 10 | .571E 10 | .243E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .489E 10 | .376E 10 | .210E 10 | .893E 08 | .847E 08 | .775E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .487E 11 | .408E 11 | .289E 11 | .186E 11 | .177E 11 | .162E 11 |
| 901.-1000. | .259E 11 | .219E 11 | .157E 11 | .107E 11 | .102E 11 | .926E 10 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .856E 11 | .721E 11 | .469E 11 | .294E 11 | .280E 11 | .255E 11 |

SCC = 30109099--ACETATE FLAKOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 8

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .327E 11 | .274E 11 | .178E 11 | .108E 11 | .102E 11 | .934E 10 |
| 28 | .510E 11 | .429E 11 | .291E 11 | .186E 11 | .177E 11 | .162E 11 |
| 29 | .192E 10 | .180E 10 | .0 | .0 | .0 | .0 |
| | .856E 11 | .721E 11 | .469E 11 | .294E 11 | .280E 11 | .255E 11 |

CC = 30109099--ACETATE FLAK OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

```
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .571E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .376E 10  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .408E 11  !H
 901.-1000.  .219E 11  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30109099--ACETATE FLAK OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .135E 09 | .127E 09 | .103E 09 | .0 | .0 | .0 |
| 101.- 200. | .146E 11 | .127E 11 | .622E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .823E 09 | .678E 09 | .460E 09 | .255E 09 | .243E 09 | .222E 09 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .155E 11 | .135E 11 | .678E 10 | .255E 09 | .243E 09 | .222E 09 |

SCC = 30109099--ACETATE FLAKOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .155E 11 | .135E 11 | .678E 10 | .255E 09 | .243E 09 | .222E 09 |
| | .155E 11 | .135E 11 | .678E 10 | .255E 09 | .243E 09 | .222E 09 |

CC =30109099--ACETATE FLAK OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .127E 09  !
 101.- 200.  .127E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .678E 09  !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30109099--ACETATE FLAK OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 11

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .622E 10 | .583E 10 | .346E 09 | .0 | .0 | .0 |
| 101.- 200. | .146E 11 | .127E 11 | .622E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .489E 10 | .376E 10 | .210E 10 | .893E 08 | .847E 08 | .775E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .823E 09 | .678E 09 | .460E 09 | .255E 09 | .243E 09 | .222E 09 |
| 801.- 900. | .487E 11 | .408E 11 | .289E 11 | .186E 11 | .177E 11 | .162E 11 |
| 901.-1000. | .259E 11 | .219E 11 | .157E 11 | .107E 11 | .102E 11 | .926E 10 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .101E 12 | .856E 11 | .537E 11 | .296E 11 | .282E 11 | .257E 11 |

SCC = 30109099--ACETATE FLAKOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 11

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .327E 11 | .274E 11 | .178E 11 | .108E 11 | .102E 11 | .934E 10 |
| 28 | .665E 11 | .564E 11 | .359E 11 | .189E 11 | .180E 11 | .164E 11 |
| 29 | .192E 10 | .180E 10 | .0 | .0 | .0 | .0 |
| | .101E 12 | .856E 11 | .537E 11 | .296E 11 | .282E 11 | .257E 11 |

CC 30109099--ACETATE FLAK OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 11

```
EMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------------------
   0.- 100.  .583E 10 !H
 101.- 200.  .127E 11 !H
 201.- 300.  .0       !
 301.- 400.  .376E 10 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .678E 09 !
 801.- 900.  .408E 11 !H
 901.-1000.  .219E 11 !H
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30109101--ACETONE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .516E 08 | .484E 08 | .365E 08 | .0 | .0 | .0 |
| 101.- 200. | .636E 07 | .597E 07 | .386E 07 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .579E 08 | .543E 08 | .403E 08 | .0 | .0 | .0 |

SCC = 30109101--ACETONE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 8

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .579E 08 | .543E 08 | .403E 08 | .0 | .0 | .0 |
| | .579E 08 | .543E 08 | .403E 08 | .0 | .0 | .0 |

CC = 30109101--ACETONE OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .484E 08 |
| 101.- 200. | .597E 07 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30109101--ACETONE OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .921E 08 | .864E 08 | .704E 08 | .0 | .0 | .0 |
| 101.- 200. | .246E 09 | .191E 09 | .977E 08 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .338E 09 | .277E 09 | .168E 09 | .0 | .0 | .0 |

SCC = 30109101--ACETONE     OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =     4

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .338E 09 | .277E 09 | .168E 09 | .0 | .0 | .0 |
| | .338E 09 | .277E 09 | .168E 09 | .0 | .0 | .0 |

CC =30109101--ACETONE     OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     4

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .864E 08 |
| 101.- 200. | .191E 09 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

```
0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30109101--ACETONE OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 12

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .144E 09 | .135E 09 | .107E 09 | .0 | .0 | .0 |
| 101.- 200. | .253E 09 | .196E 09 | .102E 09 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .396E 09 | .331E 09 | .208E 09 | .0 | .0 | .0 |

SCC = 30109101--ACETONE OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 12

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .396E 09 | .331E 09 | .208E 09 | .0 | .0 | .0 |
| | .396E 09 | .331E 09 | .208E 09 | .0 | .0 | .0 |

CC 30109101--ACETONE OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 12

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .135E 09 |
| 101.- 200. | .196E 09 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

```
0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30110001--MALEIC ANHYD GENERAL/OTHER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .216E 12 | .202E 12 | .165E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .216E 12 | .202E 12 | .165E 12 | .0 | .0 | .0 |

SCC = 30110001--MALEIC ANHYDGENERAL/OTHER -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .216E 12 | .202E 12 | .165E 12 | .0 | .0 | .0 |
| | .216E 12 | .202E 12 | .165E 12 | .0 | .0 | .0 |

CC = 30110001--MALEIC ANHYD GENERAL/OTHER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

```
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .202E 12  !HH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30110001--MALEIC ANHYD GENERAL/OTHER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .773E 11 | .725E 11 | .523E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .773E 11 | .725E 11 | .523E 11 | .0 | .0 | .0 |

SCC = 30110001--MALEIC ANHYDGENERAL/OTHER -WITH CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .773E 11 | .725E 11 | .523E 11 | .0 | .0 | .0 |
| | .773E 11 | .725E 11 | .523E 11 | .0 | .0 | .0 |

CC =30110001--MALEIC ANHYD GENERAL/OTHER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .0 |
| 101.- 200. | .725E 11 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30110001--MALEIC ANHYD GENERAL/OTHER -TOTAL SCC -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .216E 12 | .202E 12 | .165E 12 | .0 | .0 | .0 |
| 101.- 200. | .773E 11 | .725E 11 | .523E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .293E 12 | .275E 12 | .217E 12 | .0 | .0 | .0 |

SCC = 30110001--MALEIC ANHYDGENERAL/OTHER -TOTAL SCC -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .293E 12 | .275E 12 | .217E 12 | .0 | .0 | .0 |
| | .293E 12 | .275E 12 | .217E 12 | .0 | .0 | .0 |

CC 30110001--MALEIC ANHYD GENERAL/OTHER --TOTAL SCC -SIC = 0 -TOT RECS = 2

```
EMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .202E 12  !HH
 101.- 200.  .725E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30111001--SULFONIC ACI GENERAL/OTHER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .324E 12 | .304E 12 | .198E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .324E 12 | .304E 12 | .198E 12 | .0 | .0 | .0 |

SCC = 30111001--SULFONIC ACIGENERAL/OTHER -NO CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .514E 10 | .482E 10 | .393E 10 | .0 | .0 | .0 |
| 29 | .254E 12 | .239E 12 | .194E 12 | .0 | .0 | .0 |
| 99 | .648E 11 | .608E 11 | .0 | .0 | .0 | .0 |
| | .324E 12 | .304E 12 | .198E 12 | .0 | .0 | .0 |

CC = 30111001--SULFONIC ACI GENERAL/OTHER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
              ------------------------------------------------------------------------------------------
   0.- 100.  .304E 12  !HHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30111001--SULFONIC ACI GENERAL/OTHER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .125E 11 | .117E 11 | .957E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .125E 11 | .117E 11 | .957E 10 | .0 | .0 | .0 |

SCC = 30111001--SULFONIC ACIGENERAL/OTHER -WITH CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .123E 11 | .116E 11 | .941E 10 | .0 | .0 | .0 |
| 99 | .202E 09 | .189E 09 | .154E 09 | .0 | .0 | .0 |
| | .125E 11 | .117E 11 | .957E 10 | .0 | .0 | .0 |

CC =30111001--SULFONIC ACI GENERAL/OTHER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .117E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30111001--SULFONIC ACI GENERAL/OTHER -TOTAL SCC -SIC = 0 -TOT RECS = 6

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .337E 12 | .316E 12 | .208E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .337E 12 | .316E 12 | .208E 12 | .0 | .0 | .0 |

SCC = 30111001--SULFONIC ACIGENERAL/OTHER -TOTAL SCC -TOT RECS = 6

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .175E 11 | .164E 11 | .133E 11 | .0 | .0 | .0 |
| 29 | .254E 12 | .239E 12 | .194E 12 | .0 | .0 | .0 |
| 99 | .650E 11 | .610E 11 | .154E 09 | .0 | .0 | .0 |
| | .337E 12 | .316E 12 | .208E 12 | .0 | .0 | .0 |

CC 30111001--SULFONIC ACI GENERAL/OTHER --TOTAL SCC -SIC = 0 -TOT RECS = 6

```
EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .316E 12  !HHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30111102--ASBESTOS CHE SEALANTS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .712E 09 | .668E 09 | .544E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .712E 09 | .668E 09 | .544E 09 | .0 | .0 | .0 |

SCC = 30111102--ASBESTOS CHESEALANTS -NO CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .712E 09 | .668E 09 | .544E 09 | .0 | .0 | .0 |
| | .712E 09 | .668E 09 | .544E 09 | .0 | .0 | .0 |

CC = 30111102--ASBESTOS CHE SEALANTS -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .668E 09 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30111102--ASBESTOS CHE SEALANTS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .250E 10 | .234E 10 | .191E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .250E 10 | .234E 10 | .191E 10 | .0 | .0 | .0 |

SCC = 30111102--ASBESTOS CHESEALANTS -WITH CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 50 | .250E 10 | .234E 10 | .191E 10 | .0 | .0 | .0 |
| | .250E 10 | .234E 10 | .191E 10 | .0 | .0 | .0 |

CC =30111102--ASBESTOS CHE SEALANTS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

```
TEMP RANGE   COUNT

                        --------------------------------------------------------------------------------------------------
   0.- 100.  .234E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30111102--ASBESTOS CHE SEALANTS -TOTAL SCC -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .321E 10 | .301E 10 | .245E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .321E 10 | .301E 10 | .245E 10 | .0 | .0 | .0 |

SCC = 30111102--ASBESTOS CHESEALANTS -TOTAL SCC -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .712E 09 | .668E 09 | .544E 09 | .0 | .0 | .0 |
| 50 | .250E 10 | .234E 10 | .191E 10 | .0 | .0 | .0 |
| | .321E 10 | .301E 10 | .245E 10 | .0 | .0 | .0 |

CC 30111102--ASBESTOS CHE SEALANTS --TOTAL SCC -SIC = 0 -TOT RECS = 2

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .301E 10 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30111103--ASBESTOS CHE BRAKE LINE/GRINDING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30111103--ASBESTOS CHEBRAKE LINE/GRINDING -NO CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30111103--ASBESTOS CHE BRAKE LINE/GRINDING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .115E 12 | .108E 12 | .880E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .115E 12 | .108E 12 | .880E 11 | .0 | .0 | .0 |

SCC = 30111103--ASBESTOS CHEBRAKE LINE/GRINDING -WITH CONTROL EQUIPMENT -TOT RECS = 7

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 32 | .108E 11 | .101E 11 | .826E 10 | .0 | .0 | .0 |
| 37 | .104E 12 | .978E 11 | .797E 11 | .0 | .0 | .0 |
| | .115E 12 | .108E 12 | .880E 11 | .0 | .0 | .0 |

CC =30111103--ASBESTOS CHE BRAKE LINE/GRINDING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 7

```
TEMP RANGE   COUNT

    0.- 100.  .108E 12 !H
  101.- 200.  .0       !
  201.- 300.  .0       !
  301.- 400.  .0       !
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30111199--ASBESTOS CHE OTHERS/NOT CLASSIFIE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .150E 12 | .141E 12 | .115E 12 | .0 | .0 | .0 |
| 101.- 200. | .654E 10 | .614E 10 | .443E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .157E 12 | .147E 12 | .119E 12 | .0 | .0 | .0 |

SCC = 30111199--ASBESTOS CHEOTHERS/NOT CLASSIFIE -NO CONTROL EQUIPMENT -TOT RECS = 5

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 32 | .157E 12 | .147E 12 | .119E 12 | .0 | .0 | .0 |
| | .157E 12 | .147E 12 | .119E 12 | .0 | .0 | .0 |

CC = 30111199--ASBESTOS CHE OTHERS/NOT CLASSIFIE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .141E 12 | !H |
| 101.- 200. | .614E 10 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30111199--ASBESTOS CHE OTHERS/NOT CLASSIFIE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 32

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .114E 12 | .107E 12 | .868E 11 | .0 | .0 | .0 |
| 101.- 200. | .149E 12 | .136E 12 | .897E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .262E 12 | .243E 12 | .176E 12 | .0 | .0 | .0 |

SCC = 30111199--ASBESTOS CHEOTHERS/NOT CLASSIFIE -WITH CONTROL EQUIPMENT -TOT RECS = 32

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 32 | .258E 12 | .238E 12 | .173E 12 | .0 | .0 | .0 |
| 37 | .485E 10 | .455E 10 | .370E 10 | .0 | .0 | .0 |
| | .262E 12 | .243E 12 | .176E 12 | .0 | .0 | .0 |

CC =30111199--ASBESTOS CHE OTHERS/NOT CLASSIFIE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 32

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .107E 12 | !H |
| 101.- 200. | .136E 12 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30111199--ASBESTOS CHE OTHERS/NOT CLASSIFIE -TOTAL SCC -SIC = 0 -TOT RECS = 37

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .264E 12 | .247E 12 | .201E 12 | .0 | .0 | .0 |
| 101.- 200. | .155E 12 | .143E 12 | .941E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .419E 12 | .390E 12 | .296E 12 | .0 | .0 | .0 |

SCC = 30111199--ASBESTOS CHEOTHERS/NOT CLASSIFIE -TOTAL SCC -TOT RECS = 37

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 32 | .414E 12 | .385E 12 | .292E 12 | .0 | .0 | .0 |
| 37 | .485E 10 | .455E 10 | .370E 10 | .0 | .0 | .0 |
| | .419E 12 | .390E 12 | .296E 12 | .0 | .0 | .0 |

CC 30111199--ASBESTOS CHE OTHERS/NOT CLASSIFIE--TOTAL SCC -SIC = 0 -TOT RECS = 37

| EMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .247E 12 | !HH |
| 101.- 200. | .143E 12 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

```
0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30190099--WASTE GAS FL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 152

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .889E 10 | .834E 10 | .222E 10 | .0 | .0 | .0 |
| 101.- 200. | .302E 11 | .260E 11 | .960E 10 | .0 | .0 | .0 |
| 201.- 300. | .273E 11 | .208E 11 | .669E 07 | .0 | .0 | .0 |
| 301.- 400. | .966E 10 | .754E 10 | .241E 10 | .718E 09 | .682E 09 | .342E 09 |
| 401.- 500. | .143E 11 | .114E 11 | .312E 08 | .218E 10 | .207E 10 | .841E 07 |
| 501.- 600. | .256E 11 | .207E 11 | .272E 10 | .575E 10 | .546E 10 | .105E 10 |
| 601.- 700. | .331E 11 | .269E 11 | .177E 11 | .835E 10 | .793E 10 | .725E 10 |
| 701.- 800. | .310E 11 | .257E 11 | .665E 09 | .103E 11 | .978E 10 | .330E 09 |
| 801.- 900. | .141E 12 | .118E 12 | .435E 10 | .540E 11 | .514E 11 | .244E 10 |
| 901.-1000. | .888E 11 | .749E 11 | .124E 11 | .365E 11 | .348E 11 | .735E 10 |
| 1001.-1100. | .726E 10 | .616E 10 | .0 | .320E 10 | .305E 10 | .0 |
| 1101.-1200. | .413E 11 | .353E 11 | .115E 11 | .195E 11 | .185E 11 | .744E 10 |
| 1201.-1300. | .327E 11 | .281E 11 | .874E 08 | .164E 11 | .156E 11 | .589E 08 |
| 1301.-1400. | .856E 10 | .740E 10 | .0 | .455E 10 | .433E 10 | .0 |
| 1401.-1500. | .452E 10 | .393E 10 | .302E 10 | .254E 10 | .241E 10 | .219E 10 |
| 1501.-1600. | .106E 11 | .928E 10 | .720E 10 | .617E 10 | .586E 10 | .520E 10 |
| 1601.-1700. | .991E 10 | .868E 10 | .0 | .593E 10 | .563E 10 | .0 |
| 1701.-1800. | .635E 11 | .559E 11 | .154E 11 | .390E 11 | .370E 11 | .111E 11 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .339E 11 | .301E 11 | .388E 08 | .221E 11 | .210E 11 | .276E 08 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .124E 11 | .110E 11 | .0 | .845E 10 | .784E 10 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .635E 12 | .536E 12 | .894E 11 | .246E 12 | .233E 12 | .448E 11 |

SCC = 30190099--WASTE GAS FLOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 152

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .468E 12 | .396E 12 | .816E 11 | .177E 12 | .168E 12 | .403E 11 |
| 28 | .152E 12 | .129E 12 | .779E 10 | .640E 11 | .607E 11 | .447E 10 |
| 44 | .638E 10 | .534E 10 | .0 | .244E 10 | .232E 10 | .0 |
| 51 | .632E 09 | .593E 09 | .0 | .0 | .0 | .0 |
| 99 | .713E 10 | .604E 10 | .0 | .244E 10 | .232E 10 | .0 |
| | .635E 12 | .536E 12 | .894E 11 | .246E 12 | .233E 12 | .448E 11 |

CC = 30190099--WASTE GAS FL OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 152

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .834E 10 | !H |
| 101.- 200. | .260E 11 | !H |
| 201.- 300. | .208E 11 | !H |
| 301.- 400. | .754E 10 | !H |
| 401.- 500. | .114E 11 | !H |
| 501.- 600. | .207E 11 | !H |
| 601.- 700. | .269E 11 | !H |
| 701.- 800. | .257E 11 | !H |
| 801.- 900. | .118E 12 | !H |
| 901.-1000. | .749E 11 | !H |
| 1001.-1100. | .616E 10 | !H |
| 1101.-1200. | .353E 11 | !H |
| 1201.-1300. | .281E 11 | !H |
| 1301.-1400. | .740E 10 | !H |
| 1401.-1500. | .393E 10 | !H |
| 1501.-1600. | .928E 10 | !H |
| 1601.-1700. | .868E 10 | !H |
| 1701.-1800. | .559E 11 | !H |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .301E 11 | !H |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .110E 11 | !H |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30190099--WASTE GAS FL OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 21

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .451E 12 | .423E 12 | .247E 10 | .0 | .0 | .0 |
| 101.- 200. | .161E 13 | .151E 13 | .978E 12 | .0 | .0 | .0 |
| 201.- 300. | .586E 10 | .441E 10 | .226E 10 | .0 | .0 | .0 |
| 301.- 400. | .131E 10 | .101E 10 | .565E 09 | .288E 08 | .273E 08 | .250E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .579E 11 | .469E 11 | .304E 11 | .135E 11 | .128E 11 | .117E 11 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .948E 11 | .824E 11 | .634E 11 | .533E 11 | .507E 11 | .460E 11 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .774E 09 | .681E 09 | .536E 09 | .477E 09 | .452E 09 | .384E 09 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .222E 13 | .207E 13 | .108E 13 | .673E 11 | .639E 11 | .581E 11 |

SCC = 30190099--WASTE GAS FLOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 21

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 28 | .234E 12 | .219E 12 | .615E 10 | .477E 09 | .452E 09 | .384E 09 |
| 33 | .178E 13 | .166E 13 | .101E 13 | .135E 11 | .128E 11 | .117E 11 |
| 35 | .948E 11 | .824E 11 | .634E 11 | .533E 11 | .507E 11 | .460E 11 |
| 99 | .118E 12 | .109E 12 | .226E 10 | .0 | .0 | .0 |
| | .222E 13 | .207E 13 | .108E 13 | .673E 11 | .639E 11 | .581E 11 |

CC =30190099--WASTE GAS FL OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 21

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .423E 12 | !HHHH |
| 101.- 200. | .151E 13 | !HHHHHHHHHHHHHHH |
| 201.- 300. | .441E 10 | !H |
| 301.- 400. | .101E 10 | !H |
| 401.- 500. | .0 | ! |
| 501.- 600. | .469E 11 | !H |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .824E 11 | !H |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .681E 09 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30190099--WASTE GAS FL OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 173

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .460E 12 | .431E 12 | .469E 10 | .0 | .0 | .0 |
| 101.- 200. | .164E 13 | .154E 13 | .988E 12 | .0 | .0 | .0 |
| 201.- 300. | .331E 11 | .253E 11 | .227E 10 | .0 | .0 | .0 |
| 301.- 400. | .110E 11 | .855E 10 | .297E 10 | .747E 09 | .709E 09 | .367E 09 |
| 401.- 500. | .143E 11 | .114E 11 | .312E 08 | .218E 10 | .207E 10 | .841E 07 |
| 501.- 600. | .834E 11 | .675E 11 | .331E 11 | .192E 11 | .183E 11 | .128E 11 |
| 601.- 700. | .331E 11 | .269E 11 | .177E 11 | .835E 10 | .793E 10 | .725E 10 |
| 701.- 800. | .310E 11 | .257E 11 | .665E 09 | .103E 11 | .978E 10 | .330E 09 |
| 801.- 900. | .141E 12 | .118E 12 | .435E 10 | .540E 11 | .514E 11 | .244E 10 |
| 901.-1000. | .888E 11 | .749E 11 | .124E 11 | .365E 11 | .348E 11 | .735E 10 |
| 1001.-1100. | .726E 10 | .616E 10 | .0 | .320E 10 | .305E 10 | .0 |
| 1101.-1200. | .413E 11 | .353E 11 | .115E 11 | .195E 11 | .185E 11 | .744E 10 |
| 1201.-1300. | .327E 11 | .281E 11 | .874E 08 | .164E 11 | .156E 11 | .589E 08 |
| 1301.-1400. | .856E 10 | .740E 10 | .0 | .455E 10 | .433E 10 | .0 |
| 1401.-1500. | .993E 11 | .864E 11 | .665E 11 | .558E 11 | .531E 11 | .482E 11 |
| 1501.-1600. | .106E 11 | .928E 10 | .720E 10 | .617E 10 | .586E 10 | .520E 10 |
| 1601.-1700. | .991E 10 | .868E 10 | .0 | .593E 10 | .563E 10 | .0 |
| 1701.-1800. | .643E 11 | .565E 11 | .160E 11 | .395E 11 | .375E 11 | .114E 11 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .339E 11 | .301E 11 | .388E 08 | .221E 11 | .210E 11 | .276E 08 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .124E 11 | .110E 11 | .0 | .845E 10 | .784E 10 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .286E 13 | .261E 13 | .117E 13 | .313E 12 | .297E 12 | .103E 12 |

SCC = 30190099--WASTE GAS FLOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 173

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 13 | .468E 12 | .396E 12 | .816E 11 | .177E 12 | .168E 12 | .403E 11 |
| 28 | .386E 12 | .348E 12 | .139E 11 | .645E 11 | .612E 11 | .485E 10 |
| 33 | .178E 13 | .166E 13 | .101E 13 | .135E 11 | .128E 11 | .117E 11 |
| 35 | .948E 11 | .824E 11 | .634E 11 | .533E 11 | .507E 11 | .460E 11 |
| 44 | .638E 10 | .534E 10 | .0 | .244E 10 | .232E 10 | .0 |
| 51 | .632E 09 | .593E 09 | .0 | .0 | .0 | .0 |
| 99 | .125E 12 | .115E 12 | .226E 10 | .244E 10 | .232E 10 | .0 |
| | .286E 13 | .261E 13 | .117E 13 | .313E 12 | .297E 12 | .103E 12 |

CC 30190099--WASTE GAS FL OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 173

```
EMP RANGE      COUNT
                         --------------------------------------------------------------------------------
    0.- 100.  .431E 12  !HHHH
  101.- 200.  .154E 13  !HHHHHHHHHHHHHHH
  201.- 300.  .253E 11  !H
  301.- 400.  .855E 10  !H
  401.- 500.  .114E 11  !H
  501.- 600.  .675E 11  !H
  601.- 700.  .269E 11  !H
  701.- 800.  .257E 11  !H
  801.- 900.  .118E 12  !H
  901.-1000.  .749E 11  !H
 1001.-1100.  .616E 10  !H
 1101.-1200.  .353E 11  !H
 1201.-1300.  .281E 11  !H
 1301.-1400.  .740E 10  !H
 1401.-1500.  .864E 11  !H
 1501.-1600.  .928E 10  !H
 1601.-1700.  .868E 10  !H
 1701.-1800.  .565E 11  !H
 1801.-1900.  .0        !
 1901.-2000.  .301E 11  !H
 2001.-2100.  .0        !
 2101.-2200.  .110E 11  !H
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30199999--OTHER/NOT CL SIC 2819 -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1711

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .614E 13 | .576E 13 | .185E 13 | .0 | .0 | .0 |
| 101.- 200. | .110E 14 | .879E 13 | .314E 13 | .0 | .0 | .0 |
| 201.- 300. | .299E 13 | .228E 13 | .786E 12 | .0 | .0 | .0 |
| 301.- 400. | .224E 14 | .173E 14 | .154E 13 | .868E 12 | .824E 12 | .147E 12 |
| 401.- 500. | .155E 13 | .122E 13 | .584E 12 | .201E 12 | .191E 12 | .134E 12 |
| 501.- 600. | .172E 13 | .138E 13 | .713E 12 | .368E 12 | .349E 12 | .261E 12 |
| 601.- 700. | .237E 13 | .194E 13 | .117E 13 | .628E 12 | .597E 12 | .499E 12 |
| 701.- 800. | .141E 13 | .117E 13 | .624E 12 | .442E 12 | .421E 12 | .302E 12 |
| 801.- 900. | .722E 11 | .605E 11 | .428E 11 | .276E 11 | .263E 11 | .240E 11 |
| 901.-1000. | .379E 12 | .319E 12 | .196E 11 | .153E 12 | .146E 12 | .113E 11 |
| 1001.-1100. | .214E 08 | .181E 08 | .132E 08 | .943E 07 | .898E 07 | .818E 07 |
| 1101.-1200. | .775E 12 | .660E 12 | .322E 12 | .359E 12 | .342E 12 | .206E 12 |
| 1201.-1300. | .408E 12 | .349E 12 | .0 | .198E 12 | .189E 12 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .512E 14 | .413E 14 | .108E 14 | .324E 13 | .308E 13 | .158E 13 |

SCC = 30199999--OTHER/NOT CLSIC 2819 -NO CONTROL EQUIPMENT -TOT RECS = 1711

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 10 | .340E 12 | .259E 12 | .136E 12 | .0 | .0 | .0 |
| 13 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 20 | .115E 10 | .107E 10 | .875E 09 | .0 | .0 | .0 |
| 22 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 23 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 25 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 26 | .788E 11 | .622E 11 | .575E 10 | .262E 10 | .249E 10 | .0 |
| 28 | .435E 14 | .351E 14 | .883E 13 | .272E 13 | .258E 13 | .130E 13 |
| 29 | .143E 13 | .112E 13 | .226E 12 | .148E 12 | .140E 12 | .678E 11 |
| 30 | .111E 13 | .967E 12 | .547E 12 | .120E 11 | .114E 11 | .814E 10 |
| 32 | .127E 12 | .103E 12 | .119E 11 | .315E 11 | .299E 11 | .947E 09 |
| 33 | .464E 12 | .367E 12 | .464E 11 | .152E 11 | .144E 11 | .178E 10 |
| 34 | .109E 11 | .102E 11 | .0 | .0 | .0 | .0 |
| 35 | .598E 11 | .561E 11 | .362E 11 | .0 | .0 | .0 |
| 36 | .203E 12 | .164E 12 | .966E 11 | .336E 11 | .319E 11 | .292E 11 |
| 38 | .192E 11 | .172E 11 | .132E 11 | .277E 09 | .263E 09 | .240E 09 |
| 39 | .885E 12 | .718E 12 | .319E 12 | .150E 12 | .143E 12 | .124E 12 |
| 44 | .109E 11 | .102E 11 | .0 | .0 | .0 | .0 |
| 45 | .333E 11 | .256E 11 | .140E 11 | .0 | .0 | .0 |
| 46 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 49 | .759E 12 | .587E 12 | .301E 12 | .279E 11 | .265E 11 | .220E 11 |
| 50 | .182E 10 | .170E 10 | .139E 10 | .0 | .0 | .0 |
| 51 | .797E 11 | .630E 11 | .161E 10 | .262E 10 | .249E 10 | .0 |
| 73 | .100E 12 | .793E 11 | .160E 11 | .262E 10 | .249E 10 | .0 |
| 97 | .223E 10 | .209E 10 | .170E 10 | .0 | .0 | .0 |
| 99 | .166E 13 | .131E 13 | .196E 12 | .869E 11 | .826E 11 | .344E 11 |
| | .512E 14 | .412E 14 | .108E 14 | .324E 13 | .308E 13 | .158E 13 |

```
CC = 30199999--OTHER/NOT CL SIC 2819            --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =   1711
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .576E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .879E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .228E 13   !HHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .173E 14   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .122E 13   !HHHHHHHHHHHH
 501.- 600.  .138E 13   !HHHHHHHHHHHHH
 601.- 700.  .194E 13   !HHHHHHHHHHHHHHHHHHH
 701.- 800.  .117E 13   !HHHHHHHHHHH
 801.- 900.  .605E 11   !H
 901.-1000.  .319E 12   !HHH
1001.-1100.  .181E 08   !
1101.-1200.  .660E 12   !HHHHHH
1201.-1300.  .349E 12   !HHH
1301.-1400.  .0         !
1401.-1500.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30199999--OTHER/NOT CL SIC 2819 -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1766

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .972E 13 | .911E 13 | .449E 13 | .0 | .0 | .0 |
| 101.- 200. | .163E 14 | .134E 14 | .681E 13 | .0 | .0 | .0 |
| 201.- 300. | .355E 13 | .267E 13 | .119E 13 | .0 | .0 | .0 |
| 301.- 400. | .239E 13 | .185E 13 | .926E 12 | .117E 12 | .111E 12 | .871E 11 |
| 401.- 500. | .799E 12 | .630E 12 | .379E 12 | .956E 11 | .908E 11 | .831E 11 |
| 501.- 600. | .243E 13 | .196E 13 | .103E 13 | .486E 12 | .461E 12 | .345E 12 |
| 601.- 700. | .521E 12 | .425E 12 | .280E 12 | .137E 12 | .130E 12 | .119E 12 |
| 701.- 800. | .120E 12 | .990E 11 | .673E 11 | .375E 11 | .357E 11 | .326E 11 |
| 801.- 900. | .642E 12 | .538E 12 | .275E 12 | .243E 12 | .231E 12 | .153E 12 |
| 901.-1000. | .352E 12 | .297E 12 | .156E 12 | .145E 12 | .138E 12 | .923E 11 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .223E 12 | .190E 12 | .641E 10 | .105E 12 | .998E 11 | .415E 10 |
| 1201.-1300. | .112E 12 | .964E 11 | .0 | .563E 11 | .535E 11 | .0 |
| 1301.-1400. | .167E 12 | .144E 12 | .109E 12 | .878E 11 | .835E 11 | .758E 11 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .373E 14 | .314E 14 | .157E 14 | .151E 13 | .143E 13 | .991E 12 |

SCC = 30199999--OTHER/NOT CLSIC 2819 -WITH CONTROL EQUIPMENT -TOT RECS = 1766

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 10 | .833E 11 | .633E 11 | .326E 11 | .0 | .0 | .0 |
| 14 | .171E 12 | .144E 12 | .798E 11 | .0 | .0 | .0 |
| 20 | .216E 11 | .203E 11 | .154E 09 | .0 | .0 | .0 |
| 24 | .191E 12 | .179E 12 | .882E 11 | .0 | .0 | .0 |
| 28 | .314E 14 | .264E 14 | .132E 14 | .109E 13 | .104E 13 | .722E 12 |
| 29 | .901E 12 | .751E 12 | .346E 12 | .108E 11 | .103E 11 | .937E 10 |
| 30 | .234E 12 | .216E 12 | .123E 12 | .0 | .0 | .0 |
| 32 | .247E 12 | .192E 12 | .852E 11 | .104E 10 | .985E 09 | .902E 09 |
| 33 | .327E 12 | .281E 12 | .113E 12 | .135E 11 | .128E 11 | .117E 11 |
| 34 | .166E 11 | .155E 11 | .127E 11 | .0 | .0 | .0 |
| 35 | .269E 11 | .206E 11 | .110E 11 | .0 | .0 | .0 |
| 36 | .207E 13 | .171E 13 | .111E 13 | .264E 12 | .251E 12 | .229E 12 |
| 38 | .296E 11 | .277E 11 | .226E 11 | .0 | .0 | .0 |
| 39 | .494E 12 | .411E 12 | .142E 12 | .118E 11 | .112E 11 | .102E 11 |
| 42 | .728E 09 | .683E 09 | .556E 09 | .0 | .0 | .0 |
| 44 | .174E 11 | .164E 11 | .0 | .0 | .0 | .0 |
| 49 | .301E 11 | .240E 11 | .148E 11 | .470E 10 | .447E 10 | .407E 10 |
| 51 | .103E 11 | .963E 10 | .118E 10 | .0 | .0 | .0 |
| 73 | .164E 10 | .154E 10 | .125E 10 | .0 | .0 | .0 |
| 99 | .103E 13 | .880E 12 | .312E 12 | .109E 12 | .103E 12 | .367E 10 |
| | .373E 14 | .314E 14 | .157E 14 | .151E 13 | .143E 13 | .991E 12 |

CC =30199999--OTHER/NOT CL SIC 2819 ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1766

```
TEMP RANGE   COUNT

                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .911E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .134E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .267E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .185E 13  !HHHHHHHHHHHHHHHHHHHH
 401.- 500.  .630E 12  !HHHHHH
 501.- 600.  .196E 13  !HHHHHHHHHHHHHHHHHHHHH
 601.- 700.  .425E 12  !HHHH
 701.- 800.  .990E 11  !H
 801.- 900.  .538E 12  !HHHHH
 901.-1000.  .297E 12  !HH
1001.-1100.  .0        !
1101.-1200.  .190E 12  !H
1201.-1300.  .964E 11  !H
1301.-1400.  .144E 12  !H
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30199999--OTHER/NOT CL SIC 2819 -TOTAL SCC -SIC = 0 -TOT RECS = 3477

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .159E 14 | .149E 14 | .634E 13 | .0 | .0 | .0 |
| 101.- 200. | .273E 14 | .221E 14 | .995E 13 | .0 | .0 | .0 |
| 201.- 300. | .654E 13 | .495E 13 | .198E 13 | .0 | .0 | .0 |
| 301.- 400. | .248E 14 | .192E 14 | .247E 13 | .984E 12 | .934E 12 | .234E 12 |
| 401.- 500. | .235E 13 | .185E 13 | .963E 12 | .296E 12 | .281E 12 | .217E 12 |
| 501.- 600. | .415E 13 | .334E 13 | .174E 13 | .854E 12 | .811E 12 | .606E 12 |
| 601.- 700. | .289E 13 | .236E 13 | .146E 13 | .765E 12 | .727E 12 | .618E 12 |
| 701.- 800. | .153E 13 | .127E 13 | .692E 12 | .480E 12 | .456E 12 | .335E 12 |
| 801.- 900. | .714E 12 | .598E 12 | .318E 12 | .271E 12 | .258E 12 | .177E 12 |
| 901.-1000. | .731E 12 | .616E 12 | .176E 12 | .298E 12 | .284E 12 | .104E 12 |
| 1001.-1100. | .214E 08 | .181E 08 | .132E 08 | .943E 07 | .898E 07 | .818E 07 |
| 1101.-1200. | .997E 12 | .850E 12 | .328E 12 | .464E 12 | .442E 12 | .210E 12 |
| 1201.-1300. | .520E 12 | .446E 12 | .0 | .255E 12 | .242E 12 | .0 |
| 1301.-1400. | .167E 12 | .144E 12 | .109E 12 | .878E 11 | .835E 11 | .758E 11 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .885E 14 | .726E 14 | .265E 14 | .475E 13 | .452E 13 | .258E 13 |

SCC = 30199999--OTHER/NOT CLSIC 2819 -TOTAL SCC -TOT RECS = 3477

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 10 | .423E 12 | .322E 12 | .168E 12 | .0 | .0 | .0 |
| 13 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 14 | .171E 12 | .144E 12 | .798E 11 | .0 | .0 | .0 |
| 20 | .228E 11 | .214E 11 | .103E 10 | .0 | .0 | .0 |
| 22 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 23 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 24 | .191E 12 | .179E 12 | .882E 11 | .0 | .0 | .0 |
| 25 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 26 | .788E 11 | .622E 11 | .575E 10 | .262E 10 | .249E 10 | .0 |
| 28 | .749E 14 | .614E 14 | .220E 14 | .381E 13 | .362E 13 | .202E 13 |
| 29 | .233E 13 | .187E 13 | .572E 12 | .158E 12 | .151E 12 | .772E 11 |
| 30 | .135E 13 | .118E 13 | .669E 12 | .120E 11 | .114E 11 | .814E 10 |
| 32 | .374E 12 | .296E 12 | .971E 11 | .325E 11 | .309E 11 | .185E 10 |
| 33 | .791E 12 | .648E 12 | .160E 12 | .286E 11 | .272E 11 | .135E 11 |
| 34 | .274E 11 | .257E 11 | .127E 11 | .0 | .0 | .0 |
| 35 | .866E 11 | .766E 11 | .472E 11 | .0 | .0 | .0 |
| 36 | .228E 13 | .188E 13 | .121E 13 | .298E 12 | .283E 12 | .259E 12 |
| 38 | .488E 11 | .450E 11 | .358E 11 | .277E 09 | .263E 09 | .240E 09 |
| 39 | .138E 13 | .113E 13 | .461E 12 | .162E 12 | .154E 12 | .134E 12 |
| 42 | .728E 09 | .683E 09 | .556E 09 | .0 | .0 | .0 |
| 44 | .283E 11 | .266E 11 | .0 | .0 | .0 | .0 |
| 45 | .333E 11 | .256E 11 | .140E 11 | .0 | .0 | .0 |
| 46 | .713E 11 | .552E 11 | .0 | .262E 10 | .249E 10 | .0 |
| 49 | .789E 12 | .611E 12 | .315E 12 | .326E 11 | .310E 11 | .260E 11 |
| 50 | .182E 10 | .170E 10 | .139E 10 | .0 | .0 | .0 |
| 51 | .900E 11 | .727E 11 | .279E 10 | .262E 10 | .249E 10 | .0 |
| 73 | .102E 12 | .808E 11 | .173E 11 | .262E 10 | .249E 10 | .0 |
| 97 | .223E 10 | .209E 10 | .170E 10 | .0 | .0 | .0 |
| 99 | .268E 13 | .219E 13 | .508E 12 | .196E 12 | .186E 12 | .381E 11 |
| | .885E 14 | .726E 14 | .265E 14 | .475E 13 | .452E 13 | .258E 13 |

CC 30199999--OTHER/NOT CL SIC 2819 --TOTAL SCC -SIC = 0 -TOT RECS = 3477

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .149E 14 |
| 101.- 200. | .221E 14 |
| 201.- 300. | .495E 13 |
| 301.- 400. | .192E 14 |
| 401.- 500. | .185E 13 |
| 501.- 600. | .334E 13 |
| 601.- 700. | .236E 13 |
| 701.- 800. | .127E 13 |
| 801.- 900. | .598E 12 |
| 901.-1000. | .616E 12 |
| 1001.-1100. | .181E 08 |
| 1101.-1200. | .850E 12 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |



SCC= 30200101--ALFALFA DEHY GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -T01 RECS = 279

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .486E 11 | .456E 11 | .717E 10 | .0 | .0 | .0 |
| 101.- 200. | .282E 12 | .222E 12 | .270E 11 | .0 | .0 | .0 |
| 201.- 300. | .101E 14 | .765E 13 | .111E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .104E 14 | .792E 13 | .145E 12 | .0 | .0 | .0 |

SCC = 30200101--ALFALFA DEHYGENERAL -NO CONTROL EQUIPMENT -TOT RECS = 279

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .103E 14 | .782E 13 | .145E 12 | .0 | .0 | .0 |
| 34 | .105E 09 | .989E 08 | .806E 08 | .0 | .0 | .0 |
| 51 | .124E 12 | .949E 11 | .0 | .0 | .0 | .0 |
| | .104E 14 | .792E 13 | .145E 12 | .0 | .0 | .0 |

CC = 30200101--ALFALFA DEHY GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 279

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .456E 11 |
| 101.- 200. | .222E 12 |
| 201.- 300. | .765E 13 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |



SCC= 30200101--ALFALFA DEHY GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 145

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .705E 11 | .662E 11 | .231E 11 | .0 | .0 | .0 |
| 101.- 200. | .391E 12 | .296E 12 | .134E 12 | .0 | .0 | .0 |
| 201.- 300. | .529E 13 | .400E 13 | .716E 12 | .0 | .0 | .0 |
| 301.- 400. | .140E 11 | .110E 11 | .638E 10 | .104E 10 | .991E 09 | .907E 09 |
| 401.- 500. | .691E 10 | .544E 10 | .325E 10 | .778E 09 | .739E 09 | .676E 09 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .578E 13 | .438E 13 | .883E 12 | .182E 10 | .173E 10 | .158E 10 |

SCC = 3020O101--ALFALFA DEHYGENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 145

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .557E 13 | .422E 13 | .855E 12 | .104E 10 | .991E 09 | .907E 09 |
| 22 | .277E 11 | .207E 11 | .102E 11 | .0 | .0 | .0 |
| 49 | .448E 11 | .337E 11 | .0 | .0 | .0 | .0 |
| 80 | .691E 10 | .544E 10 | .325E 10 | .778E 09 | .739E 09 | .676E 09 |
| 82 | .448E 11 | .337E 11 | .0 | .0 | .0 | .0 |
| 99 | .801E 11 | .606E 11 | .143E 11 | .0 | .0 | .0 |
| | .578E 13 | .438E 13 | .883E 12 | .182E 10 | .173E 10 | .158E 10 |

CC =30200101--ALFALFA DEHY GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 145

```
TEMP RANGE    COUNT
                       ---------------------------------------------------------------------------------------------------
    0.- 100.  .662E 11 !H
  101.- 200.  .296E 12 !HH
  201.- 300.  .400E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  301.- 400.  .110E 11 !H
  401.- 500.  .544E 10 !H
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200101--ALFALFA DEHY GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 424

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .119E 12 | .112E 12 | .302E 11 | .0 | .0 | .0 |
| 101.- 200. | .673E 12 | .518E 12 | .161E 12 | .0 | .0 | .0 |
| 201.- 300. | .154E 14 | .116E 14 | .827E 12 | .0 | .0 | .0 |
| 301.- 400. | .140E 11 | .110E 11 | .638E 10 | .104E 10 | .991E 09 | .907E 09 |
| 401.- 500. | .691E 10 | .544E 10 | .325E 10 | .778E 09 | .739E 09 | .676E 09 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .162E 14 | .123E 14 | .103E 13 | .182E 10 | .173E 10 | .158E 10 |

SCC = 30200101--ALFALFA DEHYGENERAL -TOTAL SCC -TOT RECS = 424

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .159E 14 | .120E 14 | .100E 13 | .104E 10 | .991E 09 | .907E 09 |
| 22 | .277E 11 | .207E 11 | .102E 11 | .0 | .0 | .0 |
| 34 | .105E 09 | .989E 08 | .806E 08 | .0 | .0 | .0 |
| 49 | .448E 11 | .337E 11 | .0 | .0 | .0 | .0 |
| 51 | .124E 12 | .949E 11 | .0 | .0 | .0 | .0 |
| 80 | .691E 10 | .544E 10 | .325E 10 | .778E 09 | .739E 09 | .676E 09 |
| 82 | .448E 11 | .337E 11 | .0 | .0 | .0 | .0 |
| 99 | .801E 11 | .606E 11 | .143E 11 | .0 | .0 | .0 |
| | .162E 14 | .123E 14 | .103E 13 | .182E 10 | .173E 10 | .158E 10 |

CC 30200101--ALFALFA DEHY GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 424

```
EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .112E 12  !H
 101.- 200.  .518E 12  !HHHHH
 201.- 300.  .116E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .110E 11  !H
 401.- 500.  .544E 10  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200199--ALFALFA DEHY OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30200199--ALFALFA DEHYOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 7

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30200199--ALFALFA DEHY OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .115E 12 | .108E 12 | .130E 11 | .0 | .0 | .0 |
| 101.- 200. | .390E 11 | .366E 11 | .867E 10 | .0 | .0 | .0 |
| 201.- 300. | .123E 12 | .924E 11 | .337E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .277E 12 | .237E 12 | .554E 11 | .0 | .0 | .0 |

SCC = 30200199--ALFALFA DEHYOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .277E 12 | .237E 12 | .554E 11 | .0 | .0 | .0 |
| | .277E 12 | .237E 12 | .554E 11 | .0 | .0 | .0 |

CC =30200199--ALFALFA DEHY OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .108E 12 | !H |
| 101.- 200. | .366E 11 | !H |
| 201.- 300. | .924E 11 | !H |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200201--COFFEE ROAST DIRECT FIRE ROASTER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 18

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .248E 11 | .188E 11 | .0 | .0 | .0 | .0 |
| 301.- 400. | .324E 12 | .253E 12 | .553E 11 | .241E 11 | .229E 11 | .786E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .451E 11 | .380E 11 | .273E 11 | .185E 11 | .176E 11 | .161E 11 |
| 1001.-1100. | .482E 11 | .409E 11 | .0 | .213E 11 | .202E 11 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .442E 12 | .351E 12 | .825E 11 | .639E 11 | .607E 11 | .239E 11 |

SCC = 30200201--COFFEE ROASTDIRECT FIRE ROASTER -NO CONTROL EQUIPMENT -TOT RECS = 18

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .442E 12 | .351E 12 | .825E 11 | .639E 11 | .607E 11 | .239E 11 |
| | .442E 12 | .351E 12 | .825E 11 | .639E 11 | .607E 11 | .239E 11 |

CC = 30200201--COFFEE ROAST DIRECT FIRE ROASTER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 18

```
TEMP RANGE   COUNT

    0.- 100.   .0        ----------------------------------------------------------------------------------------------------
  101.- 200.   .0        !
  201.- 300.   .188E 11  !H
  301.- 400.   .253E 12  !HH
  401.- 500.   .0        !
  501.- 600.   .0        !
  601.- 700.   .0        !
  701.- 800.   .0        !
  801.- 900.   .0        !
  901.-1000.   .380E 11  !H
 1001.-1100.   .409E 11  !H
 1101.-1200.   .0        !
 1201.-1300.   .0        !
 1301.-1400.   .0        !
 1401.-1500.   .0        !
 1501.-1600.   .0        !
 1601.-1700.   .0        !
 1701.-1800.   .0        !
 1801.-1900.   .0        !
 1901.-2000.   .0        !
 2001.-2100.   .0        !
 2101.-2200.   .0        !
 2201.-2300.   .0        !
 2301.-2400.   .0        !
 2401.-2500.   .0        !
 2501.-2600.   .0        !
 2601.-2700.   .0        !
 2701.-2800.   .0        !
 2801.-2900.   .0        !
 2901.-3000.   .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200201--COFFEE ROAST DIRECT FIRE ROASTER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 48

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .176E 11 | .131E 11 | .651E 10 | .0 | .0 | .0 |
| 201.- 300. | .153E 12 | .117E 12 | .373E 11 | .0 | .0 | .0 |
| 301.- 400. | .130E 12 | .100E 12 | .0 | .290E 10 | .276E 10 | .0 |
| 401.- 500. | .949E 11 | .744E 11 | .439E 11 | .888E 10 | .843E 10 | .771E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .518E 12 | .427E 12 | .325E 11 | .160E 12 | .152E 12 | .164E 11 |
| 801.- 900. | .804E 11 | .668E 11 | .462E 11 | .275E 11 | .262E 11 | .239E 11 |
| 901.-1000. | .148E 13 | .125E 13 | .891E 12 | .601E 12 | .573E 12 | .522E 12 |
| 1001.-1100. | .137E 11 | .116E 11 | .840E 10 | .591E 10 | .562E 10 | .512E 10 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .249E 13 | .206E 13 | .107E 13 | .807E 12 | .768E 12 | .575E 12 |

SCC = 30200201--COFFEE ROASTDIRECT FIRE ROASTER -WITH CONTROL EQUIPMENT -TOT RECS = 48

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .241E 13 | .199E 13 | .102E 13 | .780E 12 | .742E 12 | .552E 12 |
| 29 | .809E 11 | .671E 11 | .462E 11 | .272E 11 | .259E 11 | .237E 11 |
| | .249E 13 | .206E 13 | .107E 13 | .807E 12 | .768E 12 | .575E 12 |

CC =30200201--COFFEE ROAST DIRECT FIRE ROASTER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 48

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .131E 11 !H
 201.- 300.   .117E 12 !H
 301.- 400.   .100E 12 !H
 401.- 500.   .744E 11 !H
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .427E 12 !HHHH
 801.- 900.   .668E 11 !H
 901.-1000.   .125E 13 !HHHHHHHHHHHH
1001.-1100.   .116E 11 !H
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200201--COFFEE ROAST DIRECT FIRE ROASTER -TOTAL SCC -SIC = 0 -TOT RECS = 66

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .176E 11 | .131E 11 | .651E 10 | .0 | .0 | .0 |
| 201.- 300. | .178E 12 | .136E 12 | .373E 11 | .0 | .0 | .0 |
| 301.- 400. | .454E 12 | .353E 12 | .553E 11 | .270E 11 | .256E 11 | .786E 10 |
| 401.- 500. | .949E 11 | .744E 11 | .439E 11 | .888E 10 | .843E 10 | .771E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .518E 12 | .427E 12 | .325E 11 | .160E 12 | .152E 12 | .164E 11 |
| 801.- 900. | .804E 11 | .668E 11 | .462E 11 | .275E 11 | .262E 11 | .239E 11 |
| 901.-1000. | .152E 13 | .128E 13 | .919E 12 | .620E 12 | .590E 12 | .538E 12 |
| 1001.-1100. | .619E 11 | .525E 11 | .840E 10 | .272E 11 | .259E 11 | .512E 10 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .293E 13 | .241E 13 | .115E 13 | .871E 12 | .829E 12 | .599E 12 |

SCC = 30200201--COFFEE ROASTDIRECT FIRE ROASTER -TOTAL SCC -TOT RECS = 66

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .285E 13 | .234E 13 | .110E 13 | .844E 12 | .803E 12 | .576E 12 |
| 29 | .809E 11 | .671E 11 | .462E 11 | .272E 11 | .259E 11 | .237E 11 |
| | .293E 13 | .241E 13 | .115E 13 | .871E 12 | .829E 12 | .599E 12 |

CC 30200201--COFFEE ROAST DIRECT FIRE ROASTER --TOTAL SCC -SIC = 0 -TOT RECS = 66

```
EMP RANGE      COUNT

                          -------------------------------------------------------------------------------------------------------
   0.- 100.   .0          !
 101.- 200.   .131E 11    !H
 201.- 300.   .136E 12    !H
 301.- 400.   .353E 12    !HHH
 401.- 500.   .744E 11    !H
 501.- 600.   .0          !
 601.- 700.   .0          !
 701.- 800.   .427E 12    !HHHH
 801.- 900.   .668E 11    !H
 901.-1000.   .128E 13    !HHHHHHHHHHHH
1001.-1100.   .525E 11    !H
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .0          !
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .0          !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200202--COFFEE ROAST INDIRECT FIRE ROASTE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .170E 11 | .129E 11 | .478E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .170E 11 | .129E 11 | .478E 10 | .0 | .0 | .0 |

SCC = 30200202--COFFEE ROASTINDIRECT FIRE ROASTE -NO CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .170E 11 | .129E 11 | .478E 10 | .0 | .0 | .0 |
| | .170E 11 | .129E 11 | .478E 10 | .0 | .0 | .0 |

CC = 30200202--COFFEE ROAST INDIRECT FIRE ROASTE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .0 |
| 101.- 200. | .0 |
| 201.- 300. | .129E 11 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |



SCC= 30200202--COFFEE ROAST INDIRECT FIRE ROASTE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 32

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .711E 10 | .667E 10 | .544E 10 | .0 | .0 | .0 |
| 101.- 200. | .304E 11 | .285E 11 | .185E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .449E 10 | .357E 10 | .220E 10 | .683E 09 | .648E 09 | .593E 09 |
| 501.- 600. | .864E 11 | .696E 11 | .444E 11 | .180E 11 | .171E 11 | .156E 11 |
| 601.- 700. | .130E 13 | .106E 13 | .452E 12 | .347E 12 | .329E 12 | .196E 12 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .143E 13 | .117E 13 | .523E 12 | .365E 12 | .347E 12 | .212E 12 |

SCC = 30200202--COFFEE ROASTINDIRECT FIRE ROASTE -WITH CONTROL EQUIPMENT -TOT RECS = 32

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .143E 13 | .117E 13 | .523E 12 | .365E 12 | .347E 12 | .212E 12 |
| | .143E 13 | .117E 13 | .523E 12 | .365E 12 | .347E 12 | .212E 12 |

CC =30200202--COFFEE ROAST INDIRECT FIRE ROASTE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 32

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .667E 10 !H
 101.- 200.  .285E 11 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .357E 10 !H
 501.- 600.  .696E 11 !H
 601.- 700.  .106E 13 !HHHHHHHHHH
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200202--COFFEE ROAST INDIRECT FIRE ROASTE -TOTAL SCC -SIC = 0 -TOT RECS = 35

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .711E 10 | .667E 10 | .544E 10 | .0 | .0 | .0 |
| 101.- 200. | .304E 11 | .285E 11 | .185E 11 | .0 | .0 | .0 |
| 201.- 300. | .170E 11 | .129E 11 | .478E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .449E 10 | .357E 10 | .220E 10 | .683E 09 | .648E 09 | .593E 09 |
| 501.- 600. | .864E 11 | .696E 11 | .444E 11 | .180E 11 | .171E 11 | .156E 11 |
| 601.- 700. | .130E 13 | .106E 13 | .452E 12 | .347E 12 | .329E 12 | .196E 12 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .145E 13 | .119E 13 | .527E 12 | .365E 12 | .347E 12 | .212E 12 |

SCC = 30200202--COFFEE ROASTINDIRECT FIRE ROASTE -TOTAL SCC -TOT RECS = 35

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .145E 13 | .119E 13 | .527E 12 | .365E 12 | .347E 12 | .212E 12 |
| | .145E 13 | .119E 13 | .527E 12 | .365E 12 | .347E 12 | .212E 12 |

CC 30200202--COFFEE ROAST INDIRECT FIRE ROASTE--TOTAL SCC -SIC = 0 -TOT RECS = 35

```
EMP RANGE     COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.   .667E 10 !H
 101.- 200.   .285E 11 !H
 201.- 300.   .129E 11 !H
 301.- 400.   .0       !
 401.- 500.   .357E 10 !H
 501.- 600.   .696E 11 !H
 601.- 700.   .106E 13 !HHHHHHHHHH
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200203--COFFEE ROAST STONER/COOLER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 16

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .631E 11 | .591E 11 | .333E 11 | .0 | .0 | .0 |
| 101.- 200. | .261E 10 | .197E 10 | .966E 09 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .657E 11 | .611E 11 | .343E 11 | .0 | .0 | .0 |

300.

SCC = 30200203--COFFEE ROASTSTONER/COOLER -NO CONTROL EQUIPMENT -TOT RECS = 16

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .657E 11 | .611E 11 | .343E 11 | .0 | .0 | .0 |
| | .657E 11 | .611E 11 | .343E 11 | .0 | .0 | .0 |

CC = 30200203--COFFEE ROAST STONER/COOLER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 16

```
TEMP RANGE   COUNT
                       ---------------------------------------------------------------------------------------------------
   0.- 100.  .591E 11  !H
 101.- 200.  .197E 10  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200203--COFFEE ROAST STONER/COOLER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 34

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .339E 12 | .318E 12 | .481E 11 | .0 | .0 | .0 |
| 101.- 200. | .197E 13 | .180E 13 | .263E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .450E 12 | .348E 12 | .0 | .165E 11 | .157E 11 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .840E 12 | .717E 12 | .384E 10 | .396E 12 | .377E 12 | .249E 10 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .360E 13 | .319E 13 | .315E 12 | .412E 12 | .392E 12 | .249E 10 |

SCC = 30200203--COFFEE ROASTSTONER/COOLER -WITH CONTROL EQUIPMENT -TOT RECS = 34

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .360E 13 | .319E 13 | .315E 12 | .412E 12 | .392E 12 | .249E 10 |
| | .360E 13 | .319E 13 | .315E 12 | .412E 12 | .392E 12 | .249E 10 |

CC =30200203--COFFEE ROAST STONER/COOLER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 34

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .318E 12 | !HHH |
| 101.- 200. | .180E 13 | !HHHHHHHHHHHHHHHHHH |
| 201.- 300. | .0 | ! |
| 301.- 400. | .348E 12 | !HHH |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .717E 12 | !HHHHHHH |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200203--COFFEE ROAST STONER/COOLER -TOTAL SCC -SIC = 0 -TOT RECS = 50

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .402E 12 | .377E 12 | .813E 11 | .0 | .0 | .0 |
| 101.- 200. | .197E 13 | .180E 13 | .264E 12 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .450E 12 | .348E 12 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .165E 11 | .157E 11 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .840E 12 | .717E 12 | .384E 10 | .396E 12 | .377E 12 | .249E 10 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .366E 13 | .325E 13 | .349E 12 | .412E 12 | .392E 12 | .249E 10 |

SCC = 30200203--COFFEE ROASTSTONER/COOLER -TOTAL SCC -TOT RECS = 50

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .366E 13 | .325E 13 | .349E 12 | .412E 12 | .392E 12 | .249E 10 |
| | .366E 13 | .325E 13 | .349E 12 | .412E 12 | .392E 12 | .249E 10 |

CC 30200203--COFFEE ROAST STONER/COOLER --TOTAL SCC -SIC = 0 -TOT RECS = 50

```
EMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.   .377E 12  !HHH
 101.- 200.   .180E 13  !HHHHHHHHHHHHHHHHHHH
 201.- 300.   .0        !
 301.- 400.   .348E 12  !HHH
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .717E 12  !HHHHHHH
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200299--COFFEE ROAST OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .108E 11 | .101E 11 | .481E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .486E 10 | .363E 10 | .181E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .156E 11 | .137E 11 | .662E 10 | .0 | .0 | .0 |

SCC = 30200299--COFFEE ROASTOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .156E 11 | .137E 11 | .662E 10 | .0 | .0 | .0 |
| | .156E 11 | .137E 11 | .662E 10 | .0 | .0 | .0 |

CC = 30200299--COFFEE ROAST OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .101E 11  !H
  101.- 200.  .0        !
  201.- 300.  .363E 10  !H
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200299--COFFEE ROAST OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 54

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .150E 12 | .141E 12 | .435E 11 | .0 | .0 | .0 |
| 101.- 200. | .369E 12 | .276E 12 | .137E 12 | .0 | .0 | .0 |
| 201.- 300. | .814E 12 | .611E 12 | .310E 12 | .0 | .0 | .0 |
| 301.- 400. | .215E 12 | .165E 12 | .916E 11 | .234E 10 | .222E 10 | .203E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .110E 10 | .926E 09 | .665E 09 | .452E 09 | .430E 09 | .392E 09 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .155E 13 | .119E 13 | .582E 12 | .279E 10 | .265E 10 | .242E 10 |

SCC = 30200299--COFFEE ROASTOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 54

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .155E 13 | .119E 13 | .581E 12 | .279E 10 | .265E 10 | .242E 10 |
| 32 | .397E 10 | .304E 10 | .167E 10 | .0 | .0 | .0 |
| | .155E 13 | .119E 13 | .582E 12 | .279E 10 | .265E 10 | .242E 10 |

CC =30200299--COFFEE ROAST OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 54

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------------
   0.- 100.  .141E 12  !H
 101.- 200.  .276E 12  !HH
 201.- 300.  .611E 12  !HHHHHH
 301.- 400.  .165E 12  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .926E 09  !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                     0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

SCC= 30200299--COFFEE ROAST OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 71

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .161E 12 | .151E 12 | .484E 11 | .0 | .0 | .0 |
| 101.- 200. | .369E 12 | .276E 12 | .137E 12 | .0 | .0 | .0 |
| 201.- 300. | .819E 12 | .615E 12 | .312E 12 | .0 | .0 | .0 |
| 301.- 400. | .215E 12 | .165E 12 | .916E 11 | .234E 10 | .222E 10 | .203E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .110E 10 | .926E 09 | .665E 09 | .452E 09 | .430E 09 | .392E 09 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .157E 13 | .121E 13 | .589E 12 | .279E 10 | .265E 10 | .242E 10 |

SCC = 30200299--COFFEE ROASTOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 71

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .156E 13 | .120E 13 | .587E 12 | .279E 10 | .265E 10 | .242E 10 |
| 32 | .397E 10 | .304E 10 | .167E 10 | .0 | .0 | .0 |
| | .157E 13 | .121E 13 | .589E 12 | .279E 10 | .265E 10 | .242E 10 |

CC 30200299--COFFEE ROAST OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 71

```
EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .151E 12    !H
 101.- 200.  .276E 12    !HH
 201.- 300.  .615E 12    !HHHHHH
 301.- 400.  .165E 12    !H
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .926E 09    !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200301--COFFEE-INSTA SPRAY DRIER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .272E 12 | .255E 12 | .137E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .598E 10 | .496E 10 | .341E 10 | .198E 10 | .189E 10 | .172E 10 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .278E 12 | .260E 12 | .141E 12 | .198E 10 | .189E 10 | .172E 10 |

SCC = 30200301--COFFEE-INSTASPRAY DRIER -NO CONTROL EQUIPMENT -TOT RECS = 6

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .278E 12 | .260E 12 | .141E 12 | .198E 10 | .189E 10 | .172E 10 |
| | .278E 12 | .260E 12 | .141E 12 | .198E 10 | .189E 10 | .172E 10 |

CC = 30200301--COFFEE-INSTA SPRAY DRIER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .255E 12 | !HH |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .496E 10 | !H |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200301--COFFEE-INSTA SPRAY DRIER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 14

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .112E 12 | .105E 12 | .855E 11 | .0 | .0 | .0 |
| 101.- 200. | .572E 12 | .428E 12 | .670E 11 | .0 | .0 | .0 |
| 201.- 300. | .101E 13 | .762E 12 | .339E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .169E 13 | .130E 13 | .492E 12 | .0 | .0 | .0 |

SCC = 30200301--COFFEE-INSTASPRAY DRIER -WITH CONTROL EQUIPMENT -TOT RECS = 14

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .169E 13 | .130E 13 | .492E 12 | .0 | .0 | .0 |
| | .169E 13 | .130E 13 | .492E 12 | .0 | .0 | .0 |

CC =30200301--COFFEE-INSTA SPRAY DRIER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 14

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .105E 12 | !H |
| 101.- 200. | .428E 12 | !HHHH |
| 201.- 300. | .762E 12 | !HHHHHHH |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200301--COFFEE-INSTA SPRAY DRIER -TOTAL SCC -SIC = 0 -TOT RECS = 20

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .384E 12 | .360E 12 | .223E 12 | .0 | .0 | .0 |
| 101.- 200. | .572E 12 | .428E 12 | .670E 11 | .0 | .0 | .0 |
| 201.- 300. | .101E 13 | .762E 12 | .339E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .598E 10 | .496E 10 | .341E 10 | .198E 10 | .189E 10 | .172E 10 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .197E 13 | .155E 13 | .632E 12 | .198E 10 | .189E 10 | .172E 10 |

SCC = 30200301--COFFEE-INSTASPRAY DRIER -TOTAL SCC -TOT RECS = 20

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .197E 13 | .155E 13 | .632E 12 | .198E 10 | .189E 10 | .172E 10 |
| | .197E 13 | .155E 13 | .632E 12 | .198E 10 | .189E 10 | .172E 10 |

CC 30200301--COFFEE-INSTA SPRAY DRIER --TOTAL SCC -SIC = 0 -TOT RECS = 20

```
EMP RANGE   COUNT
                  ------------------------------------------------------------------------------------------
   0.- 100.  .360E 12   !HHH
 101.- 200.  .428E 12   !HHHH
 201.- 300.  .762E 12   !HHHHHHH
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .496E 10   !H
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200401--COTTON GINNI UNLOADING FAN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 433

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .379E 12 | .356E 12 | .213E 11 | .0 | .0 | .0 |
| 101.- 200. | .398E 11 | .298E 11 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .419E 12 | .386E 12 | .213E 11 | .0 | .0 | .0 |

SCC = 30200401--COTTON GINNIUNLOADING FAN -NO CONTROL EQUIPMENT -TOT RECS = 433

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 1 | .146E 10 | .137E 10 | .0 | .0 | .0 | .0 |
| 7 | .407E 12 | .375E 12 | .213E 11 | .0 | .0 | .0 |
| 20 | .797E 10 | .595E 10 | .0 | .0 | .0 | .0 |
| 22 | .169E 10 | .159E 10 | .0 | .0 | .0 | .0 |
| 99 | .146E 10 | .137E 10 | .0 | .0 | .0 | .0 |
| | .419E 12 | .386E 12 | .213E 11 | .0 | .0 | .0 |

CC = 30200401--COTTON GINNI UNLOADING FAN -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 433

```
TEMP RANGE   COUNT
                    ---------------------------------------------------------------------------------------------------
   0.- 100.  .356E 12  !HHH
 101.- 200.  .298E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200401--COTTON GINNI UNLOADING FAN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 507

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .145E 13 | .136E 13 | .514E 12 | .0 | .0 | .0 |
| 101.- 200. | .157E 10 | .148E 10 | .106E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .145E 13 | .136E 13 | .515E 12 | .0 | .0 | .0 |

SCC = 30200401--COTTON GINNIUNLOADING FAN -WITH CONTROL EQUIPMENT -TOT RECS = 507

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .143E 13 | .134E 13 | .510E 12 | .0 | .0 | .0 |
| 20 | .939E 10 | .881E 10 | .391E 10 | .0 | .0 | .0 |
| 22 | .924E 10 | .866E 10 | .0 | .0 | .0 | .0 |
| 99 | .427E 10 | .401E 10 | .0 | .0 | .0 | .0 |
| | .145E 13 | .136E 13 | .515E 12 | .0 | .0 | .0 |

CC =30200401--COTTON GINNI UNLOADING FAN ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 507

```
TEMP RANGE    COUNT

   0.- 100.   .136E 13   !HHHHHHHHHHHHH
 101.- 200.   .148E 10   !H
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200401--COTTON GINNI UNLOADING FAN -TOTAL SCC -SIC = 0 -TOT RECS = 940

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .183E 13 | .172E 13 | .536E 12 | .0 | .0 | .0 |
| 101.- 200. | .414E 11 | .312E 11 | .106E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .187E 13 | .175E 13 | .537E 12 | .0 | .0 | .0 |

SCC = 30200401--COTTON GINNIUNLOADING FAN -TOTAL SCC -TOT RECS = 940

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 1 | .146E 10 | .137E 10 | .0 | .0 | .0 | .0 |
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .183E 13 | .171E 13 | .531E 12 | .0 | .0 | .0 |
| 20 | .174E 11 | .148E 11 | .391E 10 | .0 | .0 | .0 |
| 22 | .109E 11 | .103E 11 | .0 | .0 | .0 | .0 |
| 99 | .573E 10 | .538E 10 | .0 | .0 | .0 | .0 |
| | .187E 13 | .175E 13 | .537E 12 | .0 | .0 | .0 |

CC 30200401--COTTON GINNI UNLOADING FAN --TOTAL SCC -SIC = 0 -TOT RECS = 940

```
EMP RANGE     COUNT

                         ---------------------------------------------------------------------------------------------------
   0.- 100.   .172E 13   !HHHHHHHHHHHHHHHHHH
 101.- 200.   .312E 11   !H
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200402--COTTON GINNI CLEANER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 427

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .374E 12 | .351E 12 | .227E 11 | .0 | .0 | .0 |
| 101.- 200. | .858E 11 | .744E 11 | .366E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .220E 11 | .174E 11 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .334E 10 | .317E 10 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .482E 12 | .443E 12 | .592E 11 | .334E 10 | .317E 10 | .0 |

SCC = 30200402--COTTON GINNICLEANER -NO CONTROL EQUIPMENT -TOT RECS = 427

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .446E 12 | .412E 12 | .592E 11 | .0 | .0 | .0 |
| 20 | .291E 11 | .242E 11 | .0 | .334E 10 | .317E 10 | .0 |
| 22 | .169E 10 | .159E 10 | .0 | .0 | .0 | .0 |
| 49 | .358E 10 | .336E 10 | .0 | .0 | .0 | .0 |
| 99 | .146E 10 | .137E 10 | .0 | .0 | .0 | .0 |
| | .482E 12 | .443E 12 | .592E 11 | .334E 10 | .317E 10 | .0 |

CC = 30200402--COTTON GINNI CLEANER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 427

```
TEMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------------
   0.- 100.  .351E 12  !HHH
 101.- 200.  .744E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .174E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200402--COTTON GINNI CLEANER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 494

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .131E 13 | .123E 13 | .404E 12 | .0 | .0 | .0 |
| 101.- 200. | .290E 12 | .252E 12 | .124E 12 | .0 | .0 | .0 |
| 201.- 300. | .396E 10 | .301E 10 | .162E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .161E 13 | .149E 13 | .529E 12 | .0 | .0 | .0 |

SCC = 30200402--COTTON GINNICLEANER -WITH CONTROL EQUIPMENT -TOT RECS = 494

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .159E 13 | .147E 13 | .528E 12 | .0 | .0 | .0 |
| 22 | .924E 10 | .867E 10 | .0 | .0 | .0 | .0 |
| 99 | .428E 10 | .401E 10 | .0 | .0 | .0 | .0 |
| | .161E 13 | .149E 13 | .529E 12 | .0 | .0 | .0 |

CC =30200402--COTTON GINNI CLEANER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 494

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .123E 13  !HHHHHHHHHHHHH
 101.- 200.  .252E 12  !HH
 201.- 300.  .301E 10  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200402--COTTON GINNI CLEANER -TOTAL SCC -SIC = 0 -TOT RECS = 921

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .169E 13 | .158E 13 | .426E 12 | .0 | .0 | .0 |
| 101.- 200. | .376E 12 | .326E 12 | .160E 12 | .0 | .0 | .0 |
| 201.- 300. | .396E 10 | .301E 10 | .162E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .220E 11 | .174E 11 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .334E 10 | .317E 10 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .209E 13 | .193E 13 | .588E 12 | .334E 10 | .317E 10 | .0 |

SCC = 30200402--COTTON GINNICLEANER -TOTAL SCC -TOT RECS = 921

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .204E 13 | .188E 13 | .587E 12 | .0 | .0 | .0 |
| 20 | .291E 11 | .242E 11 | .0 | .334E 10 | .317E 10 | .0 |
| 22 | .109E 11 | .103E 11 | .0 | .0 | .0 | .0 |
| 49 | .358E 10 | .336E 10 | .0 | .0 | .0 | .0 |
| 99 | .573E 10 | .538E 10 | .0 | .0 | .0 | .0 |
| | .209E 13 | .193E 13 | .588E 12 | .334E 10 | .317E 10 | .0 |

CC 30200402--COTTON GINNI CLEANER --TOTAL SCC -SIC = 0 -TOT RECS = 921

```
EMP RANGE   COUNT

                          ------------------------------------------------------------------------------------------------------
   0.- 100.  .158E 13   !HHHHHHHHHHHHHHH
 101.- 200.  .326E 12   !HHH
 201.- 300.  .301E 10   !H
 301.- 400.  .0         !
 401.- 500.  .174E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200403--COTTON GINNI STICK/BURR MACHINE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 423

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .421E 12 | .395E 12 | .405E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .421E 12 | .395E 12 | .405E 11 | .0 | .0 | .0 |

SCC = 30200403--COTTON GINNISTICK/BURR MACHINE -NO CONTROL EQUIPMENT -TOT RECS = 423

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .415E 12 | .389E 12 | .405E 11 | .0 | .0 | .0 |
| 20 | .290E 10 | .272E 10 | .0 | .0 | .0 | .0 |
| 22 | .186E 10 | .175E 10 | .0 | .0 | .0 | .0 |
| 99 | .160E 10 | .150E 10 | .0 | .0 | .0 | .0 |
| | .421E 12 | .395E 12 | .405E 11 | .0 | .0 | .0 |

CC = 30200403--COTTON GINNI STICK/BURR MACHINE -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 423

```
TEMP RANGE   COUNT
                   ------------------------------------------------------------------------------------------------------
   0.- 100.  .395E 12  !HHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200403--COTTON GINNI STICK/BURR MACHINE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 463

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .130E 13 | .122E 13 | .456E 12 | .0 | .0 | .0 |
| 101.- 200. | .315E 10 | .295E 10 | .213E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .130E 13 | .122E 13 | .458E 12 | .0 | .0 | .0 |

SCC = 30200403--COTTON GINNISTICK/BURR MACHINE -WITH CONTROL EQUIPMENT -TOT RECS = 463

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .129E 13 | .121E 13 | .456E 12 | .0 | .0 | .0 |
| 22 | .939E 10 | .881E 10 | .0 | .0 | .0 | .0 |
| | .130E 13 | .122E 13 | .458E 12 | .0 | .0 | .0 |

CC =30200403--COTTON GINNI STICK/BURR MACHINE ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 463

```
TEMP RANGE    COUNT
                         ------------------------------------------------------------------------------------------------
   0.- 100.   .122E 13   !HHHHHHHHHHHH
 101.- 200.   .295E 10   !H
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200403--COTTON GINNI STICK/BURR MACHINE -TOTAL SCC -SIC = 0 -TOT RECS = 886

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .172E 13 | .162E 13 | .496E 12 | .0 | .0 | .0 |
| 101.- 200. | .315E 10 | .295E 10 | .213E 10 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .173E 13 | .162E 13 | .498E 12 | .0 | .0 | .0 |

SCC = 30200403--COTTON GINNISTICK/BURR MACHINE -TOTAL SCC -TOT RECS = 886

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .171E 13 | .160E 13 | .497E 12 | .0 | .0 | .0 |
| 20 | .290E 10 | .272E 10 | .0 | .0 | .0 | .0 |
| 22 | .113E 11 | .106E 11 | .0 | .0 | .0 | .0 |
| 99 | .160E 10 | .150E 10 | .0 | .0 | .0 | .0 |
| | .173E 13 | .162E 13 | .498E 12 | .0 | .0 | .0 |

CC 30200403--COTTON GINNI STICK/BURR MACHINE --TOTAL SCC -SIC = 0 -TOT RECS = 886

```
EMP RANGE     COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .162E 13  !HHHHHHHHHHHHHHHH
 101.- 200.  .295E 10  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200499--COTTON GINNI OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 649

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .723E 12 | .678E 12 | .780E 11 | .0 | .0 | .0 |
| 101.- 200. | .526E 11 | .450E 11 | .233E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .776E 12 | .723E 12 | .101E 12 | .0 | .0 | .0 |

SCC = 30200499--COTTON GINNIOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 649

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .755E 12 | .704E 12 | .101E 12 | .0 | .0 | .0 |
| 20 | .550E 10 | .516E 10 | .0 | .0 | .0 | .0 |
| 22 | .168E 10 | .157E 10 | .0 | .0 | .0 | .0 |
| 99 | .133E 11 | .125E 11 | .0 | .0 | .0 | .0 |
| | | | | .0 | .0 | .0 |
| | .776E 12 | .723E 12 | .101E 12 | .0 | .0 | .0 |

CC = 30200499--COTTON GINNI OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 649

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .678E 12 | !HHHHHH |
| 101.- 200. | .450E 11 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200499--COTTON GINNI OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 606

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .139E 13 | .130E 13 | .339E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .139E 13 | .130E 13 | .339E 12 | .0 | .0 | .0 |

SCC = 30200499--COTTON GINNIOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 606

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .136E 13 | .128E 13 | .336E 12 | .0 | .0 | .0 |
| 20 | .969E 10 | .909E 10 | .176E 10 | .0 | .0 | .0 |
| 22 | .109E 11 | .102E 11 | .0 | .0 | .0 | .0 |
| 99 | .397E 10 | .372E 10 | .0 | .0 | .0 | .0 |
| | .139E 13 | .130E 13 | .339E 12 | .0 | .0 | .0 |

CC =30200499--COTTON GINNI OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 606

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .130E 13 !HHHHHHHHHHHHH
 101.- 200.  .0       !
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200499--COTTON GINNI OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 1255

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .211E 13 | .198E 13 | .417E 12 | .0 | .0 | .0 |
| 101.- 200. | .526E 11 | .450E 11 | .233E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .217E 13 | .203E 13 | .440E 12 | .0 | .0 | .0 |

SCC = 30200499--COTTON GINNIOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 1255

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .194E 10 | .182E 10 | .148E 10 | .0 | .0 | .0 |
| 7 | .212E 13 | .198E 13 | .437E 12 | .0 | .0 | .0 |
| 20 | .152E 11 | .142E 11 | .176E 10 | .0 | .0 | .0 |
| 22 | .126E 11 | .118E 11 | .0 | .0 | .0 | .0 |
| 99 | .173E 11 | .162E 11 | .0 | .0 | .0 | .0 |
| | .217E 13 | .203E 13 | .440E 12 | .0 | .0 | .0 |

CC 30200499--COTTON GINNI OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 1255

```
EMP RANGE    COUNT

                          ------------------------------------------------------------------------------------------------
   0.- 100.  .198E 13    !HHHHHHHHHHHHHHHHHHHH
 101.- 200.  .450E 11    !H
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200501--FEED/GRAIN T SHIPPING/RECEIVING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 335

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .290E 13 | .272E 13 | .183E 11 | .0 | .0 | .0 |
| 101.- 200. | .282E 11 | .211E 11 | .104E 11 | .0 | .0 | .0 |
| 201.- 300. | .579E 11 | .443E 11 | .241E 11 | .0 | .0 | .0 |
| 301.- 400. | .111E 12 | .861E 11 | .488E 11 | .450E 10 | .427E 10 | .391E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .310E 13 | .287E 13 | .102E 12 | .450E 10 | .427E 10 | .391E 10 |

SCC = 30200501--FEED/GRAIN TSHIPPING/RECEIVI[illegible] -NO CONTROL EQUIPMENT -TOT RECS = 335

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .123E 11 | .115E 11 | .524E 10 | .0 | .0 | .0 |
| 20 | .209E 13 | .193E 13 | .826E 11 | .450E 10 | .427E 10 | .391E 10 |
| 35 | .166E 11 | .155E 11 | .0 | .0 | .0 | .0 |
| 42 | .371E 11 | .348E 11 | .0 | .0 | .0 | .0 |
| 44 | .316E 11 | .296E 11 | .0 | .0 | .0 | .0 |
| 50 | .149E 12 | .134E 12 | .104E 11 | .0 | .0 | .0 |
| 51 | .550E 12 | .516E 12 | .332E 10 | .0 | .0 | .0 |
| 99 | .216E 12 | .203E 12 | .0 | .0 | .0 | .0 |
| | | | | .0 | .0 | .0 |
| | .310E 13 | .287E 13 | .102E 12 | .450E 10 | .427E 10 | .391E 10 |

CC = 30200501--FEED/GRAIN T SHIPPING/RECEIVING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 335

```
TEMP RANGE   COUNT
                      --------------------------------------------------------------------------------------------------------
   0.- 100.  .272E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .211E 11 !H
 201.- 300.  .443E 11 !H
 301.- 400.  .861E 11 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200501--FEED/GRAIN T SHIPPING/RECEIVING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 500

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .235E 13 | .221E 13 | .404E 12 | .0 | .0 | .0 |
| 101.- 200. | .426E 11 | .345E 11 | .189E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .105E 12 | .813E 11 | .456E 11 | .277E 10 | .263E 10 | .240E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .415E 12 | .340E 12 | .227E 12 | .117E 12 | .111E 12 | .102E 12 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .292E 13 | .266E 13 | .696E 12 | .120E 12 | .114E 12 | .104E 12 |

SCC = 30200501--FEED/GRAIN TSHIPPING/RECEIVING -WITH CONTROL EQUIPMENT -TOT RECS = 500

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .318E 11 | .298E 11 | .262E 10 | .0 | .0 | .0 |
| 20 | .188E 13 | .169E 13 | .613E 12 | .120E 12 | .114E 12 | .104E 12 |
| 29 | .545E 10 | .511E 10 | .0 | .0 | .0 | .0 |
| 35 | .382E 11 | .358E 11 | .0 | .0 | .0 | .0 |
| 42 | .516E 11 | .484E 11 | .198E 11 | .0 | .0 | .0 |
| 44 | .939E 10 | .881E 10 | .0 | .0 | .0 | .0 |
| 50 | .101E 12 | .946E 11 | .105E 11 | .0 | .0 | .0 |
| 51 | .668E 12 | .626E 12 | .452E 11 | .0 | .0 | .0 |
| 59 | .212E 10 | .199E 10 | .162E 10 | .0 | .0 | .0 |
| 99 | .134E 12 | .126E 12 | .278E 10 | .0 | .0 | .0 |
| | .292E 13 | .266E 13 | .696E 12 | .120E 12 | .114E 12 | .104E 12 |

CC =30200501--FEED/GRAIN T SHIPPING/RECEIVING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 500

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .221E 13 | !HHHHHHHHHHHHHHHHHHHHHH |
| 101.- 200. | .345E 11 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .813E 11 | !H |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .340E 12 | !HHH |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |

SCC= 30200501--FEED/GRAIN T SHIPPING/RECEIVING -TOTAL SCC -SIC = 0 -TOT RECS = 835

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .526E 13 | .493E 13 | .423E 12 | .0 | .0 | .0 |
| 101.- 200. | .707E 11 | .556E 11 | .292E 11 | .0 | .0 | .0 |
| 201.- 300. | .579E 11 | .443E 11 | .241E 11 | .0 | .0 | .0 |
| 301.- 400. | .217E 12 | .167E 12 | .944E 11 | .727E 10 | .690E 10 | .631E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .415E 12 | .340E 12 | .227E 12 | .117E 12 | .111E 12 | .102E 12 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .602E 13 | .554E 13 | .797E 12 | .124E 12 | .118E 12 | .108E 12 |

SCC = 30200501--FEED/GRAIN TSHIPPING/RECEIVING -TOTAL SCC -TOT RECS = 835

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .441E 11 | .414E 11 | .785E 10 | .0 | .0 | .0 |
| 20 | .396E 13 | .362E 13 | .696E 12 | .124E 12 | .118E 12 | .108E 12 |
| 29 | .545E 10 | .511E 10 | .0 | .0 | .0 | .0 |
| 35 | .547E 11 | .513E 11 | .0 | .0 | .0 | .0 |
| 42 | .887E 11 | .832E 11 | .198E 11 | .0 | .0 | .0 |
| 44 | .410E 11 | .384E 11 | .0 | .0 | .0 | .0 |
| 50 | .250E 12 | .229E 12 | .208E 11 | .0 | .0 | .0 |
| 51 | .122E 13 | .114E 13 | .485E 11 | .0 | .0 | .0 |
| 59 | .212E 10 | .199E 10 | .162E 10 | .0 | .0 | .0 |
| 99 | .351E 12 | .329E 12 | .278E 10 | .0 | .0 | .0 |
| | .602E 13 | .554E 13 | .797E 12 | .124E 12 | .118E 12 | .108E 12 |

CC 30200501--FEED/GRAIN T SHIPPING/RECEIVING --TOTAL SCC -SIC = 0 -TOT RECS = 835

```
EMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------------
    0.- 100.  .493E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .556E 11  !H
  201.- 300.  .443E 11  !H
  301.- 400.  .167E 12  !H
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .340E 12  !HHH
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
```

SCC= 30200502--FEED/GRAIN T TRANSFER/CONVEYING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 160

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .282E 12 | .264E 12 | .209E 11 | .0 | .0 | .0 |
| 101.- 200. | .193E 12 | .162E 12 | .865E 11 | .0 | .0 | .0 |
| 201.- 300. | .321E 11 | .243E 11 | .126E 11 | .0 | .0 | .0 |
| 301.- 400. | .451E 11 | .348E 11 | .132E 11 | .121E 10 | .115E 10 | .960E 09 |
| 401.- 500. | .793E 10 | .623E 10 | .371E 10 | .829E 09 | .787E 09 | .720E 09 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .560E 12 | .491E 12 | .137E 12 | .204E 10 | .194E 10 | .168E 10 |

SCC = 30200502--FEED/GRAIN TTRANSFER/CONVEYING -NO CONTROL EQUIPMENT -TOT RECS = 160

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .857E 10 | .803E 10 | .655E 10 | .0 | .0 | .0 |
| 20 | .446E 12 | .390E 12 | .118E 12 | .204E 10 | .194E 10 | .168E 10 |
| 44 | .280E 10 | .262E 10 | .0 | .0 | .0 | .0 |
| 50 | .460E 11 | .379E 11 | .127E 11 | .0 | .0 | .0 |
| 51 | .509E 11 | .478E 11 | .0 | .0 | .0 | .0 |
| 99 | .559E 10 | .525E 10 | .0 | .0 | .0 | .0 |
| | .560E 12 | .491E 12 | .137E 12 | .204E 10 | .194E 10 | .168E 10 |

CC = 30200502--FEED/GRAIN T TRANSFER/CONVEYING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 160

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .264E 12  !HH
 101.- 200.  .162E 12  !H
 201.- 300.  .243E 11  !H
 301.- 400.  .348E 11  !H
 401.- 500.  .623E 10  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200502--FEED/GRAIN T TRANSFER/CONVEYING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 583

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .253E 13 | .237E 13 | .774E 12 | .0 | .0 | .0 |
| 101.- 200. | .645E 12 | .583E 12 | .342E 12 | .0 | .0 | .0 |
| 201.- 300. | .535E 11 | .409E 11 | .223E 11 | .0 | .0 | .0 |
| 301.- 400. | .778E 11 | .604E 11 | .344E 11 | .379E 10 | .359E 10 | .329E 10 |
| 401.- 500. | .157E 11 | .123E 11 | .731E 10 | .159E 10 | .151E 10 | .138E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .332E 13 | .307E 13 | .118E 13 | .537E 10 | .510E 10 | .467E 10 |

SCC = 30200502--FEED/GRAIN TTRANSFER/CONVEYING -WITH CONTROL EQUIPMENT -TOT RECS = 583

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .530E 10 | .497E 10 | .131E 10 | .0 | .0 | .0 |
| 20 | .251E 13 | .232E 13 | .106E 13 | .537E 10 | .510E 10 | .467E 10 |
| 29 | .292E 11 | .274E 11 | .0 | .0 | .0 | .0 |
| 35 | .292E 11 | .274E 11 | .0 | .0 | .0 | .0 |
| 42 | .792E 11 | .658E 11 | .245E 11 | .0 | .0 | .0 |
| 50 | .916E 11 | .859E 11 | .594E 10 | .0 | .0 | .0 |
| 51 | .377E 12 | .354E 12 | .225E 11 | .0 | .0 | .0 |
| 52 | .731E 10 | .685E 10 | .0 | .0 | .0 | .0 |
| 59 | .212E 10 | .199E 10 | .162E 10 | .0 | .0 | .0 |
| 99 | .187E 12 | .170E 12 | .615E 11 | .0 | .0 | .0 |
| | .332E 13 | .307E 13 | .118E 13 | .537E 10 | .510E 10 | .467E 10 |

CC =30200502--FEED/GRAIN T TRANSFER/CONVEYING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 583

```
TEMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .237E 13   !HHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .583E 12   !HHHHH
 201.- 300.  .409E 11   !H
 301.- 400.  .604E 11   !H
 401.- 500.  .123E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
```

SCC= 30200502--FEED/GRAIN T TRANSFER/CONVEYING -TOTAL SCC -SIC = 0 -TOT RECS = 743

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .281E 13 | .264E 13 | .795E 12 | .0 | .0 | .0 |
| 101.- 200. | .837E 12 | .744E 12 | .429E 12 | .0 | .0 | .0 |
| 201.- 300. | .856E 11 | .652E 11 | .349E 11 | .0 | .0 | .0 |
| 301.- 400. | .123E 12 | .951E 11 | .476E 11 | .500E 10 | .475E 10 | .425E 10 |
| 401.- 500. | .236E 11 | .186E 11 | .110E 11 | .242E 10 | .229E 10 | .210E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .388E 13 | .356E 13 | .132E 13 | .741E 10 | .704E 10 | .635E 10 |

SCC = 30200502--FEED/GRAIN TTRANSFER/CONVEYING -TOTAL SCC -TOT RECS = 743

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .139E 11 | .130E 11 | .785E 10 | .0 | .0 | .0 |
| 20 | .296E 13 | .271E 13 | .118E 13 | .741E 10 | .704E 10 | .635E 10 |
| 29 | .292E 11 | .274E 11 | .0 | .0 | .0 | .0 |
| 35 | .292E 11 | .274E 11 | .0 | .0 | .0 | .0 |
| 42 | .792E 11 | .658E 11 | .245E 11 | .0 | .0 | .0 |
| 44 | .280E 10 | .262E 10 | .0 | .0 | .0 | .0 |
| 50 | .138E 12 | .124E 12 | .186E 11 | .0 | .0 | .0 |
| 51 | .428E 12 | .402E 12 | .225E 11 | .0 | .0 | .0 |
| 52 | .731E 10 | .685E 10 | .0 | .0 | .0 | .0 |
| 59 | .212E 10 | .199E 10 | .162E 10 | .0 | .0 | .0 |
| 99 | .193E 12 | .175E 12 | .615E 11 | .0 | .0 | .0 |
| | .388E 13 | .356E 13 | .132E 13 | .741E 10 | .704E 10 | .635E 10 |

CC 30200502--FEED/GRAIN T TRANSFER/CONVEYING --TOTAL SCC -SIC = 0 -TOT RECS = 743

```
EMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .264E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .744E 12   !HHHHHHH
 201.- 300.  .652E 11   !H
 301.- 400.  .951E 11   !H
 401.- 500.  .186E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
```

SCC= 30200503--FEED/GRAIN T SCREENING/CLEANING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 47

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .242E 12 | .227E 12 | .115E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .242E 12 | .227E 12 | .115E 11 | .0 | .0 | .0 |

SCC = 30200503--FEED/GRAIN TSCREENING/CLEANING -NO CONTROL EQUIPMENT -TOT RECS = 47

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .119E 12 | .111E 12 | .0 | .0 | .0 | .0 |
| 42 | .647E 10 | .607E 10 | .0 | .0 | .0 | .0 |
| 44 | .647E 10 | .607E 10 | .0 | .0 | .0 | .0 |
| 50 | .352E 11 | .330E 11 | .115E 11 | .0 | .0 | .0 |
| 51 | .496E 11 | .465E 11 | .0 | .0 | .0 | .0 |
| 99 | .259E 11 | .243E 11 | .0 | .0 | .0 | .0 |
| | .242E 12 | .227E 12 | .115E 11 | .0 | .0 | .0 |

CC = 30200503--FEED/GRAIN T SCREENING/CLEANING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 47

```
TEMP RANGE   COUNT
                   ----------------------------------------------------------------------------------------------------
   0.- 100.  .227E 12  !HH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200503--FEED/GRAIN T SCREENING/CLEANING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 223

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .177E 13 | .166E 13 | .299E 12 | .0 | .0 | .0 |
| 101.- 200. | .517E 11 | .408E 11 | .216E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .182E 13 | .170E 13 | .320E 12 | .0 | .0 | .0 |

SCC = 30200503--FEED/GRAIN TSCREENING/CLEANING -WITH CONTROL EQUIPMENT -TOT RECS = 223

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 1 | .118E 11 | .110E 11 | .0 | .0 | .0 | .0 |
| 7 | .129E 10 | .121E 10 | .982E 09 | .0 | .0 | .0 |
| 20 | .122E 13 | .114E 13 | .305E 12 | .0 | .0 | .0 |
| 42 | .577E 10 | .542E 10 | .0 | .0 | .0 | .0 |
| 50 | .656E 11 | .615E 11 | .776E 09 | .0 | .0 | .0 |
| 51 | .377E 12 | .354E 12 | .130E 11 | .0 | .0 | .0 |
| 59 | .995E 10 | .933E 10 | .0 | .0 | .0 | .0 |
| 99 | .123E 12 | .116E 12 | .0 | .0 | .0 | .0 |
| | .182E 13 | .170E 13 | .320E 12 | .0 | .0 | .0 |

CC =30200503--FEED/GRAIN T SCREENING/CLEANING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 223

```
TEMP RANGE    COUNT
                       -------------------------------------------------------------------------------------
    0.- 100.  .166E 13 !HHHHHHHHHHHHHHHH
  101.- 200.  .408E 11 !H
  201.- 300.  .0       !
  301.- 400.  .0       !
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200503--FEED/GRAIN T SCREENING/CLEANING -TOTAL SCC -SIC = 0 -TOT RECS = 270

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .201E 13 | .188E 13 | .310E 12 | .0 | .0 | .0 |
| 101.- 200. | .517E 11 | .408E 11 | .216E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .206E 13 | .192E 13 | .332E 12 | .0 | .0 | .0 |

SCC = 30200503--FEED/GRAIN TSCREENING/CLEANING -TOTAL SCC -TOT RECS = 270

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 1 | .118E 11 | .110E 11 | .0 | .0 | .0 | .0 |
| 7 | .129E 10 | .121E 10 | .982E 09 | .0 | .0 | .0 |
| 20 | .134E 13 | .125E 13 | .305E 12 | .0 | .0 | .0 |
| 42 | .122E 11 | .115E 11 | .0 | .0 | .0 | .0 |
| 44 | .647E 10 | .607E 10 | .0 | .0 | .0 | .0 |
| 50 | .101E 12 | .946E 11 | .122E 11 | .0 | .0 | .0 |
| 51 | .426E 12 | .400E 12 | .130E 11 | .0 | .0 | .0 |
| 59 | .995E 10 | .933E 10 | .0 | .0 | .0 | .0 |
| 99 | .149E 12 | .140E 12 | .0 | .0 | .0 | .0 |
| | .206E 13 | .192E 13 | .332E 12 | .0 | .0 | .0 |

CC 30200503--FEED/GRAIN T SCREENING/CLEANING --TOTAL SCC -SIC = 0 -TOT RECS = 270

```
EMP RANGE     COUNT

                          -----------------------------------------------------------------------------------------------------
    0.- 100.   .188E 13   !HHHHHHHHHHHHHHHHHH
  101.- 200.   .408E 11   !H
  201.- 300.   .0         !
  301.- 400.   .0         !
  401.- 500.   .0         !
  501.- 600.   .0         !
  601.- 700.   .0         !
  701.- 800.   .0         !
  801.- 900.   .0         !
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200504--FEED/GRAIN T DRYING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 137

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .458E 12 | .430E 12 | .540E 11 | .0 | .0 | .0 |
| 101.- 200. | .784E 12 | .649E 12 | .161E 12 | .0 | .0 | .0 |
| 201.- 300. | .736E 13 | .557E 13 | .328E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .132E 12 | .104E 12 | .144E 11 | .142E 11 | .134E 11 | .243E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .873E 13 | .675E 13 | .262E 12 | .142E 11 | .134E 11 | .243E 10 |

SCC = 30200504--FEED/GRAIN TDRYING -NO CONTROL EQUIPMENT -TOT RECS = 137

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .532E 13 | .414E 13 | .258E 12 | .142E 11 | .134E 11 | .243E 10 |
| 35 | .165E 12 | .125E 12 | .0 | .0 | .0 | .0 |
| 42 | .165E 12 | .125E 12 | .0 | .0 | .0 | .0 |
| 44 | .827E 11 | .626E 11 | .0 | .0 | .0 | .0 |
| 50 | .449E 12 | .347E 12 | .0 | .0 | .0 | .0 |
| 51 | .222E 13 | .171E 13 | .364E 10 | .0 | .0 | .0 |
| 99 | .331E 12 | .250E 12 | .0 | .0 | .0 | .0 |
| | .873E 13 | .675E 13 | .262E 12 | .142E 11 | .134E 11 | .243E 10 |

CC = 30200504--FEED/GRAIN T DRYING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 137

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .430E 12  !HHHH
 101.- 200.  .649E 12  !HHHHHH
 201.- 300.  .557E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .0        !
 401.- 500.  .104E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200504--FEED/GRAIN T DRYING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 168

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEC | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .135E 13 | .126E 13 | .301E 12 | .0 | .0 | .0 |
| 101.- 200. | .261E 13 | .203E 13 | .956E 12 | .0 | .0 | .0 |
| 201.- 300. | .839E 12 | .634E 12 | .301E 12 | .0 | .0 | .0 |
| 301.- 400. | .220E 12 | .171E 12 | .985E 11 | .131E 11 | .124E 11 | .113E 11 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .523E 11 | .433E 11 | .298E 11 | .173E 11 | .165E 11 | .151E 11 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .507E 13 . | .415E 13 | .169E 13 | .304E 11 | .289E 11 | .264E 11 |

SCC = 30200504--FEED/GRAIN TDRYING -WITH CONTROL EQUIPMENT -TOT RECS = 168

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .344E 13 | .276E 13 | .116E 13 | .131E 11 | .124E 11 | .113E 11 |
| 28 | .152E 11 | .143E 11 | .116E 11 | .0 | .0 | .0 |
| 32 | .275E 11 | .258E 11 | .0 | .0 | .0 | .0 |
| 35 | .153E 11 | .143E 11 | .0 | .0 | .0 | .0 |
| 42 | .282E 11 | .264E 11 | .0 | .0 | .0 | .0 |
| 50 | .248E 12 | .232E 12 | .991E 11 | .0 | .0 | .0 |
| 51 | .452E 12 | .424E 12 | .911E 11 | .0 | .0 | .0 |
| 99 | .836E 12 | .652E 12 | .323E 12 | .0 | .0 | .0 |
| | | | | .173E 11 | .165E 11 | .151E 11 |
| | .507E 13 | .415E 13 | .169E 13 | .304E 11 | .289E 11 | .264E 11 |

CC =30200504--FEED/GRAIN T DRYING ---WITH CONTROL EQUIPMENT -SIC= 0 -TCTAL RECS = 168

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
    0.- 100.  .126E 13 !HHHHHHHHHHHHH
  101.- 200.  .203E 13 !HHHHHHHHHHHHHHHHHHHHH
  201.- 300.  .634E 12 !HHHHHHH
  301.- 400.  .171E 12 !H
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .433E 11 !H
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200504--FEED/GRAIN T DRYING -TOTAL SCC -SIC = 0 -TOT RECS = 305

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .181E 13 | .169E 13 | .355E 12 | .0 | .0 | .0 |
| 101.- 200. | .339E 13 | .268E 13 | .112E 13 | .0 | .0 | .0 |
| 201.- 300. | .820E 13 | .620E 13 | .334E 12 | .0 | .0 | .0 |
| 301.- 400. | .220E 12 | .171E 12 | .985E 11 | .131E 11 | .124E 11 | .113E 11 |
| 401.- 500. | .132E 12 | .104E 12 | .144E 11 | .142E 11 | .134E 11 | .243E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .523E 11 | .433E 11 | .298E 11 | .173E 11 | .165E 11 | .151E 11 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .138E 14 | .109E 14 | .195E 13 | .445E 11 | .423E 11 | .288E 11 |

SCC = 30200504--FEED/GRAIN TDRYING -TOTAL SCC -TOT RECS = 305

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .876E 13 | .689E 13 | .142E 13 | .272E 11 | .258E 11 | .138E 11 |
| 28 | .152E 11 | .143E 11 | .116E 11 | .0 | .0 | .0 |
| 32 | .275E 11 | .258E 11 | .0 | .0 | .0 | .0 |
| 35 | .181E 12 | .140E 12 | .0 | .0 | .0 | .0 |
| 42 | .194E 12 | .152E 12 | .0 | .0 | .0 | .0 |
| 44 | .827E 11 | .626E 11 | .0 | .0 | .0 | .0 |
| 50 | .696E 12 | .580E 12 | .991E 11 | .0 | .0 | .0 |
| 51 | .267E 13 | .213E 13 | .947E 11 | .0 | .0 | .0 |
| 99 | .117E 13 | .902E 12 | .323E 12 | .173E 11 | .165E 11 | .151E 11 |
| | .138E 14 | .109E 14 | .195E 13 | .445E 11 | .423E 11 | .288E 11 |

CC 30200504--FEED/GRAIN T DRYING --TOTAL SCC -SIC = 0 -TOT RECS = 305

```
EMP RANGE   COUNT

                          ------------------------------------------------------------------------------------------------------
   0.- 100.  .169E 13    !HHHHHHHHHHHHHHHHH
 101.- 200.  .268E 13    !HHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .620E 13    !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH4H
 301.- 400.  .171E 12    !H
 401.- 500.  .104E 12    !H
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .433E 11    !H
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200601--FEED/GRAIN C SHIPPING/RECEIVING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4001

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .173E 14 | .162E 14 | .744E 10 | .0 | .0 | .0 |
| 101.- 200. | .159E 11 | .149E 11 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .305E 11 | .241E 11 | .145E 11 | .379E 10 | .360E 10 | .329E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .174E 14 | .163E 14 | .220E 11 | .379E 10 | .360E 10 | .329E 10 |

SCC = 30200601--FEED/GRAIN CSHIPPING/RECEIVING -NO CONTROL EQUIPMENT -TOT RECS = 4001

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .167E 11 | .156E 11 | .0 | .0 | .0 | .0 |
| 7 | .159E 11 | .149E 11 | .0 | .0 | .0 | .0 |
| 20 | .516E 13 | .484E 13 | .220E 11 | .379E 10 | .360E 10 | .329E 10 |
| 28 | .117E 11 | .110E 11 | .0 | .0 | .0 | .0 |
| 32 | .753E 10 | .707E 10 | .0 | .0 | .0 | .0 |
| 35 | .301E 11 | .283E 11 | .0 | .0 | .0 | .0 |
| 39 | .834E 10 | .782E 10 | .0 | .0 | .0 | .0 |
| 42 | .803E 11 | .753E 11 | .0 | .0 | .0 | .0 |
| 49 | .151E 11 | .141E 11 | .0 | .0 | .0 | .0 |
| 50 | .251E 12 | .235E 12 | .0 | .0 | .0 | .0 |
| 51 | .116E 14 | .109E 14 | .0 | .0 | .0 | .0 |
| 53 | .753E 10 | .707E 10 | .0 | .0 | .0 | .0 |
| 99 | .138E 12 | .129E 12 | .0 | .0 | .0 | .0 |
| | .174E 14 | .163E 14 | .220E 11 | .379E 10 | .360E 10 | .329E 10 |

CC = 30200601--FEED/GRAIN C SHIPPING/RECEIVING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4001

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .162E 14 |
| 101.- 200. | .149E 11 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .241E 11 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |

SCC= 30200601--FEED/GRAIN C SHIPPING/RECEIVING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 865

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .292E 13 | .274E 13 | .667E 11 | .0 | .0 | .0 |
| 101.- 200. | .953E 11 | .712E 11 | .276E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .234E 11 | .180E 11 | .0 | .852E 08 | .809E 08 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .304E 13 | .283E 13 | .942E 11 | .852E 08 | .809E 08 | .0 |

SCC = 30200601--FEED/GRAIN CSHIPPING/RECEIVING -WITH CONTROL EQUIPMENT -TOT RECS = 865

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .748E 10 | .702E 10 | .0 | .0 | .0 | .0 |
| 7 | .815E 11 | .764E 11 | .163E 09 | .0 | .0 | .0 |
| 20 | .967E 12 | .904E 12 | .651E 11 | .0 | .0 | .0 |
| 28 | .155E 11 | .145E 11 | .397E 08 | .0 | .0 | .0 |
| 29 | .184E 11 | .137E 11 | .673E 10 | .0 | .0 | .0 |
| 32 | .234E 11 | .180E 11 | .0 | .852E 08 | .809E 08 | .0 |
| 35 | .110E 11 | .103E 11 | .0 | .0 | .0 | .0 |
| 42 | .110E 11 | .103E 11 | .0 | .0 | .0 | .0 |
| 50 | .117E 12 | .984E 11 | .208E 11 | .0 | .0 | .0 |
| 51 | .176E 13 | .165E 13 | .137E 10 | .0 | .0 | .0 |
| 99 | .325E 11 | .305E 11 | .0 | .0 | .0 | .0 |
| | .304E 13 | .283E 13 | .942E 11 | .852E 08 | .809E 08 | .0 |

CC =30200601--FEED/GRAIN C SHIPPING/RECEIVING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 865

```
TEMP RANGE     COUNT
                        ---------------------------------------------------------------------------------------
    0.- 100.  .274E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .712E 11  !H
  201.- 300.  .0        !
  301.- 400.  .180E 11  !H
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
```

SCC= 30200601--FEED/GRAIN C SHIPPING/RECEIVING -TOTAL SCC -SIC = 0 -TOT RECS = 4866

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .202E 14 | .190E 14 | .741E 11 | .0 | .0 | .0 |
| 101.- 200. | .111E 12 | .861E 11 | .276E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .234E 11 | .180E 11 | .0 | .852E 08 | .809E 08 | .0 |
| 401.- 500. | .305E 11 | .241E 11 | .145E 11 | .379E 10 | .360E 10 | .329E 10 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .204E 14 | .191E 14 | .116E 12 | .387E 10 | .368E 10 | .329E 10 |

SCC = 30200601--FEED/GRAIN CSHIPPING/RECEIVING -TOTAL SCC -TOT RECS = 4866

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .242E 11 | .227E 11 | .0 | .0 | .0 | .0 |
| 7 | .974E 11 | .913E 11 | .163E 09 | .0 | .0 | .0 |
| 20 | .613E 13 | .574E 13 | .871E 11 | .379E 10 | .360E 10 | .329E 10 |
| 28 | .272E 11 | .255E 11 | .397E 08 | .0 | .0 | .0 |
| 29 | .184E 11 | .137E 11 | .673E 10 | .0 | .0 | .0 |
| 32 | .310E 11 | .250E 11 | .0 | .852E 08 | .809E 08 | .0 |
| 35 | .412E 11 | .386E 11 | .0 | .0 | .0 | .0 |
| 39 | .834E 10 | .782E 10 | .0 | .0 | .0 | .0 |
| 42 | .913E 11 | .857E 11 | .0 | .0 | .0 | .0 |
| 49 | .151E 11 | .141E 11 | .0 | .0 | .0 | .0 |
| 50 | .368E 12 | .334E 12 | .208E 11 | .0 | .0 | .0 |
| 51 | .134E 14 | .125E 14 | .137E 10 | .0 | .0 | .0 |
| 53 | .753E 10 | .707E 10 | .0 | .0 | .0 | .0 |
| 99 | .170E 12 | .160E 12 | .0 | .0 | .0 | .0 |
| | .204E 14 | .191E 14 | .116E 12 | .387E 10 | .368E 10 | .329E 10 |

CC 30200601--FEED/GRAIN C SHIPPING/RECEIVING --TOTAL SCC -SIC = 0 -TOT RECS = 4866

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .190E 14 |
| 101.- 200. | .861E 11 |
| 201.- 300. | .0 |
| 301.- 400. | .180E 11 |
| 401.- 500. | .241E 11 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |



SCC= 30200602--FEED/GRAIN C TRANSFER/CONVEYING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1856

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .237E 14 | .223E 14 | .154E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .237E 14 | .223E 14 | .154E 12 | .0 | .0 | .0 |

SCC = 30200602--FEED/GRAIN CTRANSFER/CONVEYING -NO CONTROL EQUIPMENT -TOT RECS = 1856

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .640E 11 | .601E 11 | .0 | .0 | .0 | .0 |
| 7 | .115E 12 | .108E 12 | .0 | .0 | .0 | .0 |
| 20 | .436E 13 | .409E 13 | .122E 12 | .0 | .0 | .0 |
| 28 | .128E 11 | .120E 11 | .0 | .0 | .0 | .0 |
| 33 | .186E 11 | .174E 11 | .142E 11 | .0 | .0 | .0 |
| 35 | .256E 11 | .240E 11 | .0 | .0 | .0 | .0 |
| 39 | .256E 11 | .240E 11 | .0 | .0 | .0 | .0 |
| 42 | .156E 12 | .146E 12 | .142E 10 | .0 | .0 | .0 |
| 49 | .128E 11 | .120E 11 | .0 | .0 | .0 | .0 |
| 50 | .436E 12 | .408E 12 | .0 | .0 | .0 | .0 |
| 51 | .184E 14 | .172E 14 | .168E 11 | .0 | .0 | .0 |
| 99 | .167E 12 | .156E 12 | .0 | .0 | .0 | .0 |
| | .237E 14 | .223E 14 | .154E 12 | .0 | .0 | .0 |

CC = 30200602--FEED/GRAIN C TRANSFER/CONVEYING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1856

```
TEMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .223E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
```

SCC= 30200602--FEED/GRAIN C TRANSFER/CONVEYING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 757

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .329E 13 | .309E 13 | .876E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .329E 13 | .309E 13 | .876E 11 | .0 | .0 | .0 |

SCC = 30200602--FEED/GRAIN CTRANSFER/CONVEYING -WITH CONTROL EQUIPMENT -TOT RECS = 757

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .393E 11 | .368E 11 | .234E 10 | .0 | .0 | .0 |
| 20 | .755E 12 | .708E 12 | .681E 11 | .0 | .0 | .0 |
| 28 | .562E 10 | .527E 10 | .836E 09 | .0 | .0 | .0 |
| 32 | .453E 10 | .425E 10 | .0 | .0 | .0 | .0 |
| 42 | .275E 11 | .258E 11 | .255E 09 | .0 | .0 | .0 |
| 50 | .911E 11 | .854E 11 | .401E 09 | .0 | .0 | .0 |
| 51 | .236E 13 | .221E 13 | .156E 11 | .0 | .0 | .0 |
| 82 | .453E 10 | .425E 10 | .0 | .0 | .0 | .0 |
| 99 | .905E 10 | .849E 10 | .0 | .0 | .0 | .0 |
| | .329E 13 | .309E 13 | .876E 11 | .0 | .0 | .0 |

CC =30200602--FEED/GRAIN C TRANSFER/CONVEYING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 757

```
TEMP RANGE   COUNT
                      ---------------------------------------------------------------------------------------------------
   0.- 100.  .309E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .0       !
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200602--FEED/GRAIN C TRANSFER/CONVEYING -TOTAL SCC -SIC = 0 -TOT RECS = 2613

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .270E 14 | .254E 14 | .242E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .270E 14 | .254E 14 | .242E 12 | .0 | .0 | .0 |

SCC = 30200602--FEED/GRAIN CTRANSFER/CONVEYING -TOTAL SCC -TOT RECS = 2613

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .640E 11 | .601E 11 | .0 | .0 | .0 | .0 |
| 7 | .155E 12 | .145E 12 | .234E 10 | .0 | .0 | .0 |
| 20 | .511E 13 | .480E 13 | .190E 12 | .0 | .0 | .0 |
| 28 | .184E 11 | .173E 11 | .836E 09 | .0 | .0 | .0 |
| 32 | .453E 10 | .425E 10 | .0 | .0 | .0 | .0 |
| 33 | .186E 11 | .174E 11 | .142E 11 | .0 | .0 | .0 |
| 35 | .256E 11 | .240E 11 | .0 | .0 | .0 | .0 |
| 39 | .256E 11 | .240E 11 | .0 | .0 | .0 | .0 |
| 42 | .183E 12 | .172E 12 | .168E 10 | .0 | .0 | .0 |
| 49 | .128E 11 | .120E 11 | .0 | .0 | .0 | .0 |
| 50 | .527E 12 | .494E 12 | .401E 09 | .0 | .0 | .0 |
| 51 | .207E 14 | .194E 14 | .325E 11 | .0 | .0 | .0 |
| 82 | .453E 10 | .425E 10 | .0 | .0 | .0 | .0 |
| 99 | .176E 12 | .165E 12 | .0 | .0 | .0 | .0 |
| | .270E 14 | .254E 14 | .242E 12 | .0 | .0 | .0 |

CC 30200602--FEED/GRAIN C TRANSFER/CONVEYING --TOTAL SCC -SIC = 0 -TOT RECS = 2613

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .254E 14 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2901.-3000. | .0 |

```
!HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
!
0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200603--FEED/GRAIN C SCREENING/CLEANING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 375

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .171E 13 | .161E 13 | .174E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .171E 13 | .161E 13 | .174E 11 | .0 | .0 | .0 |

SCC = 30200603--FEED/GRAIN CSCREENING/CLEANING -NO CONTROL EQUIPMENT -TOT RECS = 375

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .183E 11 | .171E 11 | .0 | .0 | .0 | .0 |
| 7 | .137E 11 | .128E 11 | .0 | .0 | .0 | .0 |
| 20 | .643E 12 | .603E 12 | .164E 11 | .0 | .0 | .0 |
| 35 | .457E 10 | .428E 10 | .0 | .0 | .0 | .0 |
| 42 | .913E 10 | .857E 10 | .0 | .0 | .0 | .0 |
| 49 | .457E 10 | .428E 10 | .0 | .0 | .0 | .0 |
| 50 | .594E 11 | .557E 11 | .0 | .0 | .0 | .0 |
| 51 | .922E 12 | .865E 12 | .0 | .0 | .0 | .0 |
| 99 | .379E 11 | .355E 11 | .103E 10 | .0 | .0 | .0 |
| | .171E 13 | .161E 13 | .174E 11 | .0 | .0 | .0 |

CC = 30200603--FEED/GRAIN C SCREENING/CLEANING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 375

```
TEMP RANGE   COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .161E 13  !HHHHHHHHHHHHHHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200603--FEED/GRAIN C SCREENING/CLEANING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1008

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .637E 13 | .598E 13 | .876E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .637E 13 | .598E 13 | .876E 11 | .0 | .0 | .0 |

SCC = 30200603--FEED/GRAIN CSCREENING/CLEANING -WITH CONTROL EQUIPMENT -TOT RECS = 1008

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .463E 11 | .434E 11 | .913E 09 | .0 | .0 | .0 |
| 20 | .109E 13 | .102E 13 | .756E 11 | .0 | .0 | .0 |
| 35 | .123E 09 | .116E 09 | .943E 08 | .0 | .0 | .0 |
| 42 | .387E 11 | .363E 11 | .0 | .0 | .0 | .0 |
| 50 | .371E 12 | .348E 12 | .784E 10 | .0 | .0 | .0 |
| 51 | .477E 13 | .448E 13 | .323E 10 | .0 | .0 | .0 |
| 99 | .580E 11 | .544E 11 | .0 | .0 | .0 | .0 |
| | .637E 13 | .598E 13 | .876E 11 | .0 | .0 | .0 |

CC =30200603--FEED/GRAIN C SCREENING/CLEANING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1008

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .598E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

SCC= 30200603--FEED/GRAIN C SCREENING/CLEANING -TOTAL SCC -SIC = 0 -TOT RECS = 1383

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .809E 13 | .758E 13 | .105E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .809E 13 | .758E 13 | .105E 12 | .0 | .0 | .0 |

SCC = 30200603--FEED/GRAIN CSCREENING/CLEANING   -TOTAL SCC -TOT RECS =   1383

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .183E 11 | .171E 11 | .0 | .0 | .0 | .0 |
| 7 | .600E 11 | .563E 11 | .913E 09 | .0 | .0 | .0 |
| 20 | .173E 13 | .162E 13 | .920E 11 | .0 | .0 | .0 |
| 35 | .469E 10 | .440E 10 | .943E 08 | .0 | .0 | .0 |
| 42 | .478E 11 | .448E 11 | .0 | .0 | .0 | .0 |
| 49 | .457E 10 | .428E 10 | .0 | .0 | .0 | .0 |
| 50 | .431E 12 | .404E 12 | .784E 10 | .0 | .0 | .0 |
| 51 | .570E 13 | .534E 13 | .323E 10 | .0 | .0 | .0 |
| 99 | .959E 11 | .899E 11 | .103E 10 | .0 | .0 | .0 |
| | .809E 13 | .758E 13 | .105E 12 | .0 | .0 | .0 |

CC 30200603--FEED/GRAIN C SCREENING/CLEANING  --TOTAL SCC  -SIC =    0 -TOT RECS =   1383

```
EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .758E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200604--FEED/GRAIN C DRYING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1663

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .298E 14 | .279E 14 | .255E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .298E 14 | .279E 14 | .255E 12 | .0 | .0 | .0 |

SCC = 30200604--FEED/GRAIN CDRYING -NO CONTROL EQUIPMENT -TOT RECS = 1663

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .216E 12 | .203E 12 | .0 | .0 | .0 | .0 |
| 20 | .883E 13 | .828E 13 | .211E 12 | .0 | .0 | .0 |
| 28 | .180E 11 | .169E 11 | .0 | .0 | .0 | .0 |
| 34 | .180E 11 | .169E 11 | .0 | .0 | .0 | .0 |
| 35 | .289E 12 | .271E 12 | .464E 09 | .0 | .0 | .0 |
| 42 | .799E 11 | .750E 11 | .603E 10 | .0 | .0 | .0 |
| 50 | .720E 11 | .676E 11 | .0 | .0 | .0 | .0 |
| 51 | .199E 14 | .186E 14 | .337E 11 | .0 | .0 | .0 |
| 80 | .180E 11 | .169E 11 | .0 | .0 | .0 | .0 |
| 99 | .401E 12 | .376E 12 | .392E 10 | .0 | .0 | .0 |
| | .298E 14 | .279E 14 | .255E 12 | .0 | .0 | .0 |

CC = 30200604--FEED/GRAIN C DRYING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1663

| TEMP RANGE | COUNT | ---------------------------------------------------------------------------------------------------- |
|---|---|---|
| 0.- 100. | .279E 14 | !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |

SCC= 30200604--FEED/GRAIN C DRYING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 290

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .238E 14 | .224E 14 | .437E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .238E 14 | .224E 14 | .437E 12 | .0 | .0 | .0 |

SCC = 30200604--FEED/GRAIN CDRYING -WITH CONTROL EQUIPMENT -TOT RECS = 290

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .629E 12 | .590E 12 | .0 | .0 | .0 | .0 |
| 20 | .109E 14 | .102E 14 | .362E 12 | .0 | .0 | .0 |
| 35 | .388E 12 | .363E 12 | .215E 11 | .0 | .0 | .0 |
| 42 | .223E 12 | .209E 12 | .331E 11 | .0 | .0 | .0 |
| 50 | .988E 12 | .927E 12 | .574E 08 | .0 | .0 | .0 |
| 51 | .101E 14 | .946E 13 | .207E 11 | .0 | .0 | .0 |
| 99 | .629E 12 | .590E 12 | .0 | .0 | .0 | .0 |
| | .238E 14 | .224E 14 | .437E 12 | .0 | .0 | .0 |

CC =30200604--FEED/GRAIN C DRYING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 290

```
TEMP RANGE   COUNT
                       ---------------------------------------------------------------------------------------------------
   0.- 100.  .224E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200604--FEED/GRAIN C DRYING -TOTAL SCC -SIC = 0 -TOT RECS = 1953

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .536E 14 | .503E 14 | .692E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .536E 14 | .503E 14 | .692E 12 | .0 | .0 | .0 |

SCC = 30200604--FEED/GRAIN CDRYING -TOTAL SCC -TOT RECS = 1953

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .845E 12 | .793E 12 | .0 | .0 | .0 | .0 |
| 20 | .197E 14 | .185E 14 | .573E 12 | .0 | .0 | .0 |
| 28 | .180E 11 | .169E 11 | .0 | .0 | .0 | .0 |
| 34 | .180E 11 | .169E 11 | .0 | .0 | .0 | .0 |
| 35 | .676E 12 | .634E 12 | .219E 11 | .0 | .0 | .0 |
| 42 | .303E 12 | .284E 12 | .391E 11 | .0 | .0 | .0 |
| 50 | .106E 13 | .995E 12 | .574E 08 | .0 | .0 | .0 |
| 51 | .299E 14 | .281E 14 | .544E 11 | .0 | .0 | .0 |
| 80 | .180E 11 | .169E 11 | .0 | .0 | .0 | .0 |
| 99 | .103E 13 | .966E 12 | .392E 10 | .0 | .0 | .0 |
| | .536E 14 | .503E 14 | .692E 12 | .0 | .0 | .0 |

CC 30200604--FEED/GRAIN C DRYING --TOTAL SCC -SIC = 0 -TOT RECS = 1953

```
EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .503E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
```

SCC= 30200699--FEED/GRAIN C OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 67

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .874E 11 | .820E 11 | .985E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .874E 11 | .820E 11 | .985E 10 | .0 | .0 | .0 |

SCC = 30200699--FEED/GRAIN COTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 67

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .715E 11 | .670E 11 | .885E 10 | .0 | .0 | .0 |
| 51 | .106E 11 | .998E 10 | .0 | .0 | .0 | .0 |
| 73 | .130E 10 | .122E 10 | .994E 09 | .0 | .0 | .0 |
| 99 | .399E 10 | .374E 10 | .0 | .0 | .0 | .0 |
| | .874E 11 | .820E 11 | .985E 10 | .0 | .0 | .0 |

CC = 30200699--FEED/GRAIN C OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 67

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .820E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200699--FEED/GRAIN C OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 126

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .550E 12 | .516E 12 | .695E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .550E 12 | .516E 12 | .695E 11 | .0 | .0 | .0 |

SCC = 30200699--FEED/GRAIN COTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 126

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .104E 11 | .979E 10 | .0 | .0 | .0 | .0 |
| 7 | .104E 11 | .979E 10 | .0 | .0 | .0 | .0 |
| 20 | .366E 12 | .343E 12 | .603E 11 | .0 | .0 | .0 |
| 28 | .783E 11 | .734E 11 | .0 | .0 | .0 | .0 |
| 42 | .373E 11 | .350E 11 | .855E 10 | .0 | .0 | .0 |
| 50 | .522E 10 | .490E 10 | .0 | .0 | .0 | .0 |
| 51 | .365E 11 | .343E 11 | .0 | .0 | .0 | .0 |
| 99 | .599E 10 | .562E 10 | .588E 09 | .0 | .0 | .0 |
| | .550E 12 | .516E 12 | .695E 11 | .0 | .0 | .0 |

CC =30200699--FEED/GRAIN C OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 126

```
TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .516E 12  !HHHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200699--FEED/GRAIN C OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 193

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .638E 12 | .598E 12 | .793E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .638E 12 | .598E 12 | .793E 11 | .0 | .0 | .0 |

SCC = 30200699--FEED/GRAIN COTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 193

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .104E 11 | .979E 10 | .0 | .0 | .0 | .0 |
| 7 | .104E 11 | .979E 10 | .0 | .0 | .0 | .0 |
| 20 | .438E 12 | .410E 12 | .692E 11 | .0 | .0 | .0 |
| 28 | .783E 11 | .734E 11 | .0 | .0 | .0 | .0 |
| 42 | .373E 11 | .350E 11 | .855E 10 | .0 | .0 | .0 |
| 50 | .522E 10 | .490E 10 | .0 | .0 | .0 | .0 |
| 51 | .472E 11 | .443E 11 | .0 | .0 | .0 | .0 |
| 73 | .130E 10 | .122E 10 | .994E 09 | .0 | .0 | .0 |
| 99 | .998E 10 | .936E 10 | .588E 09 | .0 | .0 | .0 |
| | .638E 12 | .598E 12 | .793E 11 | .0 | .0 | .0 |

CC 30200699--FEED/GRAIN C OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 193

```
EMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .598E 12   !HHHHH
 101.- 200.  .0         !
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200701--GRAIN PROCES CORN MEAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 135

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .456E 11 | .428E 11 | .389E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .456E 11 | .428E 11 | .389E 09 | .0 | .0 | .0 |

SCC = 30200701--GRAIN PROCESCORN MEAL -NO CONTROL EQUIPMENT -TOT RECS = 135

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .339E 09 | .318E 09 | .0 | .0 | .0 | .0 |
| 20 | .336E 11 | .315E 11 | .389E 09 | .0 | .0 | .0 |
| 28 | .401E 09 | .376E 09 | .0 | .0 | .0 | .0 |
| 50 | .197E 09 | .185E 09 | .0 | .0 | .0 | .0 |
| 51 | .104E 11 | .974E 10 | .0 | .0 | .0 | .0 |
| 99 | .678E 09 | .636E 09 | .0 | .0 | .0 | .0 |
| | .456E 11 | .428E 11 | .389E 09 | .0 | .0 | .0 |

CC = 30200701--GRAIN PROCES CORN MEAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 135

```
TEMP RANGE     COUNT
                        ------------------------------------------------------------------------------------------
   0.- 100.   .428E 11  !H
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200701--GRAIN PROCES CORN MEAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 283

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .301E 13 | .282E 13 | .436E 12 | .0 | .0 | .0 |
| 101.- 200. | .929E 12 | .727E 12 | .383E 12 | .0 | .0 | .0 |
| 201.- 300. | .749E 11 | .567E 11 | .710E 09 | .0 | .0 | .0 |
| 301.- 400. | .831E 11 | .645E 11 | .0 | .460E 10 | .437E 10 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .410E 13 | .367E 13 | .819E 12 | .460E 10 | .437E 10 | .0 |

SCC = 30200701--GRAIN PROCESCORN MEAL -WITH CONTROL EQUIPMENT -TOT RECS = 283

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .269E 11 | .253E 11 | .0 | .0 | .0 | .0 |
| 20 | .362E 13 | .326E 13 | .730E 12 | .460E 10 | .437E 10 | .0 |
| 28 | .318E 10 | .298E 10 | .243E 10 | .0 | .0 | .0 |
| 32 | .443E 11 | .415E 11 | .0 | .0 | .0 | .0 |
| 35 | .561E 11 | .526E 11 | .0 | .0 | .0 | .0 |
| 51 | .117E 12 | .110E 12 | .197E 09 | .0 | .0 | .0 |
| 99 | .229E 12 | .174E 12 | .872E 11 | .0 | .0 | .0 |
| | .410E 13 | .367E 13 | .819E 12 | .460E 10 | .437E 10 | .0 |

CC =30200701--GRAIN PROCES CORN MEAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 283

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .282E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .727E 12  !HHHHHHHH
 201.- 300.  .567E 11  !H
 301.- 400.  .645E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200701--GRAIN PROCES CORN MEAL -TOTAL SCC -SIC = 0 -TOT RECS = 418

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .305E 13 | .287E 13 | .436E 12 | .0 | .0 | .0 |
| 101.- 200. | .929E 12 | .727E 12 | .383E 12 | .0 | .0 | .0 |
| 201.- 300. | .749E 11 | .567E 11 | .710E 09 | .0 | .0 | .0 |
| 301.- 400. | .831E 11 | .645E 11 | .0 | .460E 10 | .437E 10 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .414E 13 | .371E 13 | .820E 12 | .460E 10 | .437E 10 | .0 |

SCC = 30200701--GRAIN PROCESCORN MEAL -TOTAL SCC -TOT RECS = 418

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .339E 09 | .318E 09 | .0 | .0 | .0 | .0 |
| 7 | .269E 11 | .253E 11 | .0 | .0 | .0 | .0 |
| 20 | .365E 13 | .330E 13 | .730E 12 | .460E 10 | .437E 10 | .0 |
| 28 | .358E 10 | .336E 10 | .243E 10 | .0 | .0 | .0 |
| 32 | .443E 11 | .415E 11 | .0 | .0 | .0 | .0 |
| 35 | .561E 11 | .526E 11 | .0 | .0 | .0 | .0 |
| 50 | .197E 09 | .185E 09 | .0 | .0 | .0 | .0 |
| 51 | .127E 12 | .119E 12 | .197E 09 | .0 | .0 | .0 |
| 99 | .230E 12 | .174E 12 | .872E 11 | .0 | .0 | .0 |
| | .414E 13 | .371E 13 | .820E 12 | .460E 10 | .437E 10 | .0 |

CC 30200701--GRAIN PROCES CORN MEAL --TOTAL SCC -SIC = 0 -TOT RECS = 418

```
EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
    0.- 100.  .287E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .727E 12   !HHHHHHH
  201.- 300.  .567E 11   !H
  301.- 400.  .645E 11   !H
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200702--GRAIN PROCES SOY BEAN PROCESSING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 45

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .233E 12 | .218E 12 | .251E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .233E 12 | .218E 12 | .251E 11 | .0 | .0 | .0 |

SCC = 30200702--GRAIN PROCESSOY BEAN PROCESSING -NO CONTROL EQUIPMENT -TOT RECS = 45

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .208E 12 | .195E 12 | .251E 11 | .0 | .0 | .0 |
| 51 | .125E 11 | .117E 11 | .0 | .0 | .0 | .0 |
| 99 | .125E 11 | .117E 11 | .0 | .0 | .0 | .0 |
| | .233E 12 | .218E 12 | .251E 11 | .0 | .0 | .0 |

CC = 30200702--GRAIN PROCES SOY BEAN PROCESSING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 45

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .218E 12 !HH
 101.- 200.  .0       !
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200702--GRAIN PROCES SOY BEAN PROCESSING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 278

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .303E 13 | .285E 13 | .154E 13 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .303E 13 | .285E 13 | .154E 13 | .0 | .0 | .0 |

SCC = 30200702--GRAIN PROCESSOY BEAN PROCESSING -WITH CONTROL EQUIPMENT -TOT RECS = 278

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .255E 11 | .239E 11 | .637E 09 | .0 | .0 | .0 |
| 20 | .296E 13 | .277E 13 | .153E 13 | .0 | .0 | .0 |
| 24 | .342E 10 | .321E 10 | .261E 10 | .0 | .0 | .0 |
| 35 | .123E 11 | .115E 11 | .0 | .0 | .0 | .0 |
| 51 | .246E 11 | .231E 11 | .0 | .0 | .0 | .0 |
| 99 | .123E 11 | .115E 11 | .0 | .0 | .0 | .0 |
| | .303E 13 | .285E 13 | .154E 13 | .0 | .0 | .0 |

CC =30200702--GRAIN PROCES SOY BEAN PROCESSING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 278

```
TEMP RANGE     COUNT
                          ---------------------------------------------------------------------------------------------------
   0.- 100.   .285E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200702--GRAIN PROCES SOY BEAN PROCESSING -TOTAL SCC -SIC = 0 -TOT RECS = 323

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .327E 13 | .306E 13 | .156E 13 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .327E 13 | .306E 13 | .156E 13 | .0 | .0 | .0 |

SCC = 30200702--GRAIN PROCESSOY BEAN PROCESSING -TOTAL SCC -TOT RECS = 323

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .255E 11 | .239E 11 | .637E 09 | .0 | .0 | .0 |
| 20 | .316E 13 | .297E 13 | .156E 13 | .0 | .0 | .0 |
| 24 | .342E 10 | .321E 10 | .261E 10 | .0 | .0 | .0 |
| 35 | .123E 11 | .115E 11 | .0 | .0 | .0 | .0 |
| 51 | .371E 11 | .348E 11 | .0 | .0 | .0 | .0 |
| 99 | .248E 11 | .233E 11 | .0 | .0 | .0 | .0 |
| | .327E 13 | .306E 13 | .156E 13 | .0 | .0 | .0 |

CC 30200702--GRAIN PROCES SOY BEAN PROCESSING --TOTAL SCC -SIC = 0 -TOT RECS = 323

```
EMP RANGE   COUNT
                         -------------------------------------------------------------------------------------------------------
   0.- 100.  .306E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .0         !
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200703--GRAIN PROCES BARLEY/WHEAT CLEANER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 14

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .492E 10 | .462E 10 | .537E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .492E 10 | .462E 10 | .537E 09 | .0 | .0 | .0 |

SCC = 30200703--GRAIN PROCESBARLEY/WHEAT CLEANER -NO CONTROL EQUIPMENT -TOT RECS = 14

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .352E 09 | .330E 09 | .0 | .0 | .0 | .0 |
| 7 | .352E 09 | .330E 09 | .269E 09 | .0 | .0 | .0 |
| 20 | .246E 10 | .231E 10 | .269E 09 | .0 | .0 | .0 |
| 51 | .352E 09 | .330E 09 | .0 | .0 | .0 | .0 |
| 99 | .141E 10 | .132E 10 | .0 | .0 | .0 | .0 |
| | .492E 10 | .462E 10 | .537E 09 | .0 | .0 | .0 |

CC = 30200703--GRAIN PROCES BARLEY/WHEAT CLEANER-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 14

```
TEMP RANGE   COUNT

                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .462E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200703--GRAIN PROCES BARLEY/WHEAT CLEANER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 64

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .507E 12 | .476E 12 | .536E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .507E 12 | .476E 12 | .536E 11 | .0 | .0 | .0 |

SCC = 30200703--GRAIN PROCESBARLEY/WHEAT CLEANER -WITH CONTROL EQUIPMENT -TOT RECS = 64

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .199E 11 | .186E 11 | .0 | .0 | .0 | .0 |
| 20 | .394E 12 | .369E 12 | .504E 11 | .0 | .0 | .0 |
| 51 | .837E 11 | .785E 11 | .326E 10 | .0 | .0 | .0 |
| 99 | .993E 10 | .931E 10 | .0 | .0 | .0 | .0 |
| | .507E 12 | .476E 12 | .536E 11 | .0 | .0 | .0 |

CC =30200703--GRAIN PROCES BARLEY/WHEAT CLEANER---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 64

| TEMP RANGE | COUNT | 0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100 |
|---|---|---|
| 0.- 100. | .476E 12 | !HHHH |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

SCC= 30200703--GRAIN PROCES BARLEY/WHEAT CLEANER -TOTAL SCC -SIC = 0 -TOT RECS = 78

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .512E 12 | .480E 12 | .542E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .512E 12 | .480E 12 | .542E 11 | .0 | .0 | .0 |

SCC = 30200703--GRAIN PROCESBARLEY/WHEAT CLEANER -TOTAL SCC -TOT RECS = 78

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .352E 09 | .330E 09 | .0 | .0 | .0 | .0 |
| 7 | .202E 11 | .190E 11 | .269E 09 | .0 | .0 | .0 |
| 20 | .396E 12 | .371E 12 | .507E 11 | .0 | .0 | .0 |
| 51 | .840E 11 | .788E 11 | .326E 10 | .0 | .0 | .0 |
| 99 | .113E 11 | .106E 11 | .0 | .0 | .0 | .0 |
| | .512E 12 | .480E 12 | .542E 11 | .0 | .0 | .0 |

CC 30200703--GRAIN PROCES BARLEY/WHEAT CLEANER--TOTAL SCC -SIC = 0 -TOT RECS = 78

```
EMP RANGE   COUNT
               ----------------------------------------------------------------------------------------------------
   0.- 100.  .480E 12  !HHHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200704--GRAIN PROCES MILO CLEANER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30200704--GRAIN PROCESMILO CLEANER -NO CONTROL EQUIPMENT -TOT RECS = 22

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30200704--GRAIN PROCES MILO CLEANER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .147E 11 | .138E 11 | .118E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .147E 11 | .138E 11 | .118E 10 | .0 | .0 | .0 |

SCC = 30200704--GRAIN PROCESMILO CLEANER -WITH CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .929E 10 | .871E 10 | .118E 10 | .0 | .0 | .0 |
| 51 | .155E 10 | .145E 10 | .0 | .0 | .0 | .0 |
| 99 | .387E 10 | .363E 10 | .0 | .0 | .0 | .0 |
| | .147E 11 | .138E 11 | .118E 10 | .0 | .0 | .0 |

CC =30200704--GRAIN PROCES MILO CLEANER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE     COUNT
                        ------------------------------------------------------------------------------------------------------
    0.- 100.  .138E 11  !H
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200705--GRAIN PROCES BARLEY FLOUR MILLING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30200705--GRAIN PROCESBARLEY FLOUR MILLING -NO CONTROL EQUIPMENT -TOT RECS = 5

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30200705--GRAIN PROCES BARLEY FLOUR MILLING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 31

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .400E 12 | .375E 12 | .214E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .400E 12 | .375E 12 | .214E 11 | .0 | .0 | .0 |

SCC = 30200705--GRAIN PROCESBARLEY FLOUR MILLING -WITH CONTROL EQUIPMENT -TOT RECS = 31

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .155E 11 | .145E 11 | .0 | .0 | .0 | .0 |
| 20 | .245E 12 | .230E 12 | .214E 11 | .0 | .0 | .0 |
| 50 | .155E 11 | .145E 11 | .0 | .0 | .0 | .0 |
| 51 | .774E 11 | .726E 11 | .0 | .0 | .0 | .0 |
| 99 | .464E 11 | .436E 11 | .0 | .0 | .0 | .0 |
| | .400E 12 | .375E 12 | .214E 11 | .0 | .0 | .0 |

CC =30200705--GRAIN PROCES BARLEY FLOUR MILLING---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 31

```
TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .375E 12  !HHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200706--GRAIN PROCES WET CORN MILLING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 16

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .712E 10 | .668E 10 | .680E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .712E 10 | .668E 10 | .680E 09 | .0 | .0 | .0 |

SCC = 30200706--GRAIN PROCESWET CORN MILLING -NO CONTROL EQUIPMENT -TOT RECS = 16

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .445E 09 | .418E 09 | .0 | .0 | .0 | .0 |
| 20 | .623E 10 | .585E 10 | .680E 09 | .0 | .0 | .0 |
| 51 | .445E 09 | .418E 09 | .0 | .0 | .0 | .0 |
| | .712E 10 | .668E 10 | .680E 09 | .0 | .0 | .0 |

CC = 30200706--GRAIN PROCES WET CORN MILLING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 16

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .668E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200706--GRAIN PROCES WET CORN MILLING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 39

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .378E 12 | .355E 12 | .102E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .378E 12 | .355E 12 | .102E 12 | .0 | .0 | .0 |

SCC = 30200706--GRAIN PROCESWET CORN MILLING -WITH CONTROL EQUIPMENT -TOT RECS = 39

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .368E 12 | .345E 12 | .102E 12 | .0 | .0 | .0 |
| 35 | .102E 11 | .958E 10 | .0 | .0 | .0 | .0 |
| | .378E 12 | .355E 12 | .102E 12 | .0 | .0 | .0 |

CC =30200706--GRAIN PROCES WET CORN MILLING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 39

```
TEMP RANGE    COUNT
                     ------------------------------------------------------------------------------------------------
   0.- 100.   .355E 12  !HHH
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200706--GRAIN PROCES WET CORN MILLING -TOTAL SCC -SIC = 0 -TOT RECS = 55

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .385E 12 | .361E 12 | .102E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .385E 12 | .361E 12 | .102E 12 | .0 | .0 | .0 |

SCC = 30200706--GRAIN PROCESWET CORN MILLING -TOTAL SCC -TOT RECS = 55

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .445E 09 | .418E 09 | .0 | .0 | .0 | .0 |
| 20 | .374E 12 | .351E 12 | .102E 12 | .0 | .0 | .0 |
| 35 | .102E 11 | .958E 10 | .0 | .0 | .0 | .0 |
| 51 | .445E 09 | .418E 09 | .0 | .0 | .0 | .0 |
| | .385E 12 | .361E 12 | .102E 12 | .0 | .0 | .0 |

CC 30200706--GRAIN PROCES WET CORN MILLING --TOTAL SCC -SIC = 0 -TOT RECS = 55

```
EMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .361E 12  !HHH
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200730--GRAIN PROCES WHEAT FLOUR MILLING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .103E 12 | .962E 11 | .712E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .103E 12 | .962E 11 | .712E 10 | .0 | .0 | .0 |

SCC = 30200730--GRAIN PROCESWHEAT FLOUR MILLING -NO CONTROL EQUIPMENT -TOT RECS = 22

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .466E 10 | .437E 10 | .0 | .0 | .0 | .0 |
| 7 | .466E 10 | .437E 10 | .0 | .0 | .0 | .0 |
| 20 | .839E 11 | .787E 11 | .712E 10 | .0 | .0 | .0 |
| 51 | .932E 10 | .874E 10 | .0 | .0 | .0 | .0 |
| | .103E 12 | .962E 11 | .712E 10 | .0 | .0 | .0 |

CC = 30200730--GRAIN PROCES WHEAT FLOUR MILLING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 22

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .962E 11 | !H |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200730--GRAIN PROCES WHEAT FLOUR MILLING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 147

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .123E 13 | .116E 13 | .332E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .123E 13 | .116E 13 | .332E 12 | .0 | .0 | .0 |

SCC = 30200730--GRAIN PROCESWHEAT FLOUR MILLING -WITH CONTROL EQUIPMENT -TOT RECS = 147

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .806E 09 | .756E 09 | .616E 09 | .0 | .0 | .0 |
| 20 | .100E 13 | .942E 12 | .231E 12 | .0 | .0 | .0 |
| 51 | .160E 12 | .150E 12 | .996E 11 | .0 | .0 | .0 |
| 99 | .698E 11 | .655E 11 | .123E 10 | .0 | .0 | .0 |
| | .123E 13 | .116E 13 | .332E 12 | .0 | .0 | .0 |

CC =30200730--GRAIN PROCES WHEAT FLOUR MILLING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 147

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
    0.- 100.  .116E 13 !HHHHHHHHHHH
  101.- 200.  .0       !
  201.- 300.  .0       !
  301.- 400.  .0       !
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200730--GRAIN PROCES WHEAT FLOUR MILLING -TOTAL SCC -SIC = 0 -TOT RECS = 169

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .134E 13 | .125E 13 | .340E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .134E 13 | .125E 13 | .340E 12 | .0 | .0 | .0 |

SCC = 30200730--GRAIN PROCESWHEAT FLOUR MILLING -TOTAL SCC -TOT RECS = 169

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .466E 10 | .437E 10 | .0 | .0 | .0 | .0 |
| 7 | .547E 10 | .513E 10 | .616E 09 | .0 | .0 | .0 |
| 20 | .109E 13 | .102E 13 | .238E 12 | .0 | .0 | .0 |
| 51 | .169E 12 | .158E 12 | .996E 11 | .0 | .0 | .0 |
| 99 | .698E 11 | .655E 11 | .123E 10 | .0 | .0 | .0 |
| | .134E 13 | .125E 13 | .340E 12 | .0 | .0 | .0 |

CC 30200730--GRAIN PROCES WHEAT FLOUR MILLING --TOTAL SCC -SIC = 0 -TOT RECS = 169

```
EMP RANGE     COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .125E 13  !HHHHHHHHHHHH
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200799--GRAIN PROCES OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 258

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .237E 13 | .222E 13 | .215E 12 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .237E 13 | .222E 13 | .215E 12 | .0 | .0 | .0 |

SCC = 30200799--GRAIN PROCESOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 258

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .136E 12 | .128E 12 | .312E 10 | .0 | .0 | .0 |
| 20 | .130E 13 | .122E 13 | .154E 12 | .0 | .0 | .0 |
| 42 | .662E 11 | .621E 11 | .0 | .0 | .0 | .0 |
| 50 | .189E 11 | .177E 11 | .0 | .0 | .0 | .0 |
| 51 | .332E 12 | .311E 12 | .792E 10 | .0 | .0 | .0 |
| 99 | .520E 12 | .487E 12 | .504E 11 | .0 | .0 | .0 |
| | .237E 13 | .222E 13 | .215E 12 | .0 | .0 | .0 |

CC = 30200799--GRAIN PROCES OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 258

```
TEMP RANGE   COUNT
                      -----------------------------------------------------------------------------------------------------
    0.- 100.  .222E 13 !HHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .0       !
  201.- 300.  .0       !
  301.- 400.  .0       !
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200799--GRAIN PROCES OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 614

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .735E 13 | .690E 13 | .144E 13 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .735E 13 | .690E 13 | .144E 13 | .0 | .0 | .0 |

SCC = 30200799--GRAIN PROCESOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 614

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .274E 12 | .257E 12 | .246E 11 | .0 | .0 | .0 |
| 20 | .475E 13 | .446E 13 | .103E 13 | .0 | .0 | .0 |
| 28 | .763E 10 | .716E 10 | .583E 10 | .0 | .0 | .0 |
| 35 | .806E 11 | .756E 11 | .240E 08 | .0 | .0 | .0 |
| 41 | .322E 11 | .302E 11 | .0 | .0 | .0 | .0 |
| 42 | .486E 11 | .456E 11 | .154E 09 | .0 | .0 | .0 |
| 50 | .161E 11 | .151E 11 | .0 | .0 | .0 | .0 |
| 51 | .912E 12 | .855E 12 | .241E 12 | .0 | .0 | .0 |
| 73 | .221E 11 | .207E 11 | .169E 11 | .0 | .0 | .0 |
| 99 | .121E 13 | .113E 13 | .122E 12 | .0 | .0 | .0 |
| | .735E 13 | .690E 13 | .144E 13 | .0 | .0 | .0 |

CC =30200799--GRAIN PROCES OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 614

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .690E 13 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |

SCC= 30200799--GRAIN PROCES OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 872

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .972E 13 | .912E 13 | .166E 13 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .972E 13 | .912E 13 | .166E 13 | .0 | .0 | .0 |

SCC = 30200799--GRAIN PROCESOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 872

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 7 | .410E 12 | .385E 12 | .277E 11 | .0 | .0 | .0 |
| 20 | .605E 13 | .568E 13 | .119E 13 | .0 | .0 | .0 |
| 28 | .763E 10 | .716E 10 | .583E 10 | .0 | .0 | .0 |
| 35 | .806E 11 | .756E 11 | .240E 08 | .0 | .0 | .0 |
| 41 | .322E 11 | .302E 11 | .0 | .0 | .0 | .0 |
| 42 | .115E 12 | .108E 12 | .154E 09 | .0 | .0 | .0 |
| 50 | .350E 11 | .329E 11 | .0 | .0 | .0 | .0 |
| 51 | .124E 13 | .117E 13 | .249E 12 | .0 | .0 | .0 |
| 73 | .221E 11 | .207E 11 | .169E 11 | .0 | .0 | .0 |
| 99 | .173E 13 | .162E 13 | .173E 12 | .0 | .0 | .0 |
| | .973E 13 | .912E 13 | .166E 13 | .0 | .0 | .0 |

CC 30200799--GRAIN PROCES OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 872

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .912E 13 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |

SCC= 30200801--FEED MANUF BARLEY FEED-GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 234

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .457E 12 | .429E 12 | .153E 10 | .0 | .0 | .0 |
| 101.- 200. | .658E 10 | .617E 10 | .0 | .0 | .0 | .0 |
| 201.- 300. | .102E 11 | .773E 10 | .0 | .0 | .0 | .0 |
| 301.- 400. | .119E 11 | .929E 10 | .0 | .884E 09 | .840E 09 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .486E 12 | .452E 12 | .153E 10 | .884E 09 | .840E 09 | .0 |

SCC = 30200801--FEED MANUF BARLEY FEED-GENERAL -NO CONTROL EQUIPMENT -TOT RECS = 234

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .173E 10 | .162E 10 | .0 | .0 | .0 | .0 |
| 7 | .750E 10 | .703E 10 | .153E 10 | .0 | .0 | .0 |
| 20 | .342E 12 | .319E 12 | .0 | .0 | .0 | .0 |
| 28 | .204E 10 | .192E 10 | .0 | .0 | .0 | .0 |
| 49 | .408E 10 | .383E 10 | .0 | .0 | .0 | .0 |
| 50 | .204E 10 | .192E 10 | .0 | .0 | .0 | .0 |
| 51 | .104E 12 | .971E 11 | .0 | .0 | .0 | .0 |
| 99 | .221E 11 | .189E 11 | .0 | .884E 09 | .840E 09 | .0 |
| | .486E 12 | .452E 12 | .153E 10 | .884E 09 | .840E 09 | .0 |

CC = 30200801--FEED MANUF BARLEY FEED-GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 234

```
TEMP RANGE    COUNT
                      ---------------------------------------------------------------------------------------------------
   0.- 100.  .429E 12 !HHHH
 101.- 200.  .617E 10 !H
 201.- 300.  .773E 10 !H
 301.- 400.  .929E 10 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200801--FEED MANUF BARLEY FEED-GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 284

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .132E 13 | .124E 13 | .658E 11 | .0 | .0 | .0 |
| 101.- 200. | .804E 11 | .605E 11 | .297E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .158E 10 | .123E 10 | .702E 09 | .817E 08 | .776E 08 | .710E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .140E 13 | .130E 13 | .962E 11 | .817E 08 | .776E 08 | .710E 08 |

SCC = 30200801--FEED MANUF BARLEY FEED-GENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 284

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 4 | .577E 10 | .541E 10 | .0 | .0 | .0 | .0 |
| 7 | .129E 11 | .121E 11 | .170E 10 | .0 | .0 | .0 |
| 20 | .112E 13 | .103E 13 | .945E 11 | .817E 08 | .776E 08 | .710E 08 |
| 49 | .577E 10 | .541E 10 | .0 | .0 | .0 | .0 |
| 50 | .115E 11 | .108E 11 | .0 | .0 | .0 | .0 |
| 51 | .229E 12 | .215E 12 | .156E 07 | .0 | .0 | .0 |
| 99 | .192E 11 | .180E 11 | .0 | .0 | .0 | .0 |
| | .140E 13 | .130E 13 | .962E 11 | .817E 08 | .776E 08 | .710E 08 |

CC =30200801--FEED MANUF BARLEY FEED-GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 284

```
TEMP RANGE   COUNT

                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .124E 13  !HHHHHHHHHHHH
 101.- 200.  .605E 11  !H
 201.- 300.  .0        !
 301.- 400.  .123E 10  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200801--FEED MANUF BARLEY FEED-GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 518

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .178E 13 | .167E 13 | .674E 11 | .0 | .0 | .0 |
| 101.- 200. | .870E 11 | .666E 11 | .297E 11 | .0 | .0 | .0 |
| 201.- 300. | .102E 11 | .773E 10 | .0 | .0 | .0 | .0 |
| 301.- 400. | .135E 11 | .105E 11 | .702E 09 | .966E 09 | .917E 09 | .710E 08 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .189E 13 | .175E 13 | .977E 11 | .966E 09 | .917E 09 | .710E 08 |

SCC = 30200801--FEED MANUF BARLEY FEED-GENERAL -TOTAL SCC -TOT RECS = 518

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .173E 10 | .162E 10 | .0 | .0 | .0 | .0 |
| 4 | .577E 10 | .541E 10 | .0 | .0 | .0 | .0 |
| 7 | .204E 11 | .191E 11 | .323E 10 | .0 | .0 | .0 |
| 20 | .146E 13 | .135E 13 | .945E 11 | .817E 08 | .776E 08 | .710E 08 |
| 28 | .204E 10 | .192E 10 | .0 | .0 | .0 | .0 |
| 49 | .985E 10 | .924E 10 | .0 | .0 | .0 | .0 |
| 50 | .136E 11 | .127E 11 | .0 | .0 | .0 | .0 |
| 51 | .333E 12 | .312E 12 | .156E 07 | .0 | .0 | .0 |
| 99 | .413E 11 | .369E 11 | .0 | .884E 09 | .840E 09 | .0 |
| | .189E 13 | .175E 13 | .977E 11 | .966E 09 | .917E 09 | .710E 08 |

CC 30200801--FEED MANUF BARLEY FEED-GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 518

```
EMP RANGE    COUNT
                     ------------------------------------------------------------------------------------------------
    0.- 100.  .167E 13  !HHHHHHHHHHHHHHHHH
  101.- 200.  .666E 11  !H
  201.- 300.  .773E 10  !H
  301.- 400.  .105E 11  !H
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200899--FEED MANUF OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 538

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .242E 13 | .227E 13 | .407E 11 | .0 | .0 | .0 |
| 101.- 200. | .334E 12 | .267E 12 | .123E 12 | .0 | .0 | .0 |
| 201.- 300. | .231E 12 | .174E 12 | .801E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .298E 13 | .271E 13 | .244E 12 | .0 | .0 | .0 |

SCC = 30200899--FEED MANUF OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 538

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .428E 10 | .401E 10 | .0 | .0 | .0 | .0 |
| 7 | .309E 11 | .290E 11 | .0 | .0 | .0 | .0 |
| 20 | .185E 13 | .165E 13 | .244E 12 | .0 | .0 | .0 |
| 24 | .774E 10 | .726E 10 | .0 | .0 | .0 | .0 |
| 49 | .774E 10 | .726E 10 | .0 | .0 | .0 | .0 |
| 50 | .155E 11 | .145E 11 | .0 | .0 | .0 | .0 |
| 51 | .915E 12 | .858E 12 | .0 | .0 | .0 | .0 |
| 99 | .151E 12 | .142E 12 | .0 | .0 | .0 | .0 |
| | .298E 13 | .271E 13 | .244E 12 | .0 | .0 | .0 |

CC = 30200899--FEED MANUF OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 538

```
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .227E 13  !HHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .267E 12  !HH
 201.- 300.  .174E 12  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200899--FEED MANUF OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 992

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .540E 13 | .507E 13 | .741E 12 | .0 | .0 | .0 |
| 101.- 200. | .371E 13 | .295E 13 | .148E 13 | .0 | .0 | .0 |
| 201.- 300. | .188E 13 | .142E 13 | .656E 12 | .0 | .0 | .0 |
| 301.- 400. | .124E 12 | .960E 11 | .547E 11 | .588E 10 | .558E 10 | .511E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .282E 11 | .229E 11 | .148E 11 | .659E 10 | .625E 10 | .572E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .111E 14 | .956E 13 | .295E 13 | .125E 11 | .118E 11 | .108E 11 |

SCC = 30200899--FEED MANUF  OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =   992

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .289E 11 | .271E 11 | .0 | .0 | .0 | .0 |
| 7 | .501E 11 | .470E 11 | .962E 10 | .0 | .0 | .0 |
| 20 | .102E 14 | .868E 13 | .285E 13 | .125E 11 | .118E 11 | .108E 11 |
| 25 | .145E 11 | .136E 11 | .0 | .0 | .0 | .0 |
| 28 | .245E 11 | .230E 11 | .998E 10 | .0 | .0 | .0 |
| 32 | .154E 11 | .144E 11 | .0 | .0 | .0 | .0 |
| 35 | .492E 11 | .462E 11 | .0 | .0 | .0 | .0 |
| 42 | .261E 11 | .245E 11 | .0 | .0 | .0 | .0 |
| 50 | .392E 11 | .368E 11 | .0 | .0 | .0 | .0 |
| 51 | .304E 12 | .285E 12 | .210E 11 | .0 | .0 | .0 |
| 82 | .926E 10 | .830E 10 | .753E 09 | .0 | .0 | .0 |
| 99 | .407E 12 | .351E 12 | .605E 11 | .0 | .0 | .0 |
| | .111E 14 | .956E 13 | .295E 13 | .125E 11 | .118E 11 | .108E 11 |

CC =30200899--FEED MANUF   OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    992

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .507E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .295E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .142E 13  !HHHHHHHHHHHHHHH
 301.- 400.  .960E 11  !H
 401.- 500.  .0        !
 501.- 600.  .229E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
```

SCC= 30200899--FEED MANUF OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 1530

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .782E 13 | .734E 13 | .782E 12 | .0 | .0 | .0 |
| 101.- 200. | .404E 13 | .322E 13 | .160E 13 | .0 | .0 | .0 |
| 201.- 300. | .211E 13 | .159E 13 | .736E 12 | .0 | .0 | .0 |
| 301.- 400. | .124E 12 | .960E 11 | .547E 11 | .588E 10 | .558E 10 | .511E 10 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .282E 11 | .229E 11 | .148E 11 | .659E 10 | .625E 10 | .572E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .141E 14 | .123E 14 | .319E 13 | .125E 11 | .118E 11 | .108E 11 |

SCC = 30200899--FEED MANUF OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 1530

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 2 | .332E 11 | .311E 11 | .0 | .0 | .0 | .0 |
| 7 | .811E 11 | .761E 11 | .962E 10 | .0 | .0 | .0 |
| 20 | .120E 14 | .103E 14 | .309E 13 | .125E 11 | .118E 11 | .108E 11 |
| 24 | .774E 10 | .726E 10 | .0 | .0 | .0 | .0 |
| 25 | .145E 11 | .136E 11 | .0 | .0 | .0 | .0 |
| 28 | .245E 11 | .230E 11 | .998E 10 | .0 | .0 | .0 |
| 32 | .154E 11 | .144E 11 | .0 | .0 | .0 | .0 |
| 35 | .492E 11 | .462E 11 | .0 | .0 | .0 | .0 |
| 42 | .261E 11 | .245E 11 | .0 | .0 | .0 | .0 |
| 49 | .774E 10 | .726E 10 | .0 | .0 | .0 | .0 |
| 50 | .547E 11 | .513E 11 | .0 | .0 | .0 | .0 |
| 51 | .122E 13 | .114E 13 | .210E 11 | .0 | .0 | .0 |
| 82 | .926E 10 | .830E 10 | .753E 09 | .0 | .0 | .0 |
| 99 | .558E 12 | .492E 12 | .605E 11 | .0 | .0 | .0 |
| | .141E 14 | .123E 14 | .319E 13 | .125E 11 | .118E 11 | .108E 11 |

CC 30200899--FEED MANUF OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 1530

```
EMP RANGE    COUNT

                         -------------------------------------------------------------------------------------------------------
   0.- 100.  .734E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .322E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .159E 13   !HHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .960E 11   !H
 401.- 500.  .0         !
 501.- 600.  .229E 11   !H
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
                        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

SCC= 30200901--FERMENT BEER GRAIN HANDLING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .425E 10 | .399E 10 | .650E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .425E 10 | .399E 10 | .650E 09 | .0 | .0 | .0 |

SCC = 30200901--FERMENT BEERGRAIN HANDLING -NO CONTROL EQUIPMENT -TOT RECS = 12

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .340E 10 | .319E 10 | .650E 09 | .0 | .0 | .0 |
| 24 | .851E 09 | .798E 09 | .0 | .0 | .0 | .0 |
| | .425E 10 | .399E 10 | .650E 09 | .0 | .0 | .0 |

CC = 30200901--FERMENT BEER GRAIN HANDLING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 12

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .399E 10 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30200901--FERMENT BEER GRAIN HANDLING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 48

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .287E 12 | .269E 12 | .132E 12 | .0 | .0 | .0 |
| 101.- 200. | .274E 11 | .257E 11 | .166E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .314E 12 | .295E 12 | .149E 12 | .0 | .0 | .0 |

SCC = 30200901--FERMENT BEERGRAIN HANDLING -WITH CONTROL EQUIPMENT -TOT RECS = 48

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .267E 12 | .251E 12 | .117E 12 | .0 | .0 | .0 |
| 28 | .159E 11 | .149E 11 | .122E 11 | .0 | .0 | .0 |
| 99 | .312E 11 | .293E 11 | .195E 11 | .0 | .0 | .0 |
| | .314E 12 | .295E 12 | .149E 12 | .0 | .0 | .0 |

CC =30200901--FERMENT BEER GRAIN HANDLING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 48

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .269E 12 !HH
 101.- 200.  .257E 11 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200901--FERMENT BEER GRAIN HANDLING -TOTAL SCC -SIC = 0 -TOT RECS = 60

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .291E 12 | .273E 12 | .133E 12 | .0 | .0 | .0 |
| 101.- 200. | .274E 11 | .257E 11 | .166E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .319E 12 | .299E 12 | .149E 12 | .0 | .0 | .0 |

SCC = 30200901--FERMENT BEERGRAIN HANDLING -TOTAL SCC -TOT RECS = 60

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .271E 12 | .254E 12 | .118E 12 | .0 | .0 | .0 |
| 24 | .851E 09 | .798E 09 | .0 | .0 | .0 | .0 |
| 28 | .159E 11 | .149E 11 | .122E 11 | .0 | .0 | .0 |
| 99 | .312E 11 | .293E 11 | .195E 11 | .0 | .0 | .0 |
| | .319E 12 | .299E 12 | .149E 12 | .0 | .0 | .0 |

CC 30200901--FERMENT BEER GRAIN HANDLING --TOTAL SCC -SIC = 0 -TOT RECS = 60

```
EMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .273E 12  !HH
  101.- 200.  .257E 11  !H
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200902--FERMENT BEER DRYING SPENT GRAIN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 9

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .647E 11 | .607E 11 | .278E 11 | .0 | .0 | .0 |
| 101.- 200. | .140E 12 | .109E 12 | .541E 11 | .0 | .0 | .0 |
| 201.- 300. | .420E 11 | .317E 11 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .247E 12 | .202E 12 | .819E 11 | .0 | .0 | .0 |

SCC = 30200902--FERMENT BEERDRYING SPENT GRAIN -NO CONTROL EQUIPMENT -TOT RECS = 9

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .236E 12 | .192E 12 | .819E 11 | .0 | .0 | .0 |
| 99 | .107E 11 | .100E 11 | .0 | .0 | .0 | .0 |
| | .247E 12 | .202E 12 | .819E 11 | .0 | .0 | .0 |

CC = 30200902--FERMENT BEER DRYING SPENT GRAIN -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 9

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .607E 11   !H
 101.- 200.  .109E 12   !H
 201.- 300.  .317E 11   !H
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200902--FERMENT BEER DRYING SPENT GRAIN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .192E 11 | .180E 11 | .147E 11 | .0 | .0 | .0 |
| 101.- 200. | .166E 13 | .127E 13 | .420E 12 | .0 | .0 | .0 |
| 201.- 300. | .290E 12 | .220E 12 | .117E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .197E 13 | .150E 13 | .552E 12 | .0 | .0 | .0 |

SCC = 30200902--FERMENT BEERDRYING SPENT GRAIN -WITH CONTROL EQUIPMENT -TOT RECS = 22

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .837E 12 | .639E 12 | .216E 12 | .0 | .0 | .0 |
| 33 | .832E 08 | .625E 08 | .307E 08 | .0 | .0 | .0 |
| 99 | .114E 13 | .865E 12 | .336E 12 | .0 | .0 | .0 |
| | .197E 13 | .150E 13 | .552E 12 | .0 | .0 | .0 |

CC =30200902--FERMENT BEER DRYING SPENT GRAIN ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 22

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .180E 11 !H
 101.- 200.  .127E 13 !HHHHHHHHHHHH
 201.- 300.  .220E 12 !HH
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200902--FERMENT BEER DRYING SPENT GRAIN -TOTAL SCC -SIC = 0 -TOT RECS = 31

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .839E 11 | .787E 11 | .425E 11 | .0 | .0 | .0 |
| 101.- 200. | .181E 13 | .138E 13 | .474E 12 | .0 | .0 | .0 |
| 201.- 300. | .331E 12 | .252E 12 | .117E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .222E 13 | .171E 13 | .634E 12 | .0 | .0 | .0 |

SCC = 30200902--FERMENT BEERDRYING SPENT GRAIN -TOTAL SCC -TOT RECS = 31

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .107E 13 | .831E 12 | .298E 12 | .0 | .0 | .0 |
| 33 | .832E 08 | .625E 08 | .307E 08 | .0 | .0 | .0 |
| 99 | .115E 13 | .875E 12 | .336E 12 | .0 | .0 | .0 |
| | .222E 13 | .171E 13 | .634E 12 | .0 | .0 | .0 |

CC 30200902--FERMENT BEER DRYING SPENT GRAIN --TOTAL SCC -SIC = 0 -TOT RECS = 31

```
EMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .787E 11  !H
 101.- 200.  .138E 13  !HHHHHHHHHHHHH
 201.- 300.  .252E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200903--FERMENT BEER BREWING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 101.- 200. | .778E 11 | .579E 11 | .0 | .0 | .0 | .0 |
| 201.- 300. | .830E 11 | .628E 11 | .0 | .0 | .0 | .0 |
| 301.- 400. | .729E 11 | .562E 11 | .123E 11 | .206E 10 | .195E 10 | .107E 10 |
| 401.- 500. | .933E 11 | .734E 11 | .439E 11 | .105E 11 | .998E 10 | .913E 10 |
| 501.- 600. | .315E 11 | .255E 11 | .166E 11 | .735E 10 | .698E 10 | .639E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .358E 12 | .276E 12 | .728E 11 | .199E 11 | .189E 11 | .166E 11 |

SCC = 30200903--FERMENT BEERBREWING -NO CONTROL EQUIPMENT -TOT RECS = 8

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .198E 12 | .155E 12 | .728E 11 | .199E 11 | .189E 11 | .166E 11 |
| 82 | .415E 11 | .314E 11 | .0 | .0 | .0 | .0 |
| 99 | .119E 12 | .893E 11 | .0 | .0 | .0 | .0 |
| | .358E 12 | .276E 12 | .728E 11 | .199E 11 | .189E 11 | .166E 11 |

CC = 30200903--FERMENT BEER BREWING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .0 | ! |
| 101.- 200. | .579E 11 | !H |
| 201.- 300. | .628E 11 | !H |
| 301.- 400. | .562E 11 | !H |
| 401.- 500. | .734E 11 | !H |
| 501.- 600. | .255E 11 | !H |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |
| | | 0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100 |

SCC= 30200903--FERMENT BEER BREWING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30200903--FERMENT BEERBREWING -WITH CONTROL EQUIPMENT -TOT RECS = 1

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| TEMP OUTSIDE CURVES | | 50.0 | | | | |
| TEMP OUTSIDE CURVES | | 50.0 | | | | |
| TEMP OUTSIDE CURVES | | 50.0 | | | | |

SCC= 30200998--FERMENT BEER OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30200998--FERMENT BEEROTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30200998--FERMENT BEER OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30200998--FERMENT BEEROTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 55.0 | | | | |
| TEMP OUTSIDE | CURVES | 45.0 | | | | |
| TEMP OUTSIDE | CURVES | 45.0 | | | | |
| TEMP OUTSIDE | CURVES | 45.0 | | | | |

SCC= 30200999--FERMENT BEER OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .119E 11 | .112E 11 | .119E 10 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .315E 11 | .255E 11 | .166E 11 | .735E 10 | .698E 10 | .639E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .435E 11 | .367E 11 | .178E 11 | .735E 10 | .698E 10 | .639E 10 |

SCC = 30200999--FERMENT BEEROTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 5

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .376E 11 | .312E 11 | .166E 11 | .735E 10 | .698E 10 | .639E 10 |
| 99 | .589E 10 | .553E 10 | .119E 10 | .0 | .0 | .0 |
| | .435E 11 | .367E 11 | .178E 11 | .735E 10 | .698E 10 | .639E 10 |

CC = 30200999--FERMENT BEER OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .112E 11 | !H |
| 101.- 200. | .0 | ! |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .255E 11 | !H |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30200999--FERMENT BEER OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .904E 10 | .848E 10 | .403E 10 | .0 | .0 | .0 |
| 101.- 200. | .921E 11 | .783E 11 | .385E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .101E 12 | .868E 11 | .425E 11 | .0 | .0 | .0 |

SCC = 30200999--FERMENT BEEROTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .695E 10 | .652E 10 | .243E 10 | .0 | .0 | .0 |
| 99 | .942E 11 | .803E 11 | .401E 11 | .0 | .0 | .0 |
| | .101E 12 | .868E 11 | .425E 11 | .0 | .0 | .0 |

CC =30200999--FERMENT BEER OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .848E 10  !H
 101.- 200.  .783E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30200999--FERMENT BEER OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 24

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .210E 11 | .197E 11 | .522E 10 | .0 | .0 | .0 |
| 101.- 200. | .921E 11 | .783E 11 | .385E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .315E 11 | .255E 11 | .166E 11 | .735E 10 | .698E 10 | .639E 10 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .145E 12 | .124E 12 | .603E 11 | .735E 10 | .698E 10 | .639E 10 |

SCC = 30200999--FERMENT BEEROTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 24

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .445E 11 | .377E 11 | .190E 11 | .735E 10 | .698E 10 | .639E 10 |
| 99 | .100E 12 | .858E 11 | .413E 11 | .0 | .0 | .0 |
| | .145E 12 | .124E 12 | .603E 11 | .735E 10 | .698E 10 | .639E 10 |

CC 30200999--FERMENT BEER OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 24

| EMP RANGE | COUNT | 0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100 |
|---|---|---|
| 0.- 100. | .197E 11 | !H |
| 101.- 200. | .783E 11 | !H |
| 201.- 300. | .0 | ! |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .255E 11 | !H |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

SCC= 30201001--FERMENT WHIS GRAIN HANDLING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 14

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30201001--FERMENT WHISGRAIN HANDLING -NO CONTROL EQUIPMENT -TOT RECS = 14

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
| --- | --- | --- | --- | --- | --- | --- |

SCC= 30201001--FERMENT WHIS GRAIN HANDLING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 42

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .406E 11 | .381E 11 | .293E 11 | .0 | .0 | .0 |
| 101.- 200. | .182E 11 | .136E 11 | .670E 10 | .0 | .0 | .0 |
| 201.- 300. | .209E 11 | .159E 11 | .840E 10 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .798E 11 | .676E 11 | .444E 11 | .0 | .0 | .0 |

SCC = 30201001--FERMENT WHISGRAIN HANDLING -WITH CONTROL EQUIPMENT -TOT RECS = 42

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .588E 11 | .517E 11 | .360E 11 | .0 | .0 | .0 |
| 27 | .209E 11 | .159E 11 | .840E 10 | .0 | .0 | .0 |
| | .798E 11 | .676E 11 | .444E 11 | .0 | .0 | .0 |

CC =30201001--FERMENT WHIS GRAIN HANDLING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 42

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .381E 11 | !H |
| 101.- 200. | .136E 11 | !H |
| 201.- 300. | .159E 11 | !H |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30201002--FERMENT WHIS DRYING SPENT GRAIN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .161E 11 | .151E 11 | .850E 10 | .0 | .0 | .0 |
| 101.- 200. | .241E 12 | .182E 12 | .503E 11 | .0 | .0 | .0 |
| 201.- 300. | .635E 11 | .477E 11 | .242E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .321E 12 | .245E 12 | .830E 11 | .0 | .0 | .0 |

SCC = 30201002--FERMENT WHISDRYING SPENT GRAIN -NO CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .321E 12 | .245E 12 | .830E 11 | .0 | .0 | .0 |
| | .321E 12 | .245E 12 | .830E 11 | .0 | .0 | .0 |

CC = 30201002--FERMENT WHIS DRYING SPENT GRAIN -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .151E 11 | !H |
| 101.- 200. | .182E 12 | !H |
| 201.- 300. | .477E 11 | !H |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30201002--FERMENT WHIS DRYING SPENT GRAIN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .100E 11 | .939E 10 | .529E 10 | .0 | .0 | .0 |
| 101.- 200. | .109E 12 | .912E 11 | .484E 11 | .0 | .0 | .0 |
| 201.- 300. | .294E 12 | .221E 12 | .113E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .413E 12 | .322E 12 | .167E 12 | .0 | .0 | .0 |

SCC = 30201002--FERMENT WHISDRYING SPENT GRAIN -WITH CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .411E 12 | .320E 12 | .165E 12 | .0 | .0 | .0 |
| 99 | .187E 10 | .176E 10 | .143E 10 | .0 | .0 | .0 |
| | .413E 12 | .322E 12 | .167E 12 | .0 | .0 | .0 |

CC =30201002--FERMENT WHIS DRYING SPENT GRAIN ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .939E 10  !H
 101.- 200.  .912E 11  !H
 201.- 300.  .221E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201002--FERMENT WHIS DRYING SPENT GRAIN -TOTAL SCC -SIC = 0 -TOT RECS = 36

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .261E 11 | .245E 11 | .138E 11 | .0 | .0 | .0 |
| 101.- 200. | .350E 12 | .273E 12 | .987E 11 | .0 | .0 | .0 |
| 201.- 300. | .358E 12 | .269E 12 | .137E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .734E 12 | .567E 12 | .250E 12 | .0 | .0 | .0 |

SCC = 30201002--FERMENT WHISDRYING SPENT GRAIN -TOTAL SCC -TOT RECS = 36

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .732E 12 | .565E 12 | .248E 12 | .0 | .0 | .0 |
| 99 | .187E 10 | .176E 10 | .143E 10 | .0 | .0 | .0 |
| | .734E 12 | .567E 12 | .250E 12 | .0 | .0 | .0 |

CC 30201002--FERMENT WHIS DRYING SPENT GRAIN --TOTAL SCC -SIC = 0 -TOT RECS = 36

```
EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .245E 11  !H
 101.- 200.  .273E 12  !HH
 201.- 300.  .269E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201003--FERMENT WHIS AGING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 44

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30201003--FERMENT WHISAGING -NO CONTROL EQUIPMENT -TOT RECS = 44

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30201003--FERMENT WHIS AGING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30201003--FERMENT WHISAGING -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |
| TEMP OUTSIDE | CURVES | 50.0 | | | | |

SCC= 30201099--FERMENT WHIS OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .778E 09 | .730E 09 | .272E 09 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .778E 09 | .730E 09 | .272E 09 | .0 | .0 | .0 |

SCC = 30201099--FERMENT WHISOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 2

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .778E 09 | .730E 09 | .272E 09 | .0 | .0 | .0 |
| | .778E 09 | .730E 09 | .272E 09 | .0 | .0 | .0 |

CC = 30201099--FERMENT WHIS OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

| TEMP RANGE | COUNT |
|---|---|
| 0.- 100. | .730E 09 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30201099--FERMENT WHIS OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .410E 11 | .385E 11 | .313E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .410E 11 | .385E 11 | .313E 11 | .0 | .0 | .0 |

SCC = 30201099--FERMENT WHISOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 17

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .410E 11 | .385E 11 | .313E 11 | .0 | .0 | .0 |
| | .410E 11 | .385E 11 | .313E 11 | .0 | .0 | .0 |

CC =30201099--FERMENT WHIS OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 17

```
TEMP RANGE    COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .385E 11 !H
 101.- 200.   .0       !
 201.- 300.   .0       !
 301.- 400.   .0       !
 401.- 500.   .0       !
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-140C.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201099--FERMENT WHIS OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .418E 11 | .392E 11 | .316E 11 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .418E 11 | .392E 11 | .316E 11 | .0 | .0 | .0 |

SCC = 30201099--FERMENT WHISOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .418E 11 | .392E 11 | .316E 11 | .0 | .0 | .0 |
| | .418E 11 | .392E 11 | .316E 11 | .0 | .0 | .0 |

CC 30201099--FERMENT WHIS OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 19

| EMP RANGE | COUNT |
|---|---|
| 0.- 100. | .392E 11 |
| 101.- 200. | .0 |
| 201.- 300. | .0 |
| 301.- 400. | .0 |
| 401.- 500. | .0 |
| 501.- 600. | .0 |
| 601.- 700. | .0 |
| 701.- 800. | .0 |
| 801.- 900. | .0 |
| 901.-1000. | .0 |
| 1001.-1100. | .0 |
| 1101.-1200. | .0 |
| 1201.-1300. | .0 |
| 1301.-1400. | .0 |
| 1401.-1500. | .0 |
| 1501.-1600. | .0 |
| 1601.-1700. | .0 |
| 1701.-1800. | .0 |
| 1801.-1900. | .0 |
| 1901.-2000. | .0 |
| 2001.-2100. | .0 |
| 2101.-2200. | .0 |
| 2201.-2300. | .0 |
| 2301.-2400. | .0 |
| 2401.-2500. | .0 |
| 2501.-2600. | .0 |
| 2601.-2700. | .0 |
| 2701.-2800. | .0 |
| 2801.-2900. | .0 |
| 2901.-3000. | .0 |

SCC= 30201201--FISH MEAL COOKERS-FRESH FISH -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .734E 08 | .689E 08 | .0 | .0 | .0 | .0 |
| 101.- 200. | .136E 09 | .101E 09 | .502E 08 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .209E 09 | .170E 09 | .502E 08 | .0 | .0 | .0 |

SCC = 30201201--FISH MEAL   COOKERS-FRESH FISH   -NO CONTROL EQUIPMENT -TOT RECS =   3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .209E 09 | .170E 09 | .502E 08 | .0 | .0 | .0 |
| | .209E 09 | .170E 09 | .502E 08 | .0 | .0 | .0 |

CC = 30201201--FISH MEAL   COOKERS-FRESH FISH  --  -NO CONTROL EQUIPMENT  -SIC=   0 -TOTAL RECS =   3

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .689E 08 !
 101.- 200.  .101E 09 !
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201201--FISH MEAL    COOKERS-FRESH FISH    -WITH CONTROL EQUIPMENT -SIC =    0 -TOT RECS =    0

| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30201201--FISH MEAL COOKERS-FRESH FISH -WITH CONTROL EQUIPMENT -TOT RECS = 0

| SIC | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300DEG | 300 DEG | 300 DEG |

SCC= 30201202--FISH MEAL COOKERS-STALE FISH -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .142E 10 | .134E 10 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .282E 11 | .212E 11 | .108E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .296E 11 | .225E 11 | .108E 11 | .0 | .0 | .0 |

SCC = 30201202--FISH MEAL   COOKERS-STALE FISH   -NO CONTROL EQUIPMENT -TOT RECS =      3

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .296E 11 | .225E 11 | .108E 11 | .0 | .0 | .0 |
| | .296E 11 | .225E 11 | .108E 11 | .0 | .0 | .0 |

CC = 30201202--FISH MEAL   COOKERS-STALE FISH  --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      3

```
TEMP RANGE   COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .134E 10  !H
 101.- 200.  .0        !
 201.- 300.  .212E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201202--FISH MEAL COOKERS-STALE FISH -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
| | 60 DEG | 60 DEG | 60 DEG | 300 DEG | 300 DEG | 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30201202--FISH MEAL   COOKERS-STALE FISH   -WITH CONTROL EQUIPMENT -TOT RECS =   0

| SIC | MAXIMUM | EXPECTED | MINIMUM | MAXIMUM | EXPECTED | MINIMUM |
|---|---|---|---|---|---|---|
| | 60 DEG | 60 DEG | 60 DEG | 300DEG | 300 DEG | 300 DEG |

SCC= 30201203--FISH MEAL DRIERS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .186E 10 | .174E 10 | .0 | .0 | .0 | .0 |
| 101.- 200. | .128E 11 | .960E 10 | .471E 10 | .0 | .0 | .0 |
| 201.- 300. | .284E 12 | .214E 12 | .749E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .481E 11 | .382E 11 | .0 | .731E 10 | .694E 10 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .476E 09 | .402E 09 | .290E 09 | .201E 09 | .191E 09 | .174E 09 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .347E 12 | .264E 12 | .799E 11 | .751E 10 | .713E 10 | .174E 09 |

SCC = 30201203--FISH MEAL DRIERS -NO CONTROL EQUIPMENT -TOT RECS = 19

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .328E 12 | .250E 12 | .797E 11 | .731E 10 | .694E 10 | .0 |
| 49 | .476E 09 | .402E 09 | .290E 09 | .201E 09 | .191E 09 | .174E 09 |
| 99 | .184E 11 | .139E 11 | .0 | .0 | .0 | .0 |
| | .347E 12 | .264E 12 | .799E 11 | .751E 10 | .713E 10 | .174E 09 |

CC = 30201203--FISH MEAL DRIERS -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE   COUNT
              ----------------------------------------------------------------------------------------------------
   0.- 100.  .174E 10  !H
 101.- 200.  .960E 10  !H
 201.- 300.  .214E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .382E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .402E 09  !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201203--FISH MEAL DRIERS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .483E 10 | .453E 10 | .224E 10 | .0 | .0 | .0 |
| 101.- 200. | .226E 11 | .169E 11 | .160E 10 | .0 | .0 | .0 |
| 201.- 300. | .836E 11 | .631E 11 | .174E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .111E 12 | .846E 11 | .212E 11 | .0 | .0 | .0 |

SCC = 30201203--FISH MEAL DRIERS -WITH CONTROL EQUIPMENT -TOT RECS = 7

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .111E 12 | .846E 11 | .212E 11 | .0 | .0 | .0 |
| | .111E 12 | .846E 11 | .212E 11 | .0 | .0 | .0 |

CC =30201203--FISH MEAL DRIERS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 7

| TEMP RANGE | COUNT | |
|---|---|---|
| 0.- 100. | .453E 10 | !H |
| 101.- 200. | .169E 11 | !H |
| 201.- 300. | .631E 11 | !H |
| 301.- 400. | .0 | ! |
| 401.- 500. | .0 | ! |
| 501.- 600. | .0 | ! |
| 601.- 700. | .0 | ! |
| 701.- 800. | .0 | ! |
| 801.- 900. | .0 | ! |
| 901.-1000. | .0 | ! |
| 1001.-1100. | .0 | ! |
| 1101.-1200. | .0 | ! |
| 1201.-1300. | .0 | ! |
| 1301.-1400. | .0 | ! |
| 1401.-1500. | .0 | ! |
| 1501.-1600. | .0 | ! |
| 1601.-1700. | .0 | ! |
| 1701.-1800. | .0 | ! |
| 1801.-1900. | .0 | ! |
| 1901.-2000. | .0 | ! |
| 2001.-2100. | .0 | ! |
| 2101.-2200. | .0 | ! |
| 2201.-2300. | .0 | ! |
| 2301.-2400. | .0 | ! |
| 2401.-2500. | .0 | ! |
| 2501.-2600. | .0 | ! |
| 2601.-2700. | .0 | ! |
| 2701.-2800. | .0 | ! |
| 2801.-2900. | .0 | ! |
| 2901.-3000. | .0 | ! |

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30201203--FISH MEAL DRIERS -TOTAL SCC -SIC = 0 -TOT RECS = 26

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .669E 10 | .627E 10 | .224E 10 | .0 | .0 | .0 |
| 101.- 200. | .354E 11 | .265E 11 | .631E 10 | .0 | .0 | .0 |
| 201.- 300. | .367E 12 | .277E 12 | .923E 11 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .481E 11 | .382E 11 | .0 | .731E 10 | .694E 10 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .476E 09 | .402E 09 | .290E 09 | .201E 09 | .191E 09 | .174E 09 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .458E 12 | .348E 12 | .101E 12 | .751E 10 | .713E 10 | .174E 09 |

SCC = 30201203--FISH MEAL DRIERS -TOTAL SCC -TOT RECS = 26

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .439E 12 | .334E 12 | .101E 12 | .731E 10 | .694E 10 | .0 |
| 49 | .476E 09 | .402E 09 | .290E 09 | .201E 09 | .191E 09 | .174E 09 |
| 99 | .184E 11 | .139E 11 | .0 | .0 | .0 | .0 |
| | .458E 12 | .348E 12 | .101E 12 | .751E 10 | .713E 10 | .174E 09 |

CC 30201203--FISH MEAL DRIERS --TOTAL SCC -SIC = 0 -TOT RECS = 26

```
EMP RANGE   COUNT

                        --------------------------------------------------------------------------------------------------------
   0.- 100.  .627E 10  !H
 101.- 200.  .265E 11  !H
 201.- 300.  .277E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .382E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .402E 09  !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201299--FISH MEAL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

| | | | | | | |
|---|---|---|---|---|---|---|
| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30201299--FISH MEAL   OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 7

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|

SCC= 30201299--FISH MEAL OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .865E 11 | .811E 11 | .0 | .0 | .0 | .0 |
| 101.- 200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 201.- 300. | .152E 13 | .115E 13 | .191E 12 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .161E 13 | .123E 13 | .191E 12 | .0 | .0 | .0 |

SCC = 30201299--FISH MEAL   OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =      4

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .152E 13 | .115E 13 | .191E 12 | .0 | .0 | .0 |
| 44 | .865E 11 | .811E 11 | .0 | .0 | .0 | .0 |
| | .161E 13 | .123E 13 | .191E 12 | .0 | .0 | .0 |

CC =30201299--FISH MEAL    OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      4

```
TEMP RANGE    COUNT

                         --------------------------------------------------------------------------------------------------
   0.- 100.  .811E 11   !H
 101.- 200.  .0         !
 201.- 300.  .115E 13   !HHHHHHHHHHH
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201301--MEAT SMOKING GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 66

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .260E 12 | .244E 12 | .175E 12 | .0 | .0 | .0 |
| 101.- 200. | .102E 13 | .866E 12 | .977E 11 | .0 | .0 | .0 |
| 201.- 300. | .744E 11 | .563E 11 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .135E 13 | .117E 13 | .273E 12 | .0 | .0 | .0 |

SCC = 30201301--MEAT SMOKINGGENERAL -NO CONTROL EQUIPMENT -TOT RECS = 66

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .109E 13 | .948E 12 | .233E 12 | .0 | .0 | .0 |
| 99 | .261E 12 | .219E 12 | .402E 11 | .0 | .0 | .0 |
| | .135E 13 | .117E 13 | .273E 12 | .0 | .0 | .0 |

CC = 30201301--MEAT SMOKING GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 66

```
TEMP RANGE   COUNT
                     ------------------------------------------------------------------------------------------------
   0.- 100.  .244E 12 !HH
 101.- 200.  .866E 12 !HHHHHHHHH
 201.- 300.  .563E 11 !H
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201301--MEAT SMOKING GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .284E 12 | .266E 12 | .851E 09 | .0 | .0 | .0 |
| 101.- 200. | .222E 12 | .168E 12 | .824E 11 | .0 | .0 | .0 |
| 201.- 300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .506E 12 | .434E 12 | .832E 11 | .0 | .0 | .0 |

SCC = 30201301--MEAT SMOKINGGENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 12

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .401E 12 | .335E 12 | .832E 11 | .0 | .0 | .0 |
| 99 | .105E 12 | .986E 11 | .0 | .0 | .0 | .0 |
| | .506E 12 | .434E 12 | .832E 11 | .0 | .0 | .0 |

CC =30201301--MEAT SMOKING GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 12

```
TEMP RANGE   COUNT
              ----------------------------------------------------------------------------------------------------
   0.- 100.  .266E 12  !HH
 101.- 200.  .168E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30201301--MEAT SMOKING GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 78

| TEMP | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 0.- 100. | .544E 12 | .510E 12 | .176E 12 | .0 | .0 | .0 |
| 101.- 200. | .124E 13 | .103E 13 | .180E 12 | .0 | .0 | .0 |
| 201.- 300. | .744E 11 | .563E 11 | .0 | .0 | .0 | .0 |
| 301.- 400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 401.- 500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 501.- 600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 601.- 700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 701.- 800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 801.- 900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 901.-1000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1001.-1100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1101.-1200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1201.-1300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1301.-1400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1401.-1500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1501.-1600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1601.-1700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1701.-1800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1801.-1900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 1901.-2000. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2001.-2100. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2101.-2200. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2201.-2300. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2301.-2400. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2401.-2500. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2501.-2600. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2601.-2700. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2701.-2800. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2801.-2900. | .0 | .0 | .0 | .0 | .0 | .0 |
| 2901.-3000. | .0 | .0 | .0 | .0 | .0 | .0 |
| | .186E 13 | .160E 13 | .356E 12 | .0 | .0 | .0 |

SCC = 30201301--MEAT SMOKINGGENERAL -TOTAL SCC -TOT RECS = 78

| SIC | MAXIMUM 60 DEG | EXPECTED 60 DEG | MINIMUM 60 DEG | MAXIMUM 300 DEG | EXPECTED 300 DEG | MINIMUM 300 DEG |
|---|---|---|---|---|---|---|
| 20 | .149E 13 | .128E 13 | .316E 12 | .0 | .0 | .0 |
| 99 | .366E 12 | .317E 12 | .402E 11 | .0 | .0 | .0 |
| | .186E 13 | .160E 13 | .356E 12 | .0 | .0 | .0 |

CC 30201301--MEAT SMOKING GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 78

```
EMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .510E 12 !HHHHH
 101.- 200.  .103E 13 !HHHHHHHHHH
 201.- 300.  .563E 11 !H
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```